
PROBABILITY AND CONDITIONAL PROBABILITY OF CUMULATIVE CLOUD COVER FOR SEL. (U) OPTIMETRICS INC BEDFORD MA M O GALLERY ET AL. JUL 85 OMI-139 AFGL-TR-85-8154 F19628-84-C-8049 F/G 4/2 AD-A162 218 1/3 UNCLASSIFIED NL



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



PROBABILITY AND CONDITIONAL PROBABILITY OF CUMULATIVE CLOUD COVER FOR SELECTED STATIONS WORLDWIDE

William O. Gallery John R. Hummel David A. Farmer

4D-A162 21

OptiMetrics, Inc 1 DeAngelo Drive, Suite D Bedford, MA 01730

July 1985



Final Report December 1983 - July 1985

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

WILE COPY

AIR FORCE GEOPHYSICS LABORATORY
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
HANSCOM AIR FORCE BASE, MASSACHUSETTS 01731

"This technical report has been reviewed and is approved for publication"

FREDERICK J. BROUSAIDES

Contract Manager

KENNETH R. HARDY

Branch Chief

FOR THE COMMANDER

ROBERT A. McCLATCHEY Division Director

This report has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify AFGL/DAA, Hanscom AFB, MA 01731. This will assist us in maintaining a current mailing list.

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION	PAGE	BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	SECIPIENT'S CATALOG NUMBER
AFGL-TR-85-0154	AKOZ ZA	BEFORE COMPLETING FORM SECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtille)		S. TYPE OF REPORT & PERIOD COVERED
4. TITLE (and Subtitle) Probability and Conditional Prob	ability	December 1983-July 1985
of Cumulative Cloud Cover for Se	elected Stations	Final Technical Report
Worldwide		6. PERFORMING ORG. REPORT NUMBER
		OMI-139
7. AUTHOR(e)		8. CONTRACT OR GRANT NUMBER(e)
William O. Gallery		
John R. Hummel		F19628-84-C-0049
David A. Farmer		
9. PERFORMING ORGANIZATION NAME AND ADDRES	55	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
OptiMetrics, Inc.		63707F
1 DeAngelo Drive, Suite D Bedford, Massachusetts 01730		268801DG
200000, 1200000		
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
Air Force Geophysics Laboratory		July 1985 13. NUMBER OF PAGES
Hanscom Air Force Base, Massach		- K
Monitor: Frederick Brousai		214
I MONITORING AGENCY NAME & ADDRESS(II BILLS)	ent from Controlling Office)	15. SECURITY CEASS. (OF INTE PEPOR)
		Unclassified
		<u></u>
f .		15a. DECLASSIFICATION/DOWNGRADING
17. DISTRIBUTION STATEMENT (of the abetract enter	red in Block 30, II dillerent B	rom Report)
19. KEY WORDS (Continue on reverse side if necessary	y and identify by block number	er)
Cloud Cover	ETAC DATSAV	
Cloud Statistics	Surface Weather	Observation
Cloud Profiles	Cloud Observation	
Conditional Probability	Clouds	
20 ABSTRACT (Continue on reverse side if necessary	and Ideally, by Mont work	
Cloud cover has a major impact on sensors. Climatological statistic useful to tactical commanders planterritory where observations are in This report presents tables of the tive cloud cover at or below 15 grant surface weather observations from considered from four regions (Germann Considered from four regions (Germann)	both visible and cs of the probabil nning missions over not available or the historical probabilities altitudes.	infrared electro-optical lity of cloud cover would be er hostile or contested ability, by okta, of cumula- The data consists of routine Matabase. Out of 41 stations

DD 1 JAN 73 1473 EDITION OF 1 NOV 68 IS DESOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

America), 29 stations had data suitable for analysis. / The analysis were performed for each station broken down by season and time of day (0000 to 0559, 0600 to 1159, 1200 to 1759, and 1800 to 2359 local time), then averaged separately over season and over time of day, and over all seasons and times of day. Graphical and tabular results are presented here for all stations for the average over all seasons and time of day; for a selected station (Bitburg, Germany) averages by season and time of day are given. The full set of tables is available on tape.

Another goal of this project is to answer the question; suppose that a remote measurement (say from an RPV) indicates that a cloud is or is not present at or below a given altitude, how much additional information does this measurement add to the historical probabilities that is, how much different are the conditional probabilities of cumulative cloud cover given that a cloud is or is not reported compared to the unconditional (historical) probabilities? Tables of these conditional probabilities are presented.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (Wilm Dala Entred)

TABLE OF CONTENTS

1.	INTR	ODUCTION1
	1.1	Scope of the Study
	1.2	Organization of the Report3
2.	DESC	RIPTION OF THE PROBLEM4
	2.1	Sources of Data4
	2.2	Problems with Surface Observations of Sky Cover5
		2.2.1 The Presence of Multiple Cloud Layers5 2.2.2 The Observer's Viewing Perspective5 2.2.3 Subjective Nature of Observations8 2.2.4 Reliability of Observations8
	2.3	Types of Cloud Observations9
		2.3.1 Synoptic Reports
	2.4	Similar Studies12
3.	SCRE	ENING OF DATA
	3.1	Available Data Bases
	3.2	Selection Criteria13
		3.2.1 First Cut
4.	ANAL	YSIS TECHNIQUE28
	4.1	Generating a Profile of Cumulative Cloud Cover28
	4.2	Calculating Frequencies-of-Occurrence of Cumulative Cloud Cover Amount31
	4.3	Conditional Cloud Cover Probability32
5.	RESU	LTS AND DISCUSSION


	5.1	Averages Over All of the Data35
		5.1.1 West Germany
	5.2	Seasonal Results37
	5.3	Diurnal Results38
	5.4	Conditional Probability Results38
	5.5	Impact of Analysis Assumptions39
		5.5.1 Random Overlap Assumption39
		5.5.2 Assigning Heights to Cloud Layers39
6.	CONCI	USIONS AND RECOMMENDATION113
	6.1	Historical Probabilities113
	6.2	Conditional Probabilities114
	6.3	Data Quality Problems114
	6.4	Problems in Interpreting the Data114
	6.5	Recommendations for Future Work115
REFE	RENCE	ss117
APPE	NDIX	A: Diagnostic Statistics on the Provided

LIST OF ILLUSTRATIONS

1.	Schematic Representation of Three Individual Cloud Layers
2.	Cumuliform Clouds in Which Spaces Between Them Can be Seen When Viewed Vertically
3(a). (b). (c). (d).	Location of Observing Stations in W. Germany14 Locations of Observing Stations in the Middle East
4.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Schleswig/Jegel, West Germany42
5.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Bremen, West Germany44
6.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Hannover, West Germany46
7.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Berlin/Tegel, West Germany48
8.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Giessen, West Germany50
9.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Bitburg, West Germany52
10.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Ramstein, West Germany54
11.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Grafenwöhr, West Germany56
12.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Heidelberg, West Germany58
13.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Munchen/Reim, West Germany60
14.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Deir Zzor, Syria

15.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Bagdad Intl., Syria64
16.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Tehran/Mehrabad, Iran66
17.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Cairo, Egypt68
18.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Seoul, Korea70
19.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Hoengsung/R-401, Korea72
20.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Osan, Korea74
21.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Kunsan, Korea76
22.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Taegu and Tonchon, Korea78
23.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Pusan/Kimhaf, Korea80
24.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Kwangju, Korea82
25.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Sachon, Korea84
26.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Guatemala City, Guatemala86
27.	Probability of Cumulative Cloud Amounts at Selected Altitudes for San Salvador, El Salvador88
28.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Tegucigalpa, Honduras90
29.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Managua/Sandino, Nicaragua92
30.	Probability of Cumulative Cloud Amounts at Selected

31.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Tocumen, Panama96
32.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Howard AFB, Panama98
33.	Probability of Cumulative Cloud Amounts at Selected Altitudes in Winter for Bitburg, West Germany100
34.	Probability of Cumulative Cloud Amounts at Selected Altitudes in Spring for Bitburg, West Germany102
35.	Probability of Cumulative Cloud Amounts at Selected Altitudes in Summer for Bitburg, West Germany104
36.	Probability of Cumulative Cloud Amounts at Selected Altitudes in Fall for Bitburg, West Germany106
37.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Summer Data for Bitburg, West Germany
38.	Probability of Cumulative Cloud Amounts at Selected Altitudes for Summer Data for Bitburg, West Germany110
39.	Conditional Probability of Cumulative Cloud Amounts at Selected Altitudes for Bitburg, West Germany,lll
40.	Conditional Probability of Cumulative Cloud Amounts at Selected Altitudes for Bitburg, West Germany,112



LIST OF TABLES

1.	Summary of Surface Observations Types10
2.	Locations Suggested for Use in the Cloud Cover Study18
3.	Locations Rejected Following the First Cut of the Data and the Reasons for Rejection22
4.	Time Periods Selected for Analysis25
5.	Percentage of Each Type of Observation Over All Years26
6.	Altitude Grid to be Used in the Cloud Cover Probability Analysis29
7.	Probabilities as a Function of Altitude of Cumulative Cloud Amounts from Schleswig/Jegel, West Germany41
8.	Probabilities as a Function of Altitude of Cumulative Cloud Amounts for Bremen, West Germany43
9.	Probabilities as a Function of Altitude of Cumulative Cloud Amounts for Hannover, West Germany45
10.	Probabilities as a Function of Altitude of Cumulative Cloud Amounts for Berlin/Tegel, West Germany47
11.	Probabilities as a Function of Altitude of Cumulative Cloud Amounts for Giessen, West Germany49
12.	Probabilities as a Function of Altitude of Cumulative Cloud Amounts for Bitburg, West Germany51
13.	Probabilities as a Function of Altitude of Cumulative Cloud Amounts for Ramstein, West Germany53
14.	Probabilities as a Function of Altitude of Cumulative Cloud Amounts for Grafenwöhr, West Germany55
15.	Probabilities as a Function of Altitude of Cumulative Cloud Amounts for Heidelberg, West Germany57
16.	Probabilities as a Function of Altitude of Cumulative Cloud Amounts for Munchen/Reim, West Germany59

17.		as a Function of Altitude of Cumulative for Deir Zzor, Syria61
18.		as a Function of Altitude of Cumulative for Bagdad Intl., Syria63
19.		as a Function of Altitude of Cumulative for Tehran/Mehrabad, Iran65
20.		as a Function of Altitude of Cumulative for Cairo, Egypt67
21.		as a Function of Altitude of Cumulative for Seoul, Korea69
22.		as a Function of Altitude of Cumulative for Hoengsung/R-401, Korea71
23.		as a Function of Altitude of Cumulative for Osan, Korea73
24.		as a Function of Altitude of Cumulative for Kunsan, Korea
25.		as a Function of Altitude of Cumulative for Taegu and Tonchon, Korea77
26.	Probabilities Cloud Amounts	as a Function of Altitude of Cumulative for Pusan/Kimhaf, Korea79
27.	Probabilities Cloud Amounts	as a Function of Altitude of Cumulative for Kwangju, Korea81
28.		as a Function of Altitude of Cumulative for Sachon, Korea83
29.		as a Function of Altitude of Cumulative for Guatemala City, Guatemala85
30.		as a Function of Altitude of Cumulative for San Salvador, El Salvador87
31.		as a Function of Altitude of Cumulative for Tegucigalpa, Honduras89
32.		as a Function of Altitude of Cumulative for Managua/Sandino, Nicaragua91
33.		as a Function of Altitude of Cumulative

34.		as a Function of Altitude of Cumulative for Tocumen, Panama95
35.		as a Function of Altitude of Cumulative for Howard AFB, Panama97
36.		as a Function of Altitude of Cumulative for Bitburg, West Germany, Winter99
37.		as a Function of Altitude of Cumulative for Bitburg, West Germany, Spring101
38.		as a Function of Altitude of Cumulative for Bitburg, West Germany, Summer103
39.		as a Function of Altitude of Cumulative for Bitburg, West Germany, Fall105
40.	Cloud Amounts	as a Function of Altitude of Cumulative for Bitburg, West Germany,
41.	Cloud Amounts	as a Function of Altitude of Cumulative for Bitburg, West Germany,

APPENDIX A LIST OF TABLES

A-1.	Diagnostic Statistics Performed on the Data for Schleswig/Jegel, West Germany, WMO Station 1003701
A-2.	Diagnostic Statistics Performed on the Data for Bremen, West Germany, WMO Station 1022403
A-3.	Diagnostic Statistics Performed on the Data for Hannover, West Germany, WMO Station 1033805
A-4.	Diagnostic Statistics Performed on the Data for Berlin/Tegel, West Germany, WMO Station 1038207
A-5.	Diagnostic Statistics Performed on the Data for Giessen, West Germany, WMO Station 1053209
A-6.	Diagnostic Statistics Performed on the Data for Bitburg, West Germany, WMO Station 10610011
A-7.	Diagnostic Statistics Performed on the Data for Ramstein, West Germany, WMO Station 10614015
A-8.	Diagnostic Statistics Performed on the Data for Grafenwöhr, West Germany, WMO Station 10687019
A-9.	Diagnostic Statistics Performed on the Data for Heidelberg, West Germany, WMO Station 10734021
A-10.	Diagnostic Statistics Performed on the Data for Munchen/Reim, West Germany, WMO Station 10866025
A-11.	Diagnostic Statistics Performed on the Data for Deir Zzor, Syria, WMO Station 40045027
A-12.	Diagnostic Statistics Performed on the Data for Mann, Jordan, WMO Station 40310029
A-13.	Diagnostic Statistics Performed on the Data for Bagdad Intl., Syria, WMO Station 40650031

A-14.	Diagnostic Statistics Performed on the Data for Rezaiyeh, Iran, WMO Station 407120
A-15.	Diagnostic Statistics Performed on the Data for Tehran/Mehrabad, Iran, WMO Statioan 407540A-37
A-16.	Diagnostic Statistics Performed on the Data for Kermansheh, Iran, WMO Station 407660
A-17.	Diagnostic Statistics Performed on the Data for Cairo, Egypt, WMO Station 623660
A-18.	Diagnostic Statistics Performed on the Data for Seoul, Korea, WMO Station 471110
A-19.	Diagnostic Statistics Performed on the Data for Hoengsung/R-401, Korea, WMO Station 471180A-45
A-20.	Diagnostic Statistics Performed on the Data for Osan, Korea, WMO Station 471220
A-21.	Diagnostic Statistics Performed on the Data for Kunsan, Korea, WMO Station 471410
A-22.	Diagnostic Statistics Performed on the Data for Taegu and Tonchon, Korea, WMO Station 471420A-55
A-23.	Diagnostic Statistics Performed on the Data for Pusan/Kimhaf, Korea, WMO Station 471530A-57
A-24.	Diagnostic Statistics Performed on the Data for Kwangju, Korea, WMO Station 471580
A-25.	Diagnostic Statistics Performed on the Data for Sachon, Korea, WMO Station 471610
A-26.	Diagnostic Statistics Performed on the Data for Guatemala City, Guatemala, WMO Station 786410
A-27.	Diagnostic Statistics Performed on the Data for San Salvador, El Salvador, WMO Station 786630
A-28.	Diagnostic Statistics Performed on the Data for Tegucigalpa, Honduras, WMO Station 787200A-67
A-29.	Diagnostic Statistics Performed on the Data for Managua/Sandino, Nicaragua, WMO

A-30.	Diagnostic Statistics Performed on the Data for San Jose, Costa Rica, WMO Station 78762069
A-31.	Diagnostic Statistics Performed on the Data for Tocumen, Panama, WMO Station 7879201
A-32.	Diagnostic Statistics Performed on the Data for Howard AFB, Panama, WMO Station 78806073

1 INTRODUCTION

The performance of precision-guided munition (PGM) systems may be severely compromised by the presence of clouds in the desired target area. The presense of clouds can prevent the acquisition of targets by the mission commander or cause a PGM to lose track of a target. Also, the presence of clouds can lead to an endangering of the flight crew's safety by forcing them to fly below clouds in order to acquire and track targets. For this reason, Air Force commanders must be given information about the distribution of clouds in a given operational area.

1.1 SCOPE OF THE STUDY

OptiMetrics, Inc. (OMI) was contracted by the Air Force Geophysics Laboratory (AFGL) to perform a study using cloud observations from several locations around the world. The ultimate goal of the study was to produce information about cloud cover probabilities that could be used in tactical decision making. The study consisted of five technical tasks:

Task A Data Screening and Selection

Data sets were provided from 41 locations around the world and these data were screened to select data sets for further analysis. Three general criteria were used to evaluate the given data sets:

1. Did the data sets have the required observations?

- 2. Did the data sets have a sufficient climatological sample?
- 3. Were the samples geographically diverse?

The last criterion was included to allow the analysis to include as many climatically diverse locations as possible. If two or more locations were found to be similar climatically, one would have been not used in favor of another climatically dissimilar location.

Task B Frequency-of-Occurrence Statistics

Using the selected data sets frequency-of-occurrence statistics were calculated at selected altitude levels from 0 to about 30,000 feet above Mean Sea Level (MSL). The results from this task are the historical probabilities of finding clouds of given amounts at given altitudes.

Task C Calculate Conditional Probabilities of Fractional Cloud Cover

With the knowledge that a cloud is either present or not present at a given altitude and with the results from Task B the conditional probabilities that clouds of specified amounts will be found at given altitudes when a cloud is detected (or not detected) were calculated.

Task D Treatment of Selected Locations for Which Inadequate Data Are Available

This task involved how to treat those locations in which insufficient or inadequate data existed. Either alternate locations were suggested based on climatic comparisons or alternate analysis techniques recommended.

Task E Presentation of Analysis Results

The results from Tasks B and C were quantified and the most efficient method of displaying the results utilized.

1.2 ORGANIZATION OF THE REPORT

Chapter 2 provides a detailed description of the problem and summarizes background results from similar studies. Detailed results from Task A have been presented in an earlier Interim Report [1] and will be summarized in Chapter 3. Chapter 4 discusses the analysis techniques used. Chapter 5 presents and discusses the results from the analyses. Chapter 6 presents the conclusions and recommendations from the study.

DESCRIPTION OF THE PROBLEM

Clouds can undergo rapid temporal and spatial variations, thereby making prediction of their presence exceedingly difficult. While the physical processes that govern cloud formation are reasonably well known [e.g. 2] the computational complexity of the problem limits their inclusion in prognostic models to simplified representations. As a result, one is often forced to use statistical formulations to describe cloud details.

2.1 SOURCES OF DATA

The source of data for statistical approaches is the data base of routine surface observations made around the world. Sky cloud coverage is given in terms of oktas (eighths), or tenths, depending on the particular observation protocol of the celestial dome. Two basic types of surface observations are made: airways and synoptic observations. The airways reports are taken to serve aviation interests. The data are collected hourly but may be taken more often depending upon weather conditions. The airways reports contain estimates of the cloud heights and amounts of the observed layers and may have information about the amount of total sky cover. Synoptic observations are taken routinely every three hours, more often if weather conditions warrant it. The synoptic report contains information on the coverage of all low clouds (utilizing World Meteorological Organization (WMO) definitions of what is a low cloud) and information about the types of other clouds These data are collected and archived at the Napresent. tional Climatic Center in Asheville, North Carolina and the

USAF Environmental Technical Applications Center (ETAC) at Scott Air Force Base, Illinois.

2.2 PROBLEMS WITH SURFACE OBSERVATIONS OF SKY COVER

2.2.1 THE PRESENCE OF MULTIPLE CLOUD LAYERS

A major problem with cloud observation data involves the presence of multiple cloud layers. The problem manifests itself when multiple cloud layers are present and one cloud layer obscures the other cloud layers making a determination of the extent of the other cloud layers difficult. This is portrayed in Figure 1 in which there are three cloud None of the clouds individually cover the entire sky but all three cloud layers viewed together do. How this case would be reported depends on the type of observation being made because with some types of observations the observer is instructed to estimate the amount of coverage by the individual layers while in others the observer is not. When using the reported data one does not know what the observer was looking at and what the structure was like. Also, one cannot know if the observer had to estimate the amount of obscured cloud or if all cloud layers could be seen distinctly.

2.2.2 THE OBSERVER'S VIEWING PERSPECTIVE

When dealing with regularly spaced clouds such as cumuliform clouds one may see spaces between clouds when looking vertically but one may see a solid mass of clouds when one looks toward the horizon. This is graphically represented in Figure 2. The angle at which the cloud elements visually merge into one varies with the vertical extent of the clouds. This packing effect can result in the cloud amounts being overestimated seeing that the Federal Meteorological






FIGURE 1. SCHEMATIC REPRESENTATION OF THREE INDIVIDUAL CLOUD LAYERS. NONE OF THE CLOUDS INDIVIDUALLY COVER THE ENTIRE SKY BUT ALL THREE CLOUD LAYERS VIEWED TOGETHER DO.




FIGURE 2. CUMULIFORM CLOUDS IN WHICH SPACES BETWEEN THEM CAN BE SEEN WHEN VIEWED VERTICALLY BUT THEY ARE SEEN AS A SOLID MASS WHEN LOOKING TOWARDS THE HORIZON.

Handbook [3] instructs the observer not to compensate for the packing effect (i.e. the observer is instructed to include the sky covered by both the base and sides of the clouds observed).

2.2.3 SUBJECTIVE NATURE OF OBSERVATIONS

Surface observations are by nature subjective and it is difficult to compensate for it. In the Federal Meteorological Handbook, for instance, one is supposed to estimate the amount of sky cover "...on the basis of experience..." [3] as well as generalized concepts that include mentally merging clouds into a continuous sheet.

Also, gauging cloud altitudes is difficult, especially if no vertical reference points exist. One way around this is to lump clouds into the generic low, middle and high cloud categories utilized by the WMO but even this poses problems for the observer in determining what kind of cloud falls into what category.

2.2.4 RELIABILITY OF OBSERVATIONS

Finally, reliable cloud observations cannot be made under all circumstances. The most obvious example is under nighttime conditions. The Federal Meteorological Handbook advises using the presence of stars to gauge cloud cover. The easiest way around this problem is to not include night-time observations at all. Another example is the case when the sky is obscured by haze, smoke or fog. Coded information is provided in the reports to let one know that the observation was obscured. For example, when fog exists a report of 10/10 cloudiness at ground level is reported. Obscured situations lead to data gaps that, if they occur often enough, can statistically skew the analyses.

Another reliability problem involves trying to guess if the observers were following the correct procedures when making their observations. On inspection, the ETAC data used in this study showed indications of data that were not consistent with the observation procedures. That is, some reports contained data that were not supposed to be there or were inconsistent with the stated procedures. In discussions with actual observers it was learned that observers may try to estimate individual layer amounts even though they may not be permitted to. The statement most often given was to ask observers what they actually do, not what the book says they should do.

2.3 TYPES OF CLOUD OBSERVATIONS

There are two basic kinds of surface observations made that include cloud data. They are the synoptic and aviation reports mentioned earlier. Table 1 summarizes the features of the different kinds of surface observations.

2.3.1 SYNOPTIC REPORTS

Synoptic reports include the full set of surface observations that are used in forecasting applications. There are three basic groups of cloud data in synoptic reports. The first group is the "sky cover" and represents the total amount of the celestial dome covered by clouds. The second group is called the "cloud group" and consists of the total amount of the celestial dome covered by all low clouds, the type(s) of low clouds present, a code for the altitude range of the low clouds and the types of middle and high clouds present. If no low clouds are present then the amount of the first "cloud layer" present is given. The third cloud group is called the cloud layer group and contains information on the individual layers observed. These data contain informa-

TABLE 1. SUMMARY OF SURFACE OBSERVATION TYPES.

TYPE	TOTAL SKY COVER DATA	INDIVIDUAL LAYER DATA		
Synoptic	Yes	Type, Amount (1) & Altitude		
Airways	Yes	Type, Amount (2) & Altitude		
METAR	No	Type, Amount (1) & Altitude		

- (1) Amounts are individual layer amounts according to observer discretion.
- (2) Amounts are cumulative.

tion on the specific type of clouds observed, their amounts and altitudes of their bases. Using all of the data in the synoptic cloud reports one can make assumptions about the overlapping nature of the cloud layers.

2.3.2 AVIATION REPORTS

Two types of aviation reports are issued depending upon location: Airways and METAR reports. Airways reports are used mainly in North America, Hawaii and Guam. The reports of sky conditions give total sky cloud cover amounts, in tenths, and layer amounts in terms of the implicit descriptors "scattered", "broken", "overcast", "obscured" and "partially obscured". The layer descriptors refer to the cumulative cloud coverage from the surface to the given layer. These implicit descriptors are related to broad categories of cloud coverage. In addition, the Airways code allows the observer to indicate if the clouds are "opaque" or "thin", thin meaning that one half or more of the reported clouds do not constitute a ceiling [4].

METAR reports, which are similar to the standard format approved by the WMO, do not give total sky coverage values but give individual layer amounts, given in oktas. METAR reports also do not differentiate between "thin" and "opaque" clouds.

2.3.3 MERGED SYNOPTIC AND AVIATION REPORTS

One may also find merged reports consisting of synoptic and Airways or synoptic and METAR data. In these cases one can use the data from one report type to augment the data from another type of report. For example, METAR reports do not contain information about the total sky coverage but the synoptic report does.

2.4 SIMILAR STUDIES

Skanklin and Landwehr [5] compiled three years of whole-sky photographs, sky cover observations and cloud type observations taken every hour during the day at Columbia, Missouri over the period 1966 to 1969. The whole-sky photographs were analyzed by placing a template with 33 small circles inscribed representing 33 lines of sight. The lines of sight represented nine look angles from 10 to 90 degrees tor each of the four cardinal compass points. For each of the look angles the frequency of occurrence of a cloud-free line-of-sight CFLOS) was tabulated. The resulting data base is widley regarded as the best available of its type and forms the basis for numerous succeeding CFLOS studies [6, 7]. CFLOS studies are relevant to this study because one of the first steps to be performed in a CFLOS study is to compute the frequency of occurrence of clouds at given altitudes. With these frequencies calculated one can then calculate the probabilities of CFLOS for the desired look angles.

The Shanklin and Lund [5] study segregated the Columbia, MO cloud data into six different cloud categories. Rapp, et al. [8] presented a similar analysis of the Columbia data but they used total cloud cover instead of the amounts of given types. They then derived frequency of occurrence statistics for cumulative sky cover with altitude trom the surface to 30,000 feet above the surface for a given location. The data so derived were then smoothed and converted to a vertical probability distribution for each cloud fraction. These vertical distributions were then used in the CFLOS calculations.

SCREENING OF DATA

3.1 AVAILABLE DATA BASES

AFGL provided data from 41 locations in four geographical regions: West Germany, the Middle East, Korea and Central America. The locations are shown in Figures 3 (a) - (d). The data are standard surface weather observations that have been compiled by ETAC. The data were provided on magnetic tape in the DATSAV format [9]. Tables 2 (a) -(d) give the WMO station numbers, latitudes and longitudes and periods of data coverage for the locations.

3.2 SELECTION CRITERIA

3.2.1 FIRST CUT

The first screening of the data was made based on the total number of meteorological observations made for each location. The goal was to select stations with a relatively long period of record, 5 - 10 years, and with a consistent rate of reporting data on a daily basis (every hour, three hours, etc.). For this screening the emphasis was on the amount of complete surface observations data not just the amount of cloud data present. This screening was performed using data surveys provided by AFGL.

Using these criteria 34 out of the original 41 locations were identified as potentially useful for the study. The stations that were rejected following the first cut and the reasons why are given in Table 3. (Detailed results from the first screening of the data are contained in the Interim report [1].)




FIGURE 3 (a). LOCATION OF OBSERVING STATIONS IN W. GERMANY.




FIGURE 3 (b). LOCATIONS OF OBSERVING STATIONS IN THE MIDDLE EAST.




FIGURE 3 (c). LOCATIONS OF OBSERVING STATIONS IN KOREA.




FIGURE 3 (d). LOCATIONS OF OBSERVING STATIONS IN CENTRAL AMERICA.

TABLE 2. LOCATIONS SUGGESTED FOR USE IN THE CLOUD COVER STUDY.
THE DATES IN PARENTHESES REPRESENT TIME PERIODS WHEN
DATA ARE NOT AVAILABLE.

(a) West Germany

WMO #	NAME	LATITUDE	LONGITUDE	PERIOD OF RECORD
100370	Schleswig/Jagel	54.47 N	9.53 E	June 68-Mar 82
102240	Bremen	53.05 N	8.80 E	Jan 66-Dec 79
103380	Hannover	52.47 N	9.72 E	Jan 66-Dec 82
103820	Berlin/Tegel	52.57 พ	13.33 E	Sept 67-Dec 81
105320	Giessen	50.34 N	8.42 E	Jan 66-Dec 79
106100	Bitburg	49.95 N	6.58 E	Apr 52-Dec 81 (No Jan 71-Dec 72)
106140	Ramstein	49.43 N	7.60 E	Jan 53-Dec 81 (No Jan 71-Dec 72)
106870	Grafenwohr	49.70 N	11.97 E	Jan 59-Dec 80 (No Jan 71-Dec 72)
107340	Heidelberg	49.40 N	8.67 E	Jan 52-Dec 80 (No Jan 71-Dec 73)
108660	Munchen/Reim	48.13 N	11.73 E	Jan 73-Dec 82

TABLE 2. (continued)

(b) The Middle East

VMO #	RAME	LATITODE	LONGITUDE	PERIOD OF RECORD
400450	Deir Zzor, Syria	35.19 N	40.09 E	Jan 66-May 80
401040	Merdjayoun, Lebanon	33.22 N	35.35 E	Mar 49-Mar 76
403100	Maan, Jordan	30.10 N	35.47 E	June 66-Dec 80
403560	Turaif/Al Turayf, Saudia Arabia	31.41 N	38.40 E	Apr 51-Dec 81 (No Jan 54-Dec 62) (No Jan 65-Dec 65)
406500	Bagdad Intl., Iraq	33.14 N	44.14 E	Jan 66-May 80
407120	Rezaiyeh, Iran	37.40 N	45.04 E	Feb 50-Dec 80
407540	Tehran/Mehrabad, Iran	35.41 N	51.19 E	Jan 67-Dec 81
407660	Kermanshah, Iran	34. 21 N	47.09 E	July 57-Sept 80
623060	Mersa Matruh, Egypt	31.20 N	27.13 E	Mar 49-May 81 No Jan 53-Dec 58)
623660	Cairo, Intl., Egypt	30.08 N	31.24 E	Jan 66-Dec 79
623930	Mankabad/Asyut, Egypt	27.11 N	31.06 E	Jan 57-May 81

The second of the second of

TABLE 2. (continued)

(c) Korea

WHO #	EME	LATITUDE	LONGITUDE	PERIOD OF RECORD
471070	Kangnung, Korea	37.75 N	128.97 E	Aug 68-Dec 80
471110	Seoul, Korea	37.31 N	126.56 E	Jan 66-Dec 81 (No Feb 71-Dec 73)
471180	Hoengsung/R-401, Korea	37.43 N	127.97 E	Jan 66-Dec 79
478	Osan, Korea	37.10 N	127.05 E	Jan 53-Dec 81 (No Jan 71-Dec 72)
471390	Pohang, Korea	35.98 N	129.43 E	Mar 67-Dec 79
471413	Kunsan, Korea	35. 90 N	126.63 E	Aug 51-Dec 81 (No Jan 71-Dec 72)
471425	Taegu & Tonchon, Korea	35.90 N	128.67 E	Jan 66-Dec 79
471530	Pusan/Kimhaf, Korea	35.18 N	128.95 E	Jan 66-Dec 79
471580	Kwangju, Korea	35.07 N	126.49 E	Jan 66-Dec 79
471610	Sachon, Korea	35.08 N	128.10 E	Jan 66-Dec 78

TABLE 2. (continued)

(d) Central America

WHO #	HAME	LATITUDE	LONGITUDE	PERIOD OF RECORD
786370	Puerto Barrios, Guatemala	15.43 N	88.36 W	Apr 70-Dec 78
786410	Guatemala City Guatemala	14.35 N	90.31 W	Jan 68-Dec 79
786630	San Salvador, El Salvador	13.42 N	89.07 W	Jan 68-Dec 79
787080	San Pedro Sula, Honduras	15.27 N	87.56 W	Jan 66-Dec 79
787200	Tegucigalpa, Honduras	14.03 N	87.13 W	Jan 68-Dec 79
787300	Puerto Cabezas, Nicaragua	14.02 N	83.24 W	Jan 66-Dec 77
787410	Managua/Sandino, Nicaragua	12.07 N	86.11 W	Jan 68-Dec 7 9
787620	San Jose, Costa Rica	9.56 N	84.06 W	Jan 68-Dec 79
787920	Tocumen, Panama	9.05 N	79.22 W	Jan 73-Dec 79
788060	Howard AFB, Panama	8.55 N	79.36 W	Jan 49-Dec 81 (No Jan 50-Nov 6 (No Jan 71-Dec 7

LOCATIONS REJECTED FOLLOWING THE FIRST CUT OF THE DATA AND THE REASONS FOR REJECTION. TABLE 3.

STATION	WMO NO.	REASON FOR REJECTION
MERDJAYOUN. LEBANON	401040	DATA ONLY COVERS THE HOURS 0600-1800
TURAIF/AL TURAYF. SAUDIA ARABIA	403560	POOR DATA COVERAGE
MERSA MATRUH. EGYPT	623060	POOR DATA COVERAGE
MANKABAD/ASYUT. EGYPT	623930	POOR DATA COVERAGE
PUERTO BARRIOS. GUATEMALA	786370	DATA ONLY COVERS THE HOURS 1200-2400
SAN PEDRO SULA. HONDURAS	787080	DATA PRIMARILY COVERS THE HOURS 1200-2400
PUERTO CABEZAS. NICARGUA	787300	DATA PRIMARILY COVERS THE HOURS 1200-2400

3.2.2 SECOND CUT

A second screening of the data was performed focusing on the cloud data for the stations. The screening focused on the amounts of cloud data and the "reasonableness" of the data. After this screening was performed five additional stations were eliminated because they contained little or no cloud layer data: Maan, Jordan; Rezaizeh, Iran; Kermanshah, Iran. Kangnung, Korea and Pohang, Korea were also excluded when it was found that their data tapes were no longer available.

The remaining 29 stations were then examined to see if the data were "reasonable". This examination was made by performing a set of diagnosite statistics on the remaining 31 sets of data. The goal was to define the years of data to be used in the cloud cover analysis.

The statistics consisted of yearly averages of: the numbers of valid and invalid observations, the percent of observations of a given type, the percent occurrence of reported total sky cover amount by okta and the percent of the total cloud cover amount calculated from the individual layer amounts. Invalid observations were those in which the data given violated the rules governing the given observation type or were inconsistent with other companion data that were also reported. A set of these statistics was performed for every station and are given in Appendix A.

An example of "unreasonable" data is found in the cloud data from Korea for 1966 and 1967. During these years the number of total surface observations was significantly smaller than in other years and the observations that were made indicated that the skies were clear nearly 100% of the time. This is quite unrealistic climatically. A more likely explanation is that observations of total sky coverage

were not made but incorrectly recorded as 0 sky coverage instead of missing data. This is based on the fact that a more "normal" distribution of sky cover observations began to appear in the data around 1968. Another example of suspect data was found in many stations around the time period 1968 - 1973. During this time period many stations switched from Airways to METAR observations and there are periods in which there were no data or data indicating 100% clear skies. The years in which these obvious inconsistencies occurred were eliminated from the data base and then a final set of time periods of record assdembled for the remaining stations. Table 4 lists the stations by region and the years of data that were used in the analysis. Table 5 also lists the stations and gives the distribution of observation type over the categories data set.

Finally, the observations for the early year for several of the German stations gave very few reports of clear sky: apparently zero cloud cover was reported as missing data. But since there were also periods of genuinely missing data, it was not possible to assume that missing data implied clear sky. The years in which these obvious inconsistencies occurred were eliminated from the data base and then a final set of time periods of record assembled for the remaining stations. Table 4 lists the stations by region and the years of data that were used in the analysis. Table 5 also lists the stations and gives the distribution of observation type over the complete data set.

TABLE 4. TIME PERIODS SELECTED FOR ANALYSIS.

STATION	YEARS
West Germany	,
Schleswig/Jagel	1969 - 1981
Bremen	1969 - 1979
Hannover	1969 - 1982
Berlin/Tegel	1969 - 1979
Giessen	1966 - 1979
Bitburg	1953 - 1963
Ditbuig	1968 - 1981
Ramstein	1953 - 1963
Name to an	1968 - 1981
Grafenwohr	1968 - 1980
Heidelberg	1952 - 1963
+ y	1974 - 1980
Munchen	1973 - 1982
The Middle East	st
Deir Zzor, Syria	1967 - 1979
Bagdad Intl., Iraq	1969 - 1979
Tehran/Mehrabad, Iran	1969 - 1979
Cairo, Egypt	1969 - 1979
Korea	
Seoul	1966 - 1979
56041	1974 - 1981
Hoengsung/R-401	1968 - 1970
noengoung/ N 401	1973 - 1979
Osan	1953 - 1963
Osan	1968 - 1981
Kunsan	1951 - 1963
Kullouli	1968 - 1981
Taegu & Tonchon	1968 - 1970
140ga a 1000000	1973 - 1979
Pusan/Kimhaf	1974 - 1979
Kwangju	1973 - 1979
Sachon	1973 - 1978
Central Ameri	.ca
Guatemala City, Guatemala	1979 - 1979
San Salvador, El Salvador	1970 - 1979
Tegucigalpa, Honduras	1971 - 1979
Manaqua/Sandino, Nicaragua	1973 - 1979
San Jose, Costa Rica	1974 - 1979
Tocumen, Panama	1973 - 1979
Howard AFB, Panama	1962 - 1963
	1968 - 1981

TABLE 5. PERCENTAGE OF EACH TYPE OF OBSERVATION OVER ALL YEARS.

(A) GERMANY

STATION	SYNOPTIC	AIRWAYS	METAR	SYNOPTIC+ AIRWAYS	SYNOPTIC+ METAR
Schleswig	8.9	0.8	85.8	0	4.5
Bremen	86.9	0.1	3.3	0	9.7
Hannover	82.1	<0.1	2.8	0	15.0
Berlin	0	1.2	98.8	0	0
Giessen	100.0	0	0	0	0
Bitburg	0	51.7	48.3	0	0
Ramstein	0	51.7	48.3	0	Ö
Grafenwohr	Ó	18.1	81.9	0	0
Heidelberg	0	58.0	42.0	0	Ö
Munchen/Reim	82.5	0	4.8	0	12.7

(B) MIDDLE EAST

STATION	SYNOPTIC	AIRWAYS	METAR	SYNOPTIC+ AIRWAYS	SYNOPTIC+ METAR
Dier Zzor	100.0	0	0	0	0
Maan	100.0	0	0	0	0
Bagdad	34.3	0.1	14.8	Ō	50.8
Rezaiyeh	100.0	0	0	0	0
Tehran	20.2	0.1	26.2	Ö	53.5
Kermanshah	100.0	0	0	Ö	0
Cairo	9.7	0.4	73.8	Ŏ	16.1

TABLE 5. (continued)

(C) KOREA

STATION	SYNOPTIC	AIRWAYS	METAR	SYNOPTIC+ AIRWAYS	SYNOPTIC+ METAR
Seoul	0	34.0	66.0	0	0
Hoengsung/R-401	0	31.8	68.1	0	0.1
Osan	0	52.3	47.7	0	0
Kunsan	0	53.8	46.2	0	0
Taegu and Tonchor	n 0	30.3	69.7	0	0
Pusan/Kimhaf	0	31.4	68.6	0	. 0
Kwangju	0	34.9	65.1	0	0
Sachon	0	35.1	64.9	0	0

(D) CENTRAL AMERICA

STATION	SYNOPTIC	AIRWAYS	METAR	SYNOPTIC+ AIRWAYS	SYNOPTIC METAR
Guatelmala City	43.8	0	5.2	0	51.0
San Salvador	32.9	0	11.1	0	56.0
Tegucigapla	29.4	0	70.1	0	0.5
Managua/Sandino	53.1	0	9.1	0	37.8
San Jose	26.2	0	14.4	0	59.4
Tocumen	1.0	0	89.4	0	9.6
Howard AFB	0	23.2	54.1	0	22.7

ANALYSIS TECHNIQUE

This chapter describes the calculations performed to obtain the probability of cloud cover and conditional probability of cloud cover statistics. The data used in the analysis are the amount and layer height data contained in the surface observations. The height data contained in the surface observations describe altitude ranges for the observed clouds rather than precise altitude determinations. For the purposes of this study the cloud cover statistics will be calculated for the altitudes given in Table 6. cloud observed at an altitude between any of the values given in Table 6 will be assigned to the lower altitude. This is consistent with the reporting techniques used with the surface observations but may tend to overestimate cloud amounts at a given altitude. Also, if two individual clouds are reported at altitudes between any of the values given in the Table they will be treated as a single cloud located at the upper altitude of the layer with an amount appropriate tor the given observation type.

4.1 GENERATING A PROFILE OF CUMULATIVE CLOUD COVER

The observations used in the analysis consist of up to tour pairs of cloud layer reports $(s_i,\ h_i)$

where

 $s_{\dot{1}}$ = fraction of the total sky covered by the layer,

 h_i = base height of the cloud layer.

TABLE 6. ALTITUDE GRID TO BE USED IN THE CLOUD COVER PROB-ABILITY ANALYSIS.

Altitude (f	Feet)
100,000	
20,000)
15,000)
10,000)
5,000)
3,000)
2,00	0
1,50	0
1,00	0
70	0
50	0
30	0
20	0
10	0

The first step in the analysis is to convert the cloud layer report (s_i , h_i) to a profile of cumulative cloud cover (x_i, z_i) on a vertical grid. For a single cloud layer, say with a base at h_1 and an amount s_1 , the procedure is simple: $x_i = 0$ for $z_i < h_1$ and $x_i = s_1$ for $z_i > = h_1$. For multiple cloud layers, the generation of a profile of cumulative cloud cover depends on the type of observation made. If the observation is an Airways report the reported layer amounts are by definition the profile of cumulative cloud cover. the case of synoptic and METAR observations it is not that simple and some assumptions must be made regarding the spatial correlation of the clouds in the different layers. two extremes are that the clouds are spatially uncorrelated, (randomly overlapping) or that they are completely correlated (stacked). The assumption to be made here will depend upon whether or not the total cloud cover parameter, SKY, is included in the observation. If it is included one can use it and the individual layer amount information to deduce whether or not the layers or correlated or uncorrelated. For example, assume that SKY is given and has the value 4/8 and two cloud layers are reported, the lowest cloud having 1/8 coverage and the upper having 4/8. In this case we deduce that the total cloud cover profile is a cumulative On the other hand, suppose that SKY was given as 5/8 and the lowest layer had 2/8 and the upper had 4/8. In this case, the profile is clearly not cumulative and there must be some overlapping of the clouds. In this particular case the profile of total cloud cover corresponds to that given by two randomly overlapping clouds [10.]

$$TCC = s_1 + s_2 (1 - s_1)$$
 (1a)

where s_1 and s_2 are the fractions of cloud cover by each layer (the cloud layer amounts in oktas divided by 8). The corresponding expressions for three and four cloud layers are, respectively,

TCC =
$$s_1 + s_2 (1 - s_1) + s_3 (1 - s_1) (1 - s_2)$$
 (1b)

TCC =
$$s_1 + s_2 (1 - s_1) + s_3 (1 - s_1) (1 - s_2) +$$

$$s_4 (1 - s_1) (1 - s_2) (1 - s_3)$$
(1c)

In using the above expressions when the total sky cover parameter is given one must check to see that the calculated value of TCC does not exceed that given by the total sky cover parameter. If it does you use the value given by SKY rather than that given by TCC. With this procedure, a profile of cumulative cloud cover is calculated for each surface cloud observation.

4.2 CALCULATING FREQUENCIES-OF-OCCURRENCE OF CUMULATIVE CLOUD COVER AMOUNT

The total of all observations for a given location is processed into tables of frequency of occurrence of cumulative cloud cover, one for each altitude z_i . The frequency of occurrence statistics are used as the estimators of the probability of cumulative cloud cover, $P(x_i)$

where

 z_i , i = 0,1..,N = is a set of altitudes of interest from the ground to some maximum z_N (here 100,000 feet),

x_i = the cumulative cloud fraction for the layer extending from the ground up to and including z_i.

4.3 CONDITIONAL CLOUD COVER PROBABILITY

The conditional cloud cover probability is calculated as follows. Define the following symbols:

- The cumulative cloud presense (0 or 1) between the ground up to and including z_i : if the lowest cloud is detected at z_n , then $c_i = 0$ for i = 1 to n-1 and $c_i = 1$ for i = n to N.
- $P(c_i)$ Probability of cloud presence: for $c_i = 1$, $P(c_i)$ is the probability that a cloud exists somewhere along a randomly chosen vertical line of sight between the ground and z_i .
- $P(c_i|x_i)$ Conditional probability of c_i given that the cumulative cloud fraction is x_i . By definition, for $c_i = 1$ (cloud), $P(c_i|x_i) = x_i/8$ and for $c_i = 0$ (no cloud), $P(c_i|x_i) = 1-x_i/8$
- $P(x_i|c_i)$ Conditional probability that the cumulative cloud fraction up to the level z_i is x_i given that there either exists a cloud between the ground and z_i ($c_i = 1$) or there is not a cloud ($c_i = 0$).

The second goal of this project is to calculate $P(x_i | c_i)$ for each altitude z_i . Note the distinction between cumulative cloud fraction x and cumulative cloud presence c. The fraction x refers to the fraction of the sky as a whole obscured by clouds: x can range from 0 to 8 eighths. The presence c refers to the presence or absence of a cloud along a single vertical line of sight and can be either 0 (no cloud) or 1 (cloud). If the cloud fraction over a given

area is 4 eighths, then the probability of encountering a cloud along a single vertical line of sight randomly selected within that area is 50 percent. If a randomly chosen vertical line of sight intersects a cloud, then the cloud fraction can still have any value except 0.

 $P(x_i|c_i)$ is calculated using Bayes' Theorem [11] which states the following: let $E=e_1,\ e_2,\ldots e_N$ be a set of mutually exclusive and exhaustive events and let $F=f_1,\ f_2,\ldots f_3$ be some other events in the sample space. The conditional probability of $E=e_i$ given that $F=f_i$ has occurred is:

$$P(E=e_{i}|F=f_{i}) = \frac{P(F-f_{1}|E=e_{i}) P(E=e_{i})}{e_{N}}$$

$$\sum_{E=e}^{P(F-f_{1}|E) P(E)} P(E)$$
(2)

In this problem, the cumulative cloud fractions x_i are independent (only one can occur at a time) and exhaustive (all possible cloud fractions are accounted for.) The other events F are the cloud presence c. Therefore:

$$P(x|c) = \frac{P(c|x) P(x)}{8}$$

$$\sum_{x=0}^{P(c|x) P(x)} P(x)$$
(3)

(The subscript i refers to the altitude z_i and is omitted here for clarity.) By definition, for c=1 (a cloud present):

$$P(c=1|x) = x/8 \tag{4}$$

The probabilities P(x) are estimated by the frequency of occurence statistics described previously. The desired conditional probability P(c|x) for c=1 can now be calculated as:

$$P(x | c=1) = \frac{x P(x)}{8}$$

$$\sum_{x=0}^{\infty} x P(x)$$
(5)

Similarly for c = 0:

$$P(c-0|x) = 1-x/8$$
 (6)

and

$$P(x | c=0) = \frac{(1-x/8) P(x)}{8}$$

$$\sum_{x=0}^{(1-x/8) P(x)}$$
(7)

RESULTS AND DISCUSSION

Tables 7 - 35 give the probability results for the stations averaged over all of the data. The (a.) tables are the historical probabilities of finding a cumulative cloud cover amount of a given okta at the specified altitudes. The (b.) and (c.) tables are the conditional probabilities of finding a cumulative cloud cover amount of a given okta at the specified altitudes. The (b.) tables are for the cases of no clouds being reported and (c.) the cases of clouds being reported. Figures 4 - 32 are the graphical results of the historical probabilities.

Results as a function of season and time of day are not presented in this report due to the voluminous nature of the required tables and figures. They have, however, been put onto a magnetic tape. However, selected results from a randomly selected station, Bitburg, West Germany, have been included in this report.

5.1 AVERAGES OVER ALL OF THE DATA

5.1.1 WEST GERMANY

For altitudes above 2000 feet the distributions of probability tend to be similar from one location to another. This appears to indicate that large scale dynamic features influence the cloud formation processes over West Germany. For altitudes below 2000 feet there are differences in the distributions from one location to another. One could interpet this as indicating the role of site-specific orographic processes in influencing cloud formation at these

altitudes. Also, the German stations tend to favor large cloud cover amounts with the cloud layers being found at or below about 2000 feet. It is not known if this is a real result or an artifact from the observation process.

5.1.2 MIDDLE EAST

There were regretablly few stations in the Middle East with useable data so drawing general conclusions will be difficult. Both the Deir Zzor, Syria and Bagdad, Iraq show low probabilities of clouds at all altitudes. Both stations show essentially no clouds below 2000 feet and very few above. Tehran, Iran shows a more pronounced distribution of clouds at nearly all altitudes but does still tend to favor clear skies. The contrast between Tehran and Deir Zzor and Bagdad is consistent with the precipitation differences between the locations. Tehran has a higher annual precipitation rate, 9.7 inches per year, than Deir Zzor (6.2 inches per year) or Bagdad (5.5 inches per year) [12]. The higher clouds reported for Deir Zzor and Bagdad would tend to not be precipitation producing clouds.

5.1.3 KOREA

The Korean results are similar to the German results in that above about 2000 feet the distributions are similar. Again, it is believed that the differences between the distributions for altitudes below 2,000 feet are due to site-specific orographic effects. At the altitudes above 2,000 feet the probabilities of finding clouds with oktal amounts between 2 and 7 are nearly equal.

5.1.4 CENTRAL AMERICA

The stations in Central America show somewhat significant differences between the distributions from one location to another. This is especially true for the distributions of clouds at the lower altitudes. Managua, Nicaragua, for instance, shows essentially no clouds at altitudes below 2000 feet. Guatemala City, Guatemala, on the other hand, shows clouds at all altitudes except the 200 foot level and shows them with nearly constant probabilities for oktal amounts between 2 and 7.

5.2 SEASONAL RESULTS

The results on magnetic tape contain results for each of the individual seasons. Results from only one station, Bitburg, West Germany, are presented for each season. Tables 36 - 39 present the tabulated, seasonally averaged results over all times of the day and Figures 33 to 36 present the graphical results.

The fall and winter results are similar to one another and the spring and summer results are similar. The fall/winter results show higher probabilities for clouds at or below 1000 feet than do the spring/summer results. This would appear to be climatically consistent with the passage of fall and winter storm systems that would be expected to have more low clouds associated with them than high clouds. This is also seen in the probabilities of overcast conditions (okta=8). The fall/winter results show larger probabilities of overcast conditions at or below all altitudes than do the spring/summer results.

5.3 DIURNAL RESULTS

A representative set of results are presented for two time periods, 0600 - 1159 local time and 1800-2359. The results are given for summer conditions in Bitburg, West Germany and are given in Tables 40 and 41 and shown in Figures 37 and 38. For altitudes above 2000 feet the results are similar but for the altitudes below 2000 feet the 0600 - 1159 results show larger probabilities for cloud amounts above 4 oktas than do the 1800 - 2359 results.

5.4 CONDITIONAL PROBABILITY RESULTS

A representative set of conditional probabilities are presented in Figures 39 - 40. They are for Bitburg and are averaged over all of the data. The use of the information relating to whether or not a cloud is reported improves the probabilities for the extreme oktal conditions. That is, having the information that a cloud is not reported increases the probability of finding a clear sky. For oktal amounts in the 2 to 6 range, the range where a go/no go decision would most likely be made, the conditional probabilities appear to be only marginally better than the historical values. This also holds generally for the other German stations.

For the Middle East stations having knowledge that a cloud has been reported enhances the probability of finding clouds with oktal values 4 or above. Conversely, having knowledge that a cloud has not been reported only has a significant improvement on the clear sky case.

For the Korean stations having information about the existence of clouds improves the probabilities for altitudes below about 10,000 feet. This also holds for nearly all oktal values. Above this altitude there is a marginal improvement.

No general conclusions about the role of the conditional probabilities on the Central American data seems to be able to be drawn. For example, Guatemala City shows little improvement while Managua shows improvement for lower altitudes.

5.5 IMPACT OF ANALYSIS ASSUMPTIONS

5.5.1 RANDOM OVERLAP ASSUMPTION

When information that specifically defined the degree of overlapping between clouds was not available this study assumed that cloud layers were independent and could be given by the random overlap assumption. Satellite and aircraft observations tend to support making this assumption [13]. The assumption breaks down, however, when the cloud layers are very close together.

A more sophisticated approach to the problem of cloud overlapping is utilized in the 3DNEPH data base, a data base of climatic and meteorology data developed and maintained by ETAC [e.g. 14]. In this approach independence between layers is assumed if the reported cloud layers are widely separated and stacking is assumed if the reported layers are adjacent. If the clouds layers are separated by less than several hundred meters the cumulative cloud cover amount is interpolated between the stacked and random overlap estimates.

5.5.2 ASSIGNING HEIGHTS TO CLOUD LAYERS

Clouds heights are given by code numbers that correspond to specified layers in the atmosphere. The height code is then interpreted as the estimated cloud base. If a cloud is observed at an altitude between two height codes the observer is instructed to report the cloud at the lower

of the two heights. This will tend to overestimate the amount of cloud at a given altitude. Seeing that one has no way of knowing where the actual clouds were found one cannot say if the cloud should be really assigned to the upper or lower cloud height code. If a cloud is observed between two heights it should, for the purposes of this analysis, be reported at the upper height because the calculations represent the probabilities of finding clouds at or below a given height. This is probably not a major problem, however, due to the uncertain nature of cloud heights in general. Even with the use of ceilometers and radiosonde data cloud altitudes cannot be determined with precision.

TABLE 7. PROBABILITES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM SCHLESWIG/JEGEL, WEST GERMANY, WMO STATION 100370.

	(a) F	ROBAE	BILITY	OF C	UMULA	TIVE	CLOU	COVE	ER	
HEIGHT						SIN			00	
(FT)		-01-	-	-03-		-05~	-06-	-07- 00	01	01
100	99	00	00	00 00	00	00	00	01	02	02
200	96 93	00 00	00 00	00	00	00	00	02	03	03
300 500	93 87	00	01	01	00	01	00	05	04	04
700	82	01	01	01	10	02	01	08	04	05
1,000	74	02	02	02	01	03	01	10	05	06
1,500	59	06	04	04	02	04	02	13	07	07
2,000	48	08	05	05	03	05	02	15	09	08
3,000	33	10	06	06	04	05	03	19	13	09
5,000	18	11	05	06	05	07	06	26	18	10
10,000	12	11	05	05	04	06	06	28	23	11
15,000	11	12	05	05	04	06	06	28	23	12
20,000	10	11	05	05	05	06	06	28	24	13
30,000	06	11	05	04	05	07	06	30	25	14
100,000	06	11	05	04	0 5	07	06	30	25	15
STD DEV	05	02	01	00	01	00	01	03	02	
	(b) c									ס
100			-02-				-06-	00	00	1
100	100	00	00	00 00	00 00	00 00	00	60	00	2
200 300	100 99	00 00	00 00	00	00	00	00	00	00	3
500	97	00	00	01	00	01	00	01	00	4
700	96	01	01	01	00	01	00	01	00	5
1,000	91	02	02	02	01	02	00	02	00	6
1,500	80	07	04	03	01	02	01	02	00	7
2,000	71	1.1	05	05	02	03	01	03	00	8
3,000	57	16	80	07	04	04	02	04	00	9
5,000	40	21	09	08	05	06	03	07	00	10
10,000	32	25	10	80	06	06	04	09	00 00	11
15,000	30 28	27 27	10 10	80 80	06 06	06 06	04 04	09 10	00	13
20,000	19	29	11	08	08	08	05	11	00	14
30,000 100,000	19	29	11	08	08	08	05	11	00	15
			TIONA							
_			-02-						-80-	_
100	00	00	00	01	01	03	02	09	83 74	1 2
200	00	00	00	01	01 01	03 04	01 02	20 37	74 54	3
300	00 00	00 00	01 01	02 03	01	07	02	47	37	4
500 700	00	00	01	03	02	09	02	50	31	5
1,000	00	01	02	05	03	11	04	48	26	6
1,500	00	03	04	06	04	11	05	44	25	7
2,000	00	03	04	06	04	09	05	41	28	8
3.000	00	03	03	05	05	08	06	39	31	9
5,000	00	02	02	04	04	08	08	40	32	10
10.000	00	02	02	03	04	06	07	39	37	11
15,000	00	02	02	03	04	06	07	39	37	12
20,000	00	02	02	03	04	06	07	39	38	13
30,000	00	02	02	02	04	06	07	39	38	14
100,000	00	02	02	02	04	06	07	39	38	15




FIGURE 4. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR SCHLESWIG/JEGEL, WEST GERMANY, WMO STATION 100370.

TABLE 8. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM BREMEN, WEST GERMANY, WMO STATION 102240.

	(a) 1	PROBA	BILITY	OF (CUMULA	ATIVE	CLOU	COVE	ER	
HEIGHT						ES IN				
(FT)		-01-				-05-			-80-	٥.
100	100	00	00	00	00	00	00	00	00	01
200	98	00	00	00	00	00	00	00	01	02
300	96	00 00	00	00	00	00	00	00	02	03
500 700	92 89	00	00 01	01	00	01 01	01 01	01 01	03 05	04
1,000	80	01	01	01 02	01 01	02	01	02	08	05
1,500	70	02	03	03	02	03	02	03	12	06 07
2,000	60	04	04	04	02	03	03	05	16	08
3,000	46	06	05	05	03	04	04	07	20	09
5,000	28	08	05	06	04	05	06	14	24	10
10.000	21	08	04	05	04	04	07	19	28	11
15,000	19	09	04	05	04	04	07	20	29	12
20.000	18	09	04	05	04	04	07	20	29	13
30,000	10	09	05	06	04	05	09	23	30	14
100,000	10	09	05	06	04	05	09	23	30	15
STD DEV	02	01	01	01	01	01	02	02	03	
	(b) c	DNDIT	IONAL	PROB	ABILI'			UD_08:)
	-00-	-01-			-04-		-06-		-08-	_
100	100	00	00	00	00	00	00	00	00	1
200	100	00	00	00	00	00	00	0.0	00	2
300	99	00	00	00	00	00	00	00	00	3
500	98	00	00	01	00	00	00	00	00	4
700	97	00	01	01	00	01	00	00	00	5
1.000	94	01	01	01	01	01	00	00	00	6
1,500	89	03	03	02	01	01	01	00	00	7
2,000	83	05	04	03	02	02	01	01	00	8
3,000	73	09	06	05	03	02	01	01	00	9
5,000	57	14	07	07	04	04	03	04	00	10
10,000	50	17	08	07	05	04	04	06	00	11
15,000	46	19	08	08	05	04	04	06	00	12
20,000	46	19	08	08	05	04	04	06	00	13
30,000	30	22	10	10	06	06	06	08	00	14
100,000	30	22	10	10	06	06	06	08	00	15
	(c) -00-	CONDI	TIONAI -02~		BABIL -04-		CLOUD	OBSE		
100	00	00	02	13	06	15	11	17	36	1
200	00	00	02	06	05	11	10	10	54	2
300	00	00	02	06	04	10	08	12	5 4	3
500	00	00	02	06	04	12	08	10	57	4
700	00	00	02	05	04	10	07	12	60	5
1,000	00	01	03	05	04	09	07	12	59	6
1.500	00	01	03	05	04	08	06	13	59 59	7
2,000	00	02	03	05	04	07	07	15	57	8
	00	02	03		04					9
3,000				05		07	07	18	54	_
5,000	00	02	02	04	04	06	09	25	48	10
10,000	00	02	02	03	03	05	80	28	49	11
15,000	00	02	02	03	03	04	08	29	49	12
20,000	00	02	02	03	03	04	09	29	49	13
30,000	00	02	02	03	03	05	10	30	45	14
100,000	00	02	02	03	03	05	10	30	45	15




FIGURE 5. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR BREMEN, WEST GERMANY, WMO STATION 102240.

TABLE 9. PROBABILITES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM HANNOVER, WEST GERMANY, WMO STATION 103380.

	(a)	PROBAI	BILIT	V OF	CUMUL	ATIVE	CLOU	D COV	ER	
HEIGHT					RRENC					
(FT)	-00-	-01-	-02-	-03-		-05-	-06-		-08-	
100	99	00	00	00	00	00	00	00	00	01
200	97 95	00 00	00	00	00	00	00	00	01	02
300 500	95 91	00	01	01 01	00 01	01 01	01 01	00 01	02 03	03 04
700	88	00	01	01	01	01	01	02	05	05
1,000	80	01	02	02	01	02	02	02	08	06
1,500	71	02	03	03	02	02	02	03	11	07
2,000	61	04	04	03	02	03	03	05	15	08
3,000	47	06	05	05	03	04	04	07	20	09
5,000	29	08	05	05	04	05	05	13	26	10
10,000	21	08	04	05	04	04	05	18	31	1 1
15,000	17	09	04	04	03	04	06	21	32	12
20,000	16	09	04	04	03	04	06	22	32	13
30,000	11	08	04	04	04	05	08	25	33	14
100,000	11	80	04	04	04	05	08	25	33	15
STD DEV	02	01	00	01	00	00	01	02	02	
	(b) c	ONDIT	IONAL	PROB.	ABILI	TY, NO	CL0	UD OB	SERVE	D
100	100	00	00	00	00	00	00	_07_ CD	00	1
200	99	00	00	00	00	00	00	ου	00	ż
300	99	00	00	00	00	00	00	00	00	3
500	97	00	01	0.1	00	00	00	00	00	4
700	96	00	01	() 1	00	00	00	00	00	5
1,000	93	01	02		01	01	00	00	00	6
1,500	89	03	03	02	01	01	01	01	00	7
2,000	84	05	04	03	01	02	01	01	00	8
3,000	74 58	08 14	06 08	05	02	02	01	01	00	9
5,000 10,000	5 t	17	08	07 07	04 04	04 04	03 03	03 06	00 00	10 11
15,000	46	20	08	07	04	04	04	07	00	12
20,000	45	20	08	07	05	04	04	07	00	13
30,000	34	21	09	09	06	06	06	10	00	14
100,000	34	21	09	09	06	06	06	10	00	15
		CONDI								
100	-00-	-01- 00	-02- 04	-03-	-					
200	00	00	04	07	08 05	20 13	19 14	06 10	31 47	1
300	00	00	03	07	04	10	12	12	51	3
500	00	00	03	07	04	09	3.1	13	52	4
700	00	00	03	06	03	08	10	15	55	5
1,000	00	01	03	06	04	07	09	13	56	6
1,500	00	01	03	06	04	07	08	15	56	7
2,000	00	02	03	05	04	07	08	15	57	8
3,000	00	02	03	05	04	07	08	16	55	9
5,000	00	02	03	04	04	06	80	23	51	10
10,000	00	02	02	03	03	05	07	27	52	11
15,000	00	02	02	02	03	04	07	29	51	12
20,000	00	02	02	02	03	04	07	30	51	13
30,000	00 00	01 01	01 01	02 02	03 03	04 04	08 08	32 32	48 48	14




FIGURE 6. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR HANNOVER, WEST GERMANY, WMO STATION 103380.

TABLE 10. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM BERLIN/TEGEL, WEST GERMANY, WMO STATION 103820.

	(a) PROBA	BILITY OF	CUMULA	TIVE CLOU	D COVER	}	
HEIGHT (FT) 100 200 300 500 700 1,000 1,500 2,000 3,000 10,000 15,000 20,000 30,000	-0001- 100 00 98 00 96 00 90 00 84 00 75 01 64 02 53 04 35 07 14 09 09 07 07 07 07 07 03 06 03 06	% OF OCCU -0203- 00 00 00 00 01 01 01 02 02 03 03 04 03 05 05 06 06 06 04 04 03 04 03 04 03 04				08- 00 01 00 02 02 03 03 04 07 05 11 06 17 07 23 08 31 09 42 10 52 11 55 12 55 13 58 14 58 15	
STD DEV	03 01	01 01	01	01 01	01	03	
100 200 300 500 700 1,000 1,500 2,000 3,000 5,000 10,000 15,000 20,000 30,000	(b) CONDIT -0001- 100 00 99 00 99 00 97 00 96 00 92 01 87 03 81 05 66 11 39 21 33 24 29 26 28 26 15 26 15 26	-0203- 00 00 00 00 01 01 01 01 02 02 03 03 04 04 07 07 11 11 10 09 11 10 11 10 12 11	00 00 00 00 00 01 01 02 03 06 07 07	-0506- 00 00 00 00 00 00 01 01 01 01 02 01 03 02 05 03 08 04 08 04 08 05 11 07	-07 00 00 00 00 00 01 01 03 05 05 08	-08- 00 1 00 2 00 3 00 4 00 5 00 6 00 7 00 8 00 9 00 10 00 11 00 12 00 13	
100 200 300 500 700 1,000 1,500 2,000 3,000 5,000 10,000 15,000 20,000 30,000	(C) CONDI -0001- 00 01 00 01 00 00 00 00 00 01 00 01 00 02 00 02 00 01 00 01 00 01 00 01	TIONAL PRO0203- 09		TY. CLOUE -0506- 14 17 18 15 10 11 11 12 07 09 06 08 06 06 06 06 05 06 05 05 04 04 04 04 04 05 04 05		/ED -08 - 13 1 2 53 3 51 4 59 5 62 6 7 67 8 66 9 66 10 71 11 73 12 73 13 72 14 72 15	




FIGURE 7. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR BERLIN/TEGEL, WEST GERMANY, WMO STATION 103820.

TABLE 11. PROBABILITES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM GIESSEN, WEST GERMANY, WMO STATION 105320.

٠	HEIGHT (FT) 100										
	100	-00-	-01-	% OF -02-		RRENCE -04-		EACH		-08-	
		100	00	00	00	00	00	00	00	00	01
	200 300	100 100	00 00	00 00	00 00	00	00 00	00 00	00 00	00 00	02 · 03
	500	99	00	00	00	00	00	00	00	01	04
	700	98 95	00 00	00 00	00 00	00 00	00 00	00 00	00 01	01 03	05 06
	1,500	91	00	00	80	00	00	00	02	05 05	07
	2,000	80	01	01	01	01	01	01	05	08	08
	3,000 5,000	48 25	04 07	03 05	04 06	03 04	04 06	03 06	20 28	12 14	09 10
	0,000	19	07	04	Q 5	03	05	07	31	18	11
	15,000 20,000	18 18	07 07	04 04	05 05	03 03	05 05	07 07	32 32	18 18	12 13
	30,000	11	07	05	06	04	07	09	33	19	14
10	000,00	11	07	05	06	04	07	09	33	19	15
STO	DEV	04	02	02	02	01	01	01	06	02	
		(b) c								SERVE)
	100	-00- 100	-01- 00	-02- 00	-03-	-04~ 00	-05- 00	-06- 00	-07-	-08- 00	1
	200	100	00	00	00	00	00	00	CO	00	2
	300 500	100 100	00 00	00 00	00	00 00	00 00	00 00	00 00	00 00	3 4
	700	100	00	00	00	00	00	00	00	00	5
	1,000	99	00	00	00	00	20	00	00	00	6
	1,500	99 95	00 01	00 01	00 01	00 01	00 00	00 00	00 01	00 00	7 8
	3,000	77	06	04	04	02	02	01	04	00	9
1	5,000	52 46	1 <i>2</i> 15	08 08	08 08	05 04	05 05	03 04	07 10	00 00	10 11
	5,000	45	15	08	08	04	05	04	10	00	12
	000,09	45	15	08	08	04	05	04	10	00	13
	000,000 000,000	32 32	18 18	10 10	10 10	05 05	07 07	06 06	12 12	00	14 15
		(c)	CONDI	TIONAI	_ PROI	BABIL	ITV,	CLOUD	OBSE	RVED	
	100	-00-	-01- 00					-06- 00			,
	200	00	00	00	01	00	02	00	11	87	1 2
	300	00	00	00	01	01	01	01	06	90	3
	500 700	00 00	00	01 01	00 01	01 01	01 01	01 01	08 10	88 86	4 5
	1,000	00	00	01	01	01	01	01	14	80	6
	1,500	00	00	01	02	02	02	02	19	71	7
	2,000	00 00	01 01	02 02	03 04	04 04	04 06	03 06	30 46	53 32	8 9
	5,000	00	02	02	04	04	07	08	46	27	10
	10.000	00 00	01 01	02 02	03 03	03 03	06 06	09	46	30	11
	20,000	00	01	02	03	03	06	09 09	46 46	30 30	12 13
3	000,00	00 00	01 01	02	03 03	03 03	06 06	10	45 45	29 29	14




FIGURE 8. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR GIESSEN, WEST GERMANY, WMO STATION 105320.

TABLE 12. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM BITBURG, WEST GERMANY, WMO STATION 106100.

700 85 02 02 01 01 01 01 01 05 05 05 1.000 77 03 03 02 01 02 02 02 08 06 05 1.500 66 04 04 03 02 03 03 03 03 13 07 2.000 59 04 05 03 02 03 04 04 16 08 3.000 45 05 07 04 03 05 05 05 21 09 5.000 30 06 07 05 04 06 07 08 27 10 10.000 22 06 07 04 04 04 06 08 11 33 11 15.000 20 06 07 04 04 04 06 08 11 33 11 15.000 20 06 07 04 04 05 09 13 36 13 30.000 14 05 07 04 04 05 09 13 36 13 30.000 14 05 07 04 04 05 09 13 36 13 30.000 11 05 07 04 04 06 08 11 38 15 08 08 09 07 02 01 00 00 00 00 00 00 00 00 00 00 00 00		(a)	PROBA	BILITY	OF (UMULA	TIVE	CLOUD	COVE	R	
100 95 02 01 01 00 00 00 00 00 00 01 02 03 300 93 02 01 01 00 00 00 00 00 00 00 00 00 00 00											
200 95 02 01 01 00 00 00 00 00 00 02 03 300 93 02 01 01 01 00 00 00 00 01 01 03 500 89 02 02 01 01 01 01 01 01 01 03 04 700 85 02 02 02 01 01 01 01 01 01 03 04 1.500 66 04 04 04 03 02 03 03 03 13 07 2.000 59 04 05 03 02 03 04 04 16 03 3.000 45 05 07 04 04 06 07 08 27 10 01 01 00 00 00 00 00 00 00 00 00 00						-					٠,
300 93 02 01 01 00 00 00 00 01 03 05 500 89 02 02 01 01 01 01 01 01 03 05 05 05 02 02 01 01 01 01 01 01 05 05 1.500 66 04 04 03 02 03 03 03 03 13 07 2.000 59 04 05 03 02 03 03 04 04 16 08 3.000 45 05 07 04 03 05 05 05 21 09 05 05 05 02 02 06 06 07 05 04 06 07 08 27 10 0.000 22 06 07 04 04 06 08 11 33 11 07 05 05 05 02 00 00 01 10 02 02 02 02 08 06 07 05 04 06 07 08 27 10 0.000 22 06 07 04 04 06 08 11 33 11 07 05 05 05 05 05 05 05 05 05 05 05 05 05											_
\$00					-						
700 85 02 02 01 01 01 01 01 05 05 1.000 77 03 03 03 02 01 02 02 02 08 06 1.500 66 04 04 04 03 02 03 03 03 13 07 2.000 59 04 05 03 02 03 04 04 16 08 3.000 45 05 07 04 03 05 05 05 21 09 5.000 30 06 07 05 04 06 07 08 27 10 10.000 22 06 07 04 04 06 08 11 33 11 15.000 20 06 07 04 04 06 08 11 33 11 15.000 20 06 07 04 04 05 09 13 36 13 30.000 16 06 07 04 04 05 09 13 36 13 30.000 11 05 07 04 04 05 09 14 37 14 100.000 11 05 07 04 04 06 10 14 38 15 STD DEV 05 01 02 01 01 01 02 09 07 (b) CONDITIONAL PROBABILITY. NO CLOUD OBSERVED -000102030405060708- 100 97 02 01 00 00 00 00 00 00 00 20 97 02 01 00 00 00 00 00 00 00 20 97 02 01 00 00 00 00 00 00 00 20 97 02 01 00 00 00 00 00 00 00 20 97 02 01 00 00 00 00 00 00 00 200 97 02 01 00 00 00 00 00 00 00 200 97 02 01 00 00 00 00 00 00 00 200 97 02 01 00 00 00 00 00 00 00 200 97 02 01 00 00 00 00 00 00 00 200 97 02 01 00 00 00 00 00 00 00 200 98 02 02 01 01 01 01 00 00 00 00 00 200 99 03 03 03 01 01 01 01 00 00 00 200 90 03 03 01 01 01 01 00 00 00 00 200 82 05 05 03 02 02 01 01 01 00 00 00 200 82 05 05 03 02 02 01 01 01 01 00 00 200 00 11 11 06 03 04 03 02 01 10 10.000 52 12 12 12 06 04 05 05 03 00 12 20.000 45 13 13 07 04 05 05 03 00 12 20.000 45 13 14 07 05 05 06 04 00 13 100.000 50 13 13 07 04 05 05 03 00 12 20.000 45 13 14 07 05 05 06 04 00 13 100.000 36 14 15 08 06 07 08 06 00 15 (C) CONDITIONAL PROBABILITY, CLOUD OBSERVED -000102030405060708- 100 00 17 22 17 12 11 11 09 01 200 00 11 16 12 10 08 09 11 25 20 300 00 07 11 09 08 08 09 12 36 30 500 00 04 08 07 06 09 10 11 45 49 50 10.000 00 03 06 06 05 05 08 11 10 52 2.000 00 01 16 16 12 10 08 09 11 25 5 10 15.000 00 00 00 00 00 00 00 00 10 15 55 10 15.000 00 00 00 00 00 00 00 00 00 10 15 55 10 15.000 00 01 03 03 03 03 03 06 11 16 57 11 15.000 00 01 03 03 03 03 06 11 16 57 11 15.000 00 01 03 03 03 03 03 06 11 16 57 11			-		-						04
1.000 77 03 03 02 01 02 02 02 08 06 1.500 66 04 04 03 02 03 03 03 13 07 2.000 59 04 05 03 02 03 04 04 16 08 3.000 45 05 07 04 03 05 05 05 21 09 5.000 30 06 07 05 04 06 07 08 27 10 10.000 22 06 07 04 04 06 08 11 33 11 15.000 20 06 07 04 04 06 08 11 33 11 20.000 16 06 07 04 04 05 09 13 36 13 30.000 14 05 07 04 04 05 09 13 36 13 30.000 14 05 07 04 04 05 09 14 37 14 100.000 11 05 07 04 04 06 10 14 38 15 STD DEV 05 01 02 01 01 01 02 09 07 (b) CONDITIONAL PROBABILITY, NO CLOUD OBSERVED -000102030405060708- 100 97 02 01 00 00 00 00 00 00 00 200 97 02 01 00 00 00 00 00 00 00 300 96 02 01 00 00 00 00 00 00 00 500 95 02 02 01 00 00 00 00 00 00 1,500 86 04 04 02 01 01 01 01 00 00 1,500 86 04 04 02 01 01 01 01 00 00 1,500 86 04 04 02 01 01 01 01 00 00 1,500 86 04 04 02 01 01 01 01 00 00 1,500 86 04 04 02 01 01 01 01 00 00 3,000 72 08 08 04 02 03 02 01 00 00 1,500 50 13 13 07 04 05 05 03 00 12 1,500 86 04 11 11 06 03 04 03 02 00 12 1,500 87 02 02 02 03 04 04 05 05 03 00 12 1,500 86 04 04 04 02 01 01 01 01 00 00 1,500 50 13 13 07 04 05 05 03 00 12 1,500 86 04 11 11 06 03 04 03 02 00 10 1,500 50 13 13 07 04 05 05 03 00 12 1,500 00 17 22 17 12 11 11 09 01 20 200 01 11 6 12 10 08 09 11 25 20 30,000 45 13 14 07 05 05 06 04 00 12 20,000 45 13 14 07 05 05 06 04 00 12 20,000 45 13 14 07 05 05 06 04 00 12 20,000 45 13 14 07 05 05 06 04 00 12 20,000 45 13 14 07 05 05 06 04 00 12 20,000 45 13 14 07 05 05 06 04 00 12 20,000 45 13 14 07 05 05 06 04 00 12 20,000 00 11 16 12 10 08 09 11 25 22 20,000 00 11 16 12 10 08 09 11 25 22 20,000 00 01 16 12 10 08 09 11 25 23 20,000 00 07 11 09 08 08 09 12 36 6 00 15 20,000 00 00 00 00 00 00 00 00 00 10 00 00									01		05
2,000 59 04 05 03 02 03 04 04 16 08 3,000 45 05 07 04 03 05 05 05 21 09 5,000 30 06 07 05 04 06 07 08 27 10 10,000 22 06 07 04 04 06 08 11 33 11 15,000 20 06 07 04 04 06 08 11 33 11 15,000 20 06 07 04 04 06 08 11 33 11 15,000 14 05 07 04 04 05 09 13 36 13 30,000 14 05 07 04 04 05 09 13 36 13 30,000 14 05 07 04 04 06 10 14 38 15 100,000 11 05 07 04 04 06 10 14 38 15 100,000 11 05 07 04 04 06 10 14 38 15 15 100 09 70 00 00 00 00 00 00 00 00 00 00 00 00		77	03	03	02	01	02	02	02		06
3,000											
5,000 30 06 07 05 04 06 07 08 27 10 10,000 22 06 07 04 04 04 06 08 11 33 11 15,000 20 06 07 04 04 04 06 08 11 33 11 15,000 20 06 07 04 04 04 06 08 11 34 12 20,000 16 06 07 04 04 04 05 09 13 36 13 30,000 14 05 07 04 04 04 05 09 14 37 14 100,000 11 05 07 04 04 04 05 09 14 37 14 100,000 11 05 07 04 04 06 10 14 38 15 15 10 10 10 10 10 10 10 10 10 10 10 10 10											
10,000		_									
15,000 20 06 07 04 04 06 08 11 34 12 20,000 16 06 07 04 04 05 09 13 36 13 30.000 14 05 07 04 04 05 09 14 37 14 100,000 11 05 07 04 04 06 10 14 38 15 15 15 16 16 16 16 16 16 17 04 04 06 10 14 38 15 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16											1.1
20,000 16 06 07 04 04 05 09 13 36 13 30 000 14 05 07 04 04 05 09 14 37 14 100,000 11 05 07 04 04 06 10 14 38 15 STD DEV 05 01 02 01 01 01 02 09 07 (b) CONDITIONAL PROBABILITY, NO CLOUD OBSERVED -00-01-02-03-04-05-06-07-08-100 97 02 01 00 00 00 00 00 00 00 2 300 96 02 01 00 00 00 00 00 00 00 00 3 500 95 02 02 01 00 00 00 00 00 00 00 00 00 00 1,500 86 04 04 04 02 01 01 01 00 00 00 00 00 00 00 00 00 00				_							12
100,000 11 05 07 04 04 06 10 14 38 15 STD DEV 05 01 02 01 01 01 02 09 07 (b) CONDITIONAL PROBABILITY, NO CLOUD OBSERVED -000102030405060708- 100 97 02 01 00 00 00 00 00 00 02 23 300 96 02 01 00 00 00 00 00 00 00 24 700 93 02 02 01 00 00 00 00 00 00 00 25 20 00 00 00 00 00 00 00 00 00 00 00 00				07	04	04	05	09	13	36	13
STD DEV	30.000	14			-	_					
(b) CONDITIONAL PROBABILITY, NO CLOUD OBSERVED -000102030405060708- 100 97 02 01 00 00 00 00 00 00 00 02 300 96 02 01 00 00 00 00 00 00 00 00 500 95 02 02 01 00 00 00 00 00 00 00 700 93 02 02 01 01 01 01 00 00 00 1,000 90 03 03 01 01 01 01 00 00 00 1,500 86 04 04 02 01 01 01 01 00 00 2,000 82 05 05 03 02 02 01 01 00 00 5,000 60 11 11 06 03 04 03 02 01 10,000 52 12 12 06 04 05 05 03 00 12 20,000 45 13 14 07 05 05 06 04 00 13 30,000 41 13 14 08 06 06 07 08 06 00 12 100,000 36 14 15 08 06 07 08 06 00 15 (C) CONDITIONAL PROBABILITY, CLOUD OBSERVED -000102030405060708- 100 00 17 22 17 12 11 11 09 01 200 00 11 16 12 10 08 09 11 25 300 00 07 11 09 08 08 09 12 36 500 00 04 08 07 06 09 10 11 45 700 00 03 06 06 05 09 11 12 49 1,000 00 03 06 06 05 09 11 12 49 1,000 00 02 05 04 04 04 07 10 11 56 2,000 00 02 04 04 04 07 10 11 56 5,000 00 02 04 04 04 07 10 15 55 10,000 00 02 04 04 04 07 10 15 55 10,000 00 01 03 03 03 03 06 11 16 57	100,000	11	05	0 7	04	04	06	10	14	38	15
-000102030405060708- 100 97 02 01 00 00 00 00 00 00 00 200 97 02 01 00 00 00 00 00 00 00 300 96 02 01 00 00 00 00 00 00 00 500 95 02 02 01 01 01 01 00 00 00 00 1,000 90 03 03 03 01 01 01 01 00 00 2,000 82 05 05 03 02 02 01 01 00 00 00 2,000 82 05 05 03 02 02 01 01 00 00 3,000 72 08 08 04 02 03 02 01 00 5,000 60 11 11 06 03 04 03 02 01 01 15,000 50 13 13 07 04 05 05 03 00 12 20,000 45 13 14 07 05 05 06 04 00 13 30,000 41 13 14 08 06 06 07 05 00 14 100,000 36 14 15 08 06 07 08 06 00 15 (C) CONDITIONAL PROBABILITY, CLOUD OBSERVED -000102030405060708- 100 00 17 22 17 12 11 11 09 01 200 00 11 16 12 10 08 09 11 25 300 00 07 11 09 08 08 09 12 36 500 00 04 08 07 06 09 10 11 45 4 700 00 03 06 06 05 05 08 11 10 52 1,500 00 02 05 04 04 04 07 10 11 56 2,000 00 02 05 04 04 04 07 10 11 57 3,000 00 02 04 04 04 07 10 11 57 3,000 00 02 04 04 04 07 10 11 57 3,000 00 02 04 04 04 07 10 15 55 10,000 00 01 03 03 03 03 06 11 16 57	STD DEV	05	01	02	01	01	01	02	09	07	
100 97 02 01 00 00 00 00 07 00 12 200 97 02 01 00 00 00 00 00 00 00 00 00 00 00 00)
200 97 02 01 00 00 00 00 00 00 00 00 30 300 96 02 01 00 00 00 00 00 00 00 500 95 02 02 01 00 00 00 00 00 00 00 1,000 93 02 02 01 01 01 01 00 00 00 00 1,000 90 03 03 01 01 01 01 01 00 00 00 1,500 86 04 04 02 01 01 01 01 00 00 00 2,000 82 05 05 03 02 02 01 01 01 00 00 00 5,500 60 11 11 06 03 04 03 02 01 00 10 00 5,500 60 11 11 06 03 04 05 05 03 00 12 02,000 45 13 14 07 05 05 05 03 00 12 02,000 45 13 14 07 05 05 06 04 00 15 05 03 00 15 00 00 17 02 17 12 11 11 10 9 01 12 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 17 00 00 00 17 00 00 00 17 00 00 00 17 00 00 00 17 00 00 00 00 00 00 00 00 00 00 00 00 00	100										1
300 96 02 01 00 00 00 00 00 00 00 00 50 500 95 02 02 01 00 00 00 00 00 00 00 00 00 00 00 00											2
700 93 02 02 01 01 01 01 00 00 00 15 1,000 90 03 03 03 01 01 01 01 01 00 00 00 1,500 86 04 04 02 01 01 01 01 00 00 72 2,000 82 05 05 03 02 02 01 01 00 00 5 3,000 72 08 08 04 02 03 02 01 01 00 9 5 5,000 60 11 11 06 03 04 03 02 00 10 10,000 52 12 12 06 04 05 05 03 00 13 15,000 50 13 13 07 04 05 05 03 00 13 15,000 50 13 13 14 07 05 05 06 04 00 13 20,000 45 13 14 07 05 05 05 06 04 00 13 30,000 41 13 14 08 06 06 07 05 06 04 00 13 10,000 36 14 15 08 06 07 08 06 00 15 10 00 00 17 22 17 12 11 11 09 01 12 10 00 00 17 22 17 12 11 11 09 01 12 10 00 00 17 11 09 08 08 09 11 25 13 10 00 07 08 06 07 08 06 07 08 06 07 08 06 00 15 10 00 00 00 00 00 00 00 00 00 00 00 00		96	02	01	00	00	00	00	00	00	3
1,000 90 03 03 01 01 01 01 00 00 6 1,500 86 04 04 04 02 01 01 01 00 00 7 2,000 82 05 05 05 03 02 02 01 01 01 00 90 83,000 72 08 08 04 02 03 02 01 00 9 5,000 60 11 11 06 03 04 03 02 00 10 10,000 52 12 12 12 06 04 05 05 03 00 13 15,000 50 13 13 07 04 05 05 03 00 13 20,000 45 13 14 07 05 05 06 04 00 12 20,000 45 13 14 07 05 05 06 04 00 13 30,000 41 13 14 08 06 06 07 05 00 14 100,000 36 14 15 08 06 07 08 06 00 15 10 00 00 17 22 17 12 11 11 09 01 12 200 00 11 16 12 10 08 09 11 25 300 00 07 11 16 12 10 08 09 11 25 300 00 07 11 10 10 08 09 11 25 300 00 04 08 07 06 09 10 11 45 4 700 00 03 06 06 05 05 08 11 10 52 6 1,500 00 04 08 07 06 09 10 11 45 4 1,000 00 03 06 06 05 05 08 11 10 52 6 1,500 00 02 05 04 04 04 07 10 11 56 5 10 10,000 00 02 04 04 04 07 10 11 56 5 10,000 00 01 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 03 06 11 16 57 15 15 15 15 15 15 15 15 15 15 15 15 15					_						4
1,500 86 04 04 02 01 01 01 00 00 72 2,000 82 05 05 03 02 02 01 01 00 00 3,000 72 08 08 04 02 03 02 01 00 00 5,000 60 11 11 06 03 04 03 02 00 10 10,000 52 12 12 06 04 05 05 03 00 13 15,000 50 13 13 07 04 05 05 03 00 13 20,000 45 13 14 07 05 05 06 04 00 13 30,000 41 13 14 08 06 06 07 05 00 14 100,000 36 14 15 08 06 07 08 06 00 15 (C) CONDITIONAL PROBABILITY, CLOUD OBSERVED -000102030405060708- 100 00 17 22 17 12 11 11 09 01 200 00 11 16 12 10 08 09 11 25 300 00 07 11 09 08 08 09 12 36 500 00 04 08 07 06 09 10 11 45 700 00 03 06 06 05 09 11 12 49 1,000 00 03 06 06 05 09 11 12 49 1,000 00 03 06 06 05 09 11 12 49 1,000 00 02 05 04 04 07 10 11 56 2,000 00 02 04 04 04 07 10 11 57 3,000 00 02 04 04 04 07 10 15 55 10 10,000 00 01 03 03 03 03 06 11 16 57 11 15,000 00 01 03 03 03 03 06 11 16 57		-	_		_	-	-				5
2,000 82 05 05 03 02 02 01 01 00 8 3,000 72 08 08 08 04 02 03 02 01 00 9 5,000 60 11 11 06 03 04 03 02 00 10 10,000 52 12 12 12 06 04 05 05 03 00 12 15,000 50 13 13 07 04 05 05 03 00 12 20,000 45 13 14 07 05 05 06 04 00 13 30,000 41 13 14 08 06 06 07 05 00 14 100,000 36 14 15 08 06 07 08 06 00 15 100,000 36 14 15 08 06 07 08 06 00 15 100 00 17 22 17 12 11 11 09 01 12 10 00 00 17 22 17 12 11 11 09 01 12 10 00 00 00 00 00 00 00 00 00 00 00 00								_			
3,000 72 08 08 04 02 03 02 01 00 9 5,000 60 11 11 06 03 04 03 02 00 10 10,000 52 12 12 12 06 04 05 05 03 00 12 15,000 50 13 13 07 04 05 05 03 00 12 20,000 45 13 14 07 05 05 06 04 00 13 30,000 41 13 14 08 06 06 07 05 00 14 100,000 36 14 15 08 06 07 08 06 00 15 100,000 36 14 15 08 06 07 08 06 00 15 100,000 00 17 22 17 12 11 11 09 01 200 00 11 16 12 10 08 09 11 25 300 00 07 11 09 08 08 09 12 36 500 00 04 08 07 06 09 10 11 45 700 00 03 06 06 05 05 08 11 10 52 6 1,000 00 02 05 04 04 08 10 11 57 3,000 00 02 04 04 04 07 10 11 56 5,000 00 00 01 03 03 03 03 06 11 16 57 15,000 00 01 03 03 03 03 06 11 16 57 15,000 00 01 03 03 03 03 06 11 16 57 15,000 00 01 03 03 03 03 06 11 16 57 15,000 00 01 03 03 03 03 06 11 16 57 15			_			-					8
5,000 60 11 11 06 03 04 03 02 00 10 10.000 52 12 12 06 04 05 05 03 00 12 15,000 50 13 13 07 04 05 05 03 00 12 20,000 45 13 14 07 05 05 06 04 00 13 30,000 41 13 14 08 06 06 07 05 00 14 100,000 36 14 15 08 06 07 08 06 00 15 (C) CONDITIONAL PROBABILITY, CLOUD OBSERVED -000102030405060708- 100 00 17 22 17 12 11 11 09 01 200 00 11 16 12 10 08 09 11 25 300 00 07 11 09 08 08 09 12 36 500 00 04 08 07 06 09 10 11 45 700 00 03 06 06 05 09 11 12 49 1,000 00 03 06 06 05 05 08 11 10 52 1,500 00 02 05 04 04 07 10 11 56 2,000 00 02 05 04 04 08 10 11 57 3,000 00 02 04 04 04 07 10 15 55 10,000 00 01 03 03 03 03 06 11 16 57 15,000 00 01 03 03 03 03 06 11 16 57											9
15,000 50 13 13 07 04 05 05 03 00 12 20,000 45 13 14 07 05 05 06 04 00 13 30,000 41 13 14 08 06 06 07 05 00 14 100,000 36 14 15 08 06 07 08 06 00 15 00 14 100,000 36 14 15 08 06 07 08 06 00 15 00 14 100,000 16 14 15 08 06 07 08 06 00 15 00 15 00 15 00 16 15 00 16 16 16 16 16 16 16 16 16 16 16 16 16		60			06		_				10
20.000 45 13 14 07 05 05 06 04 00 13 30.000 41 13 14 08 06 06 07 05 00 14 100.000 36 14 15 08 06 07 08 06 00 15 (C) CONDITIONAL PROBABILITY, CLOUD OBSERVED -000102030405060708- 100 00 17 22 17 12 11 11 09 01 200 00 11 16 12 10 08 09 11 25 300 00 07 11 09 08 08 09 12 36 500 00 04 08 07 06 09 10 11 45 700 00 03 06 06 05 09 11 12 49 5 1.000 00 03 06 06 05 05 08 11 10 52 6 1.500 00 02 05 04 04 07 10 11 56 2.000 00 02 05 04 04 08 10 11 57 3.000 00 02 04 04 04 07 10 12 56 5.000 00 02 04 04 04 07 10 15 55 10 10.000 00 01 03 03 03 03 06 11 16 57 15,000 00 01 03 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 03 06 11 16 57 15											11
30,000 41 13 14 08 06 06 07 05 00 14 100,000 36 14 15 08 06 07 08 06 00 15 00											
(C) CONDITIONAL PROBABILITY, CLOUD OBSERVED -000102030405060708- 100 00 17 22 17 12 11 11 09 01 200 00 11 16 12 10 08 09 11 25 300 00 07 11 09 08 08 09 12 36 500 00 04 08 07 06 09 10 11 45 700 00 03 06 06 05 09 11 12 49 1,000 00 03 06 06 05 05 08 11 10 52 1,500 00 02 05 04 04 07 10 11 56 2,000 00 02 05 04 04 08 10 11 57 3,000 00 02 04 04 04 07 10 12 56 5,000 00 02 04 04 04 07 10 15 55 10,000 00 01 03 03 03 06 11 16 57 15,000 00 01 03 03 03 06 11 16 57											14
-000102030405060708- 100											15
100 00 17 22 17 12 11 11 09 01 200 00 11 16 12 10 08 09 11 25 2 300 00 07 11 09 08 08 09 12 36 500 00 04 08 07 06 09 10 11 45 700 00 03 06 06 05 09 11 12 49 5 1,000 00 03 06 05 05 08 11 10 52 6 1,500 00 02 05 04 04 07 10 11 56 2,000 00 02 05 04 04 08 10 11 57 3,000 00 02 04 04 04 07 10 12 56 5,000 00 02 04 04 04 07 10 15 55 10 10,000 00 01 03 03 03 06 11 16 57 15,000 00 01 03 03 03 06 11 16 57 15											
200 00 11 16 12 10 08 09 11 25 2 300 300 00 07 11 09 08 08 08 09 12 36 500 00 04 08 07 06 09 10 11 45 700 00 03 06 06 05 09 11 12 49 5 1,000 00 03 06 06 05 05 08 11 10 52 6 1,500 00 02 05 04 04 07 10 11 56 2,000 00 02 05 04 04 04 07 10 11 57 3,000 00 02 04 04 04 07 10 11 57 8 3,000 00 02 04 04 04 07 10 12 56 5,000 00 02 04 04 04 07 10 15 55 10 10,000 00 01 03 03 03 06 11 16 57 15 15,000 00 01 03 03 03 06 11 16 57 15			-								1
300 00 07 11 09 08 08 09 12 36 500 00 04 08 07 06 09 10 11 45 40 700 00 03 06 06 05 09 11 12 49 51 1,000 00 03 06 05 05 08 11 10 52 61 1,500 00 02 05 04 04 07 10 11 56 2,000 00 02 05 04 04 08 10 11 57 8 3,000 00 02 04 04 04 07 10 12 56 51 10,000 00 01 03 03 03 06 11 16 57 15,000 00 01 03 03 03 06 11 16 57 15											2
500 00 04 08 07 06 09 10 11 45 4 700 00 00 03 06 06 05 09 11 12 49 5 1,000 00 03 06 05 05 08 11 10 52 6 1,500 00 02 05 04 04 07 10 11 56 2,000 00 02 05 04 04 08 10 11 57 3,000 00 02 04 04 04 07 10 12 56 5,000 00 02 04 04 04 07 10 12 56 5 10,000 00 01 03 03 03 06 11 16 57 15,000 00 01 03 03 03 06 11 16 57 15											3
700 00 03 06 06 05 09 11 12 49 5 1,000 00 03 06 05 05 08 11 10 52 6 1,500 00 02 05 04 04 07 10 11 56 2,000 00 02 05 04 04 08 10 11 57 8 3,000 00 02 04 04 04 07 10 12 56 5,000 00 02 04 04 04 07 10 15 55 10 10,000 00 01 03 03 03 06 11 16 57 1 15,000 00 01 03 03 03 06 11 16 57 1					_		-				4
1,000 00 03 06 05 05 08 11 10 52 6 1,500 00 02 05 04 04 07 10 11 56 2,000 00 02 05 04 04 08 10 11 57 8 3,000 00 02 04 04 04 07 10 12 56 5,000 00 02 04 04 04 07 10 15 55 10 10,000 00 01 03 03 03 06 11 16 57 1 15,000 00 01 03 03 03 06 11 16 57 1							-				5
2,000 00 02 05 04 04 08 10 11 57 8 3,000 00 02 04 04 04 07 10 12 56 5 5,000 00 02 04 04 04 07 10 15 55 10 10,000 00 01 03 03 03 06 11 16 57 1 15,000 00 01 03 03 03 06 11 16 57 1	1,000								_		6
3,000 00 02 04 04 04 07 10 12 56 5 5,000 00 02 04 04 04 07 10 15 55 10 10,000 00 01 03 03 03 06 11 16 57 1 15,000 00 01 03 03 03 06 11 16 57 1					-	_	-				7
5,000 00 02 04 04 04 07 10 15 55 10 10,000 00 01 03 03 03 06 11 16 57 1 15,000 00 01 03 03 03 06 11 16 57 1						_					8
10,000 00 01 03 03 03 06 11 16 57 1 15,000 00 01 03 03 03 06 11 16 57 1									_		
15,000 00 01 03 03 03 06 11 16 57 13									_		1.1
					_						12
20,000 00 0, 00 02 00 00 0	20,000	00	01	03	02	03	05	10	18	57	13
30,000 00 01 03 02 03 05 11 19 57 14					02	03	05		-		14




FIGURE 9. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR BITBURG, WEST GERMANY, WMO STATION 106100.

TABLE 13. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM RAMSTEIN, WEST GERMANY, WMO STATION 106140.

HEIGHT		% OF OCCU	RRENCES	IN EACH	OCTA		
(FT) 100 200 300 500 700 1.000 1.500 2.000 3.000 5.000 10.000 15.000 20.000 30.000	-0001- 96 01 96 01 95 01 94 02 91 02 85 02 74 03 66 04 50 05 32 06 22 06 21 06 17 05 15 05	-0203- 01	-040 00 00 00 00 00 01 01 01 02 00 03 04 00 04 00 04 00			-08- 00 00 00 01 02 05 09 12 17 24 31 33 35 36 38	01 02 03 04 05 06 07 08 09 10 11 12 13 14
STD DEV	04 01	02 01	01 (01 02	10	80	
100 200 300 500 700 1.000 1.500 2.000 3.000 5.000 10.000 15,000 20.000 30.000	-0001- 97 01 97 01 97 01 96 02 93 02 89 03 85 04 75 07 60 11 52 12 50 13 46 12 42 13 37 13	01 00 01 00 01 00 01 00 01 01 02 01 03 02 04 02 07 04 11 06 12 07 12 07 13 07 14 08	-040 00 0 00 0 00 0 01 0 01 0 01 0 02 0 04 0 04 0 05 0 06 0	0506- 00 00 00 00 00 00 00 00 00 00 01 01 01 01 02 02 04 03 05 05 05 06 06 07	-07- 00 00 00 00 00 00 01 02 03 04 05 06	-08- 00 00 00 00 00 00 00 00 00 00 00 00	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
100 200 300 500 700 1.000 1.500 2.000 3.000 5.000 10.000 15.000 20.000 30.000		TIONAL PRO -0203- 20 17 18 16 15 13 10 09 07 07 07 06 06 05 05 05 05 05 05 04 04 03 03 03 03 03 03 02 02 02 02	-0404- 13 12 11 08 06 06 06 05 005 005 004 003 003 003 003 003			EVED - -08 - 019 19 38 49 534 552 555 55 55 55 55	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15




FIGURE 10. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR RAMSTEIN, WEST GERMANY, WMO STATION 106140.

TABLE 14. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM GRAFENWÖHR, WEST GERMANY, WMO STATION 106870.

HEIGHT	(a)				RRENCE			D COVI		
(FT)	-00-	-01-		-					-08-	
100	93	02	02	01	01	00	00	υo	00	01
200	92	02	02	01	01	00	00	00	00	0.2
300	92	02	02	01	01	00	00	00	01	03
500	89	03	02	01	01	01	01	0.1	02	04
700	85	03	02	02	01	01	01	01	04	05
1,000	78	04	03	02	02	02	01	01	07	De
1,500	68	04	04	03	02	02	02	02	12	0.7
2.000	60	05	04	04	03	03	03	03	15	08
3,000	43	07	06	05	04	05	04	05	21	09
5,000	26	80	07	06	05	07	06	08	27	1 (
10,000	16	07	06	06	05	06	07	12	36	1
15,000	15	07	06	05	05	06	07	12	37	1
20,000	80	05	05	05	05	06	08	16	42	1
30,000	06	05	05	05	05	06	08	16	43	1
100,000	06	05	05	05	05	06	08	16	43	1 !
STD DEV	05	01	01	01	01	01	02	04	09	
	(b) c	TIDNO	IONAL	PROB	ABILI	TY. N	O CLO	UD 08:		D
100	95	01-	-02-		-04-				-08-	
200	95 95	02	01 01	01 01	00 00	00 00	00	00	00	
300	95 95	02	02	01	00	00	00 00	-0 00	00	
500	94	02	02	10	00	00	00	00	00 00	
700	93	03	02	01	01	00	00	00	00	
1,000	90	04	02	02	01	01	00	00	00	,
1,500	86	05	03	02	01	01	01	00	00	
2.000	82	06	04	03	02	02	01	00	00	
3,000	69	09	07	05	03	03	02	01	00	
5,000	52	14	10	08	06	05	03	02	00	1
10,000	42	16	11	09	06	06	05	04	00	1
15,000	41	17	12	09	06	06	05	04	00	1
20,000	28	16	13	1.1	09	08	07	07	00	1
30,000	24	16	14	11	10	09	80	08	00	1
100,000	24	16	14	1 7	10	09	80	86	00	1 !
	(c)	CONDI	TIONA	L PROI	BABIL	ITY.	CLOUD	OBSE		
					-04-			-	-08-	
100	00	13	20	16	16	09	13	11	03	
200	00	11	18	13	14	80	11	11	14	3
300	00	09	15	11	12	07	10	10	26	:
500 700	00	06	09	09	08	07	80	09	43	
700	00	04	07	07	07	07	08	09	50	
1,000	00	04	06	06	07	07	07	80	54	
1,500	00	03	05	05	06	07	08	09	58	
2,000	00	02	04	05	06	08	08	10	58	
3,000	00	02	04	05	06	80	80	12	55	
5,000	00	02	03	05	05	09	08	14	54	11
10,000	00 00	01 01	02	03	04	06	80	17	58	1
15,000	_	01	02	03	04	06	80	17	58	1:
20,000	00 00		02	02	04	05 05	80	19	59	10
30,000 100,000	00	01 01	02 02	02 02	04 04	05 05	08 08	19 19	59 5 9	14




FIGURE 11. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR GRAFENWÖHR, WEST GERMANY, WMO STATION 106870.

TABLE 15. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM HEIDELBERG, WEST GERMANY, WMO STATION 107340.

HEICHT			w 05	000	00546	-c	5 A CU	0074		
HEIGHT	. 00	٠.				ES IN				
(FT)		-01-								٠.
100	98	01	00	00	00	00	00	00	00	01
200	98	0 1	00	00	00	00	00	00	00	02
300	98	0.1	01	00	00	00	00	00	00	03
500	97	01	01	00	00	00	00	00	00	04
700	95	01	01	01	00	00	00	00	01	05
1,000	91	02	03	01	01	01	01	00	01	06
1,500	82	04	05	02	01	01	01	01	03	07
2,000	77	05	06	02	01	01	01	01	06	08
3,000	61	06	07	03	02	03	03	02	12	09
5,000	37	07	09	05	04	06	07	05	20	10
10,000	25	07	09	04	04	06	10	08	27	11
15,000	22	07	09	04	04	06	10	09	29	1.2
20,000	20	06	09	04	04	06	11	10	30	13
30,000	17	06	09	04	04	07	12	11	31	14
100.000	13	05	09	04	04	07	13	11	33	15
STD DEV	04	01	03	01	01	01	04	09	04	
		ONDIT		-	_	-			SERVE	,
	-00-	-01-	-02-	-03-	-04-		-06-		-08-	,
100	99	01	00	00	00	00		00		1
							00		00	
200	99	01	00	00	00	00	00	00	00	2
300	99	01	00	00	00	00	00	00	00	3
500	98	01	01	00	00	00	00	00	00	4
700	97	01	01	00	00	00	00	00	00	5
1,000	95	02	02	01	00	00	00	00	00	6
1,500	90	04	04	01	01	00	00	00	00	7
2,000	87	05	05	02	01	Q 1	00	00	00	8
3,000	80	06	07	03	01	02	01	00	00	9
5,000	62	11	12	05	03	04	03	01	00	10
10,000	52	12	14	06	04	05	05	02	00	11
15,000	49	13	15	06	04	05	06	03	00	12
20,000	47	13	15	06	05	05	06	03	00	13
30,000	43	12	16	07	05	06	07	03	00	14
100,000	36	13	17	07	06	07	09	04	00	15
	(c)	CONDI	TIONAL	L PRO	BABIL	ITY,	CLOUD	OBSE	RVED	
	-00-	-01-	-02-	-03-	-04-	-05-				
100	00	17	25	20	14	09	09	06	00	1
200	00	16	22	18	13	09	09	08	05	2
300	00	13	19	15	11	08	10	10	15	3
500	00	08	16	12	09	09	11	08	26	4
700	00	05	14	10	08	11	12	07	32	5
1.000	00	06	15	10	07	10	12	07	34	6
1,500	00	06	14	08	06	09	10	07	38	7
	00	05								
2,000			12	07	06	80	09	07	46	8
3,000	00	03	07	06	05	09	11	08	51	9
5,000	00	02	06	05	05	09	13	10	50	10
10,000	00	02	04	03	04	80	14	14	52	1.1
15,000	00	02	04	03	03	07	14	15	53	12
20,000	00	01	04	03	03	07	14	16	52	13
30,000	00	01	04	03	03	07	15	16	52	14
	00	01		03	03	07	-	-		




FIGURE 12. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR HEIDELBERG, WEST GERMANY, WMO STATION 107340.

TABLE 16. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM MUNCHEN/REIM, WEST GERMANY, WMO STATION 108660.

	(a) #	PROBAE	BILITY	/ OF (CUMULA	TIVE	CLOU	COVE	ER	
HEIGHT (FT) 100 200 300 500 700 1,000 1,500 2,000 3,000 10,000 15,000 20,000 30,000	-00- 100 99 97 93 90 83 73 66 55 38 24 20 20	-01- 00 00 00 00 00 01 03 04 06 09 10 11 10 10		OCCUP -03- 00 00 01 01 02 03 04 04 05 05 05			EACH -06- 00 00 01 01 01 02 02 03 04 06 06 08 08		-08- 00 00 02 03 04 06 10 13 17 22 28 30 30 30	01 02 03 04 05 06 07 08 09 10 11 12 13 14
STD DEV	03	02	01	00	01	01	01	03	03	
100 200 300 500 700 1,000 1,500 2,000 5,000 10,000 15,000 20,000 30,000	-00- 100 100 99 97 94 89 78 65 47 32	ONDITI -01- 00 00 00 00 01 03 05 08 13 19 22 22 25	-02- 00 00 00 01 01 03 04 05 07 08 08 08 10	-03- 00 00 00 01 01 02 03 04 05 06 06 09	-04- 00 00 00 00 01 01 02 02 04 05 04 07	-05- 00 00 00 01 01 01 02 03 04 04 05	-06- 00 00 00 00 01 01 01 02 03 04 06	-07- 00 00 00 00 00 00 00 00 00 01 02 04 05 07	5ERVEC -08- 00 00 00 00 00 00 00 00 00 00 00 00 00	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
100 200 300 500 700 1,000 1,500 2,000 3,000 10,000 15,000 20,000	(c) -00-	CONDIT -01 - 01 - 01 - 00 - 01 - 01 - 02 - 02		PROI - 03 - 05 04 05 05 03 03 03 03		17Y, 0 -05- 19 09 11 12 12 11 09 07 08 05 04 05 05	CLOUD -06- 11 06 07 09 10 09 08 07 07 08 08 08 10		RVED- 337 561 555 557 557 551 47 47	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15




FIGURE 13. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR MUNCHEN/REIM, WEST GERMANY, WMO STATION 108660.

TABLE 17. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM DEIR ZZOR, SYRIA, WMO STATION 400450.

	(a) P	KUBAE					CLOUD		.R	
HEIGHT	20			OCCUR			EACH -06-		-08-	
(FT)		-01 -	-02- 00	00	00	00	00	00	00	01
100	100 100	00	00	00	00	00	00	00	00	02
200 300	100	00	00	00	00	00	00	00	00	03
500	100	00	00	00	00	00	00	00	00	04
700	100	00	00	00	00	00	00	00	00	05
1,000	100	00	00	00	00	00	00	00	00	06
1,500	100	00	00	00	00	00	00	00	00	07
2,000	99	00	00	00	00	00	00	00	00	08
3,000	83	04	04	04	02	02	01	00	00	09
5,000	75	06	05	05	03	04	02	01	00	10
10,000	68	07	05	04	02	03	02	03	04	11
15,000	68	07	05	04	02	03	02	03	04	12
20,000	59	08	06	05	03	04	04	06	05	13
30,000	59	80	06	05	03	04	04	06 06	05	14
100,000	59	08	06	05	03	04	04	06	05	15
STD DEV	08	04	01	01	01	01	01	02	02	
	(b) co						C CLO)
		-01-	-02-	-03-		-05-	-06-	-07-	-80-	
100	100	00	00	00	00	00	00	00	00	1 2
200	100	00	00	00	00	00	00 00	00 00	00 00	3
300	100	00	00	00 00	00 00	00 00	00	00	00	4
500	100 100	00 00	00 00	00	00	00	00	00	00	5
700 1,000	100	00	00	00	00	00	00	00	00	ē
1,500	100	00	00	00	00	00	00	00	00	7
2,000	100	00	00	00	00	00	00	00	00	8
3,000	89	03	03	02	01	01	00	00	00	ğ
5,000	83	06	04	03	02	02	00	00	00	10
10,000	81	07	05	03	01	01	01	00	00	11
15,000	81	07	05	03	01	01	01	00	00	12
20,000	75	09	06	04	02	02	01	01	00	13
30,000	75	09	06	04	02	02	01	01	00	14
100,000	75	09	06	04	02	02	01	01	00	15
							CLOUD	OBSE	RVED -08-	
100	-00-	21	-02-	00	00	36	43	00	00	1
100	00		00 80	00	00	21	25	00	33	ž
200	00 00	13 04	02	15	00	18	22	00	39	3
300 500	00	02	02	12	00	12	20	12	40	7
700	00	02	03	13	05	13	15	09	41	5
1,000	00	03	05	12	01	26	12	07	33	ē
1,500	00	03	04	13	02	24	17	80	29	:
2,000	00	04	07	13	03	18	23	80	23	٤
3,000	00	07	16	22	13	24	12	03	02	9
5,000	00	80	14	19	15	25	13	05	01	10
10,000	00	06	08	10	80	12	11	19	26	1
15,000	00	06	80	10	08	12	11	19	26	12
20,000	00	05	07	09	08	12	13	24	22	13
30,000	00	05	07	09	08	12	13	24	22 22	14




FIGURE 14. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR DEIR ZZOR, SYRIA, WMO STATION 400450.

TABLE 18. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM BAGDAD INTL., SYRIA, WMO STATION 406500.

	(a)	PROBA	BILITY	OF (CUMULA	TIVE	CLOU	COV	ER	
HEIGHT					RENCE					
(FT)			-02-					-07-		
100	100	00	00	00	00	00	00	00	00	0
200	100	00	00	00	00	00	00	00	00	02
300	100	00	00	00	00	00	00	00	00	03
500	100	00	00	00	00	00	00	00	00	04
700	100	00	00	00	00	00	00	00	00	05
1,000	99	00	00	00	00	00	00	00	00	06
1,500	99	00	00	00	00	00	00	00	00	0
2,000	98	00	00	00	00	00	00	00	00	08
3,000	93	01	01	01	01	01	01	00	00	09
5,000	86	02	03	02	02	02	01	01	01	1 (
10,000	84	02	02	02	01	02	02	03	03	1
15,000	83	02	02	02	02	02	02	03	03	1:
20,000	82	02	02	02	01	02	02	03	03	1
30,000	82	02	02	02	01	02	02	03	03	1.
100,000	82	02	02	02	01	02	02	03	03	1 !
STD DEV	06	01	01	00	01	01	01	02	02	
	(b) c	ONDIT	ONAL	PROBA	ABILIT	rvno	CLO	UD_OB	SERVE)
			-02-							
100	100	00	00	00	00	00	00	00	00	
200	100	00	00	00	00	00	00	00	00	
300	100	00	00	00	00	00	00	00	00	:
500	100	00	00	00	00	00	00	00	00	
700	100	00	00	00	00	00	00	00	00	
1,000	100	00	00	00	00	00	00	00	00	4
1,500	100	00	00	00	00	00	00	00	00	
2,000	99	00	00	00	00	00	00	00	00	1
3,000	96	01	01	01	01	00	00	00	00	
5,000	91	02	02	02	01	01	00	00	00	1.
10,000	93	02	02	01	01	01	01	00	00	1
15,000	92	02	02	01	01	01	01	00	00	1
20,000	92	02	02	01	01	01	01	00	00	1:
30,000	92	02	02	01	01	01	01	00	00	1.
100.000	92	02	02	01	01	01	01	00	00	1
		CONDI								
	-00-		-02-						-80-	
100	00	00	11	00	21	13	16	18	21	
200	00	01	05	00	11	07	16	28	32	:
300	00	01	04	04	21	10	16	14	31	:
500	00	00	04	05	21	11	21	09	28	
700	00	01	06	05	24	16	19	07	22	,
1,000	00	01	05	07	14	14	23	13	24	
1,500	00	01	05	09	14	15	23	12	22	
2,000	00	02	07	07	1.1	16	23	12	21	
3,000	00	03	10	10	14	20	21	1.1	11	1
5,000	00	05	12	14	16	19	16	09	09	1
10,000	00	03	05	06	07	10	14	23	32	1
15,000	00	03	05	06	07	10	15	23	31	i
20,000	00	02	04	06	06	09	16	26	30	_ i:
30,000	00	02	04	06	06	09	16	26	30	i.
100,000	00	02	04	06	06	09	16	26	30	1




FIGURE 15. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR BAGDAD INTL., SYRIA, WMO STATION 406500.

TABLE 19. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM TEHRAN/MEHRABAD, IRAN, WMO STATION 407540.

	(a)	PROBA	BILITY	OF (CUMULA	TIVE	CLOU	COVE	ER	
HEIGHT (FT) 100 200 300 500 700 1.000 3.000 5.000 10.000 15.000 20.000 30.000 100.000	-00- 100 100 100 100 100 99 98 97 93 59 58 57 55	01- 00 00 00 00 00 00 00 00 10 10 08 08	% OF -02- 00 00 00 00 00 00 00 11 1 07 064 04 04		RRENCE -04- 00 00 00 00 00 00 00 00 00 00 00 00 00			OCTA -07- 00 00 00 00 00 00 00 00 00 00 00 00 00	-08- 00 00 00 00 00 00 00 00 01 04 06 06 06	01 02 03 04 05 06 07 08 09 10 11 12 13 14
STD DEV	11	02	01	01	01	02	01	02	02	
100 200 300 500 700 1,000 2,000 3,000 5,000 10,000 20,000 30,000	-00- 100 100 100 100 100 100 99 98 96 66 72 75 75 75	00 00 00 00 00 00 01 19 11 11	-02- 00 00 00 00 00 00 00 01 09 06 05 04	-03- 00 00 00 00 00 00 01 03 04 03 03	-04- 00 00 00 00 00 00 00 01 01 03 02 02 02	-05- 00 00 00 00 00 00 00 00 00 00 00 00 00	-06- 00 00 00 00 00 00 00 00 01 01 02 02	-07- 00 00 00 00 00 00 00 00 00 00 00 00 00	SERVEI -08- 00 00 00 00 00 00 00 00 00 00 00 00	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
100 200 300 500 700 1,500 2,000 3,000 5,000 10,000 15,000 20,000 30,000	-00 00 00 00 00 00 00 00 00 00 00	01- 00 00 03 01 02 03 05 22 07 05 04	TIONA -02- 40 11 07 06 04 05 07 10 12 24 09 06 04 04						- VED - 08 - 00 00 06 06 04 07 11 10 09 21 25 24 24	1 2 3 4 5 6 7 8 9 10 11 12 13




FIGURE 16. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR TEHRAN/MEHRABAD, IRAN, WMO STATION 407540.

TABLE 20. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM CAIRO, EGYPT, WMO STATION 623660.

	(a) F	ROBAB	ILITY	OF C	UMULA	TIVE	CLOUD	COVE	R	
HEIGHT (FT) 100 200 300 500 700 1,000 1,500 2,000 3,000 10,000 15,000 20,000 30,000	-00- 100 100 100 100 99 98 96 70 62 61 61 59 59		% OF -02- 00 00 00 00 00 00 00 00 00 00 00 00 00		RENCE -04- 000 000 001 001 045 005 055 005 055				~08~ 00 00 00 00 00 00 00 00 00 00 01 01 01	01 02 03 04 05 06 07 08 09 10 11 12 13 14
STD DEV	07	01	02	02	01	02	01	01	00	
100 200 300 500 700 1.000 1.500 2.000 3.000 5.000 10.000 15.000 20.000 30.000	100 100 100 100 100 100 99 98 81 75 74 75 74 74	DNDITI -01- 00 00 00 00 00 00 00 00 00 00 00 00 00	-02- 00 00 00 00 00 05 07 07 07 06 06	-03- 00 00 00 00 00 00 00 00 00 06 06 06 06	-04- 00 00 00 00 00 00 00 03 03 03 03 03 03	-05- 00 00 00 00 00 00 00 03 03 03 03 03	-06- 00 00 00 00 00 01 01 02 02 02 02	-07- 00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00	1 2 3 4 5 6 7 8 9 10 11 12 13
100 200 300 500 700 1,000 1,500 2,000 3,000 10,000 15,000 20,000 30,000		CONDI -01- 04 04 05 02 01 01 03 03 03 03 03	TIONAL -02- 03 03 02 02 02 02 03 10 11 11 09 09 08 08						RVED -08- 00 06 06 27 23 18 12 03 03 05 05 06 06	1 2 3 4 5 6 7 8 9 10 11 12 13




FIGURE 17. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR CAIRO, EGYPT, WMO STATION 623660.

TABLE 21. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM SEOUL, KOREA, WMO STATION 471110.

	(a)	PROBA	BILITY	OF (CUMULA	ATIVE	Crond	COVE	R	
HEIGHT					RENCE					
(FT)	-00-	-01~	-	-03-			-06-	-07-	-08-	٠.
100	93	03	02	01	01	00	00	00	00	01
200	93	03	02	01	01	00	00	00	00	02 03
300	92	03	02	01 01	01 01	00	00 00	00 00	00	03
500	92 92	03 03	02 02	01	01	00 00	00	00	00	05
700 1,000	89	03	02	02	01	01	01	01	00	06
1,500	85	03	03	02	01	01	02	01	01	07
2,000	80	03	03	03	02	02	02	02	03	08
3,000	55	07	06	05	03	05	05	04	10	09
5,000	46	08	07	06	04	07	06	05	12	10
10,000	38	08	06	05	04	05	05	07	23	11
15,000	36	08	06	06	04	05	05	07	24	12
20,000	25	08	06	06	05	05	06	10	29	13
30,000	25	08	06	06	05	05	06	10	29	1.4
100,000	25	08	06	06	05	05	06	10	29	15
STD DEV	04	01	01	01	01	01	01	02	04	
		ONDIT							SERVE	D
• • • •	94	-01- 03	01	01	-04- 00	00	00	20	00	1
100 200	94	03	01	01	00	00	00	00	00	2
300	94	03	01	01	00	00	00	00	00	3
500	94	03	01	01	00	00	00	00	00	4
700	94	03	01	01	00	00	00	00	00	5
1,000	93	03	02	01	01	00	00	00	00	6
1,500	91	03	02	02	01	01	00	00	00	7
2,000	89	03	03	02	01	01	01	00	00	8
3,000	74	09	06	04	02	03	02	01	00	9
5,000	67	11	07	05	03	04	02	01	00	10
10,000	64	12	08	06	03	03	02	01	00	11
15,000	62	13	08	06	04	03	02	02	00	12
20,000	53	14	10	08	05	04	03	03 03	00 00	13
30,000	52	14	10	80	05 05	04 04	03 03	03	00	15
100,000	52 (a)	14	10	08			-			, 5
	(c)		TIONAL		-04-				-08-	
100	-00- 00	-01- 23	25	-03- 25	14	08	03	01	00	1
200	00	23	25 25	25 25	14	08	03	01	01	2
300	00	21	24	24	14	08	04	02	02	3
500	00	19	21	22	14	08	07	05	04	4
700	00	15	18	19	14	09	10	09	07	5
1,000	00	09	14	17	13	12	14	11	09	è
1,500	00	06	11	13	10	12	16	17	15	7
2,000	00	04	08	09	07	10	14	17	31	8
3,000	00	04	06	07	06	13	14	14	36	g
5,000	00	03	05	07	06	13	14	14	37	10
10,000	00	02	04	05	05	07	80	14	55	11
15,000	00	02	04	05	05	07	80	14	55	12
20,000	00	02	03	04	05	06	09	16	55	13
30,000	00	02	03	04	05	06	09	16	55	14
100,000	00	02	03	04	05	06	09	16	55	15




FIGURE 18. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR SEOUL, KOREA, WMO STATION 471110.

TABLE 22. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM HOENGSUNG/R-401, KOREA, WMO STATION 471180.

	(a)	PROBA	BILIT	V OF	CUMUL	A7 I VE	CLOL	D COV	/ER	
HEIGHT			% OF	occu	IRRENC	ES IN	EACH	OCTA		
(FT) 100	-00-	_	-02-	-03-	-04-	~05~	-06-			
200	95	02	02	01	01	00	00	00	00	0
300	95 95	02	02	01	01	00	00	00	00	0
500	94	02	02	01	01	00	00	00	00	0
700	94	02 02	02	01	01	00	00	00	00	0
1,000	92	02	02 02	01 01	01	00	00	00	00	0
1.500	89	02	02	02	01 01	01	01	01	00	0
2,000	83	02	03	02	01	01 01	01 02	01	01	0
3,000	45	06	07	06	04	06	07	02 06	03 12	0:
5,000	42	06	07	06	04	07	07	06	15	0
10,000	34	06	06	06	04	05	05	06	27	,
15,000	33	06	06	06	04	05	05	07	28	í
20,000	22	05	06	06	04	05	06	09	35	,
30,000	22	05	06	06	04	05	06	09	35	1
100,000	22	05	06	06	04	05	06	09	35	1
STD DEV	05	01	01	01	01	01	02	01	06	
	(b) c	ONDIT:	ONAL		ABILI'	TY, NO)
100	96	01	01	03- 01	00	~05~	-06-	-07-	-08-	
200	96	01	01	01	00	00	00	00	00	
300	96	01	01	01	00	00	00 00	00 00	00	
500	96	01	01	01	00	00	00	00	00 00	;
700	96	01	01	01	00	00	00	00	00	
1,000	95	02	02	01	00	00	00	00	00	9
1,500	94	02	02	01	01	00	00	00	00	7
2,000	92	02	02	01	01	01	00	00	00	é
3,000	68	80	08	06	03	04	03	01	00	ğ
5,000 10,000	66	09	80	06	03	04	03	01	00	10
15,000	63 62	10	09	07	04	03	02	02	υ ο	1 1
20,000	54	10 11	09 11	07	04	04	02	02	00	12
30,000	53	11	11	08 08	05 05	05	04	03	00	13
100,000	53	11	11	08	05	05 05	04 04	03	00	14
	(c) (03	00	15
	-00-	-01-	-02-	-03-	-04-	TY, 0	-06-	-07-		
100	00	13	28	28	19	07	04	01	00	1
200	00	13	28	27	18	07	05	01	01	2
300 500	00	13	27	27	18	08	05	02	01	3
500 700	00	12	25	25	15	08	07	06	02	4
1.000	00 00	09 06	19	17	12	10	08	16	80	5
1,500	00	04	15 10	15 12	11	11	11	19	13	6
2,000	00	03	08	09	09 06	10	15	19	21	7
3,000	00	02	05	07	06	09 12	13	15	37	8
5,000	00	02	05	07	06	11	16	15	37	9
10,000	00	02	03	05	04	07	15 08	15	40	10
15,000	00	02	03	05	04	07	08	12 12	59 59	11
20,000	00	01	03	04	04	06	08	14	59 61	12
30,000	00	01	03	04	04	06	08	14	61	13 14
100.000	00	01	03	04	04	06	08	14	61	15




FIGURE 19. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR HOENGSUNG/R-401, KOREA, WMO STATION 471180.

TABLE 23. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM OSAN, KOREA, WMO STATION 471220.

このでは、一時に行いののなり、「大学のないのである」 かいてんじ

	(a) r	KORAE						COVE	:R	
HEIGHT	-00-	-01-	% OF -02-	OCCUP	RRENCE -04-	S IN	EACH -06-	OCTA -07-	-08-	
(FT) 100	98	01	01	00	00	00	00	00	00	01
200	98	01	01	00	00	00	00	00	00	02
300	97	01	01	00	00	00	00	00	00	03
500	96	01	01	01	00	00	00	00	01	04
700	94	01	01	01	00	00	00	00	01	05
1,000	91	02	02	01	01 01	01 01	01 01	00 01	02 03	06 07
1,500 2,000	87 82	03 04	02 03	01 02	01	01	01	01	05	08
3,000	67	07	05	03	02	02	03	02	08	09
5,000	54	09	07	04	03	04	04	03	12	10
10,000	45	09	07	04	03	04	05	04	19	11
15,000	41	09	80	04	03	04	05	05	21	12
20,000	35	08	08	04	04	04	06	06	25	13
30,000	29	80	08	05 05	04 04	05 05	07 08	07 07	28 30	14 15
100,000	24	08	08							13
STD DEV	05	02	02	01	01	01	02	04	04	
	· · · /		ONAL -02-	PROB/		TY, NO -05-	CLOI		SERVED -08-)
100	99	01	00	00	00	00	00	00	00	1
200	98	01	00	00	00	00	00	00	00	2
300	98	01	00	00	00	00	00	00	00	3
500	98	01	01	00	00	00	00	00	00	4
700	97	01	01	00	00	00	00	00	00	5
1,000	96	02 02	01 02	01 01	00 00	00 00	00 00	00 00	00 00	6 7
1,500 2,000	94 91	03	03	01	01	00	00	00	00	8
3,000	81	08	05	02	01	01	01	00	00	9
5,000	73	11	07	03	02	02	01	01	00	10
10,000	69	12	08	04	02	02	02	01	00	11
15,000	66	12	09	04	03	02	02	01	00	12
20,000	61	13	11	05 06	03 04	03 03	03 03	01 02	00 00	13
30,000 100,000	57 51	13 14	12 13	07	05	04	04	02	00	15
	(c)	CONDI	TIONA	L PRO	BABIL	ITV.	CLOUD	OBSE	RVED	
	-00-	-01-			-04-		-06-		-08-	
100	00	16	20	18	10	06	14	13	01	1
200	00	14	18	16	10	06	11	15	09	2
300	00	13	17	14	09	06	10	14	17	3
500	00	08	12 11	11 10	08 07	08 08	12 13	11 10	30 35	4 5
700 1,000	00 00	06 05	09	08	06	08	12	09	42	6
1,500	00	05	08	07	06	08	11	08	47	7
2,000	00	05	08	06	06	07	1.1	08	49	8
3,000	00	05	80	07	06	08	11	80	46	9
5,000	00	04	07	06	06	09	12	10	47	10
10,000	00	03	05	04	05	07	11	11	54	11
15,000	00	03	05 05	04	05	07	11	11	55 57	12
20,000 30.000	00 00	02 02	05 04	04 04	04 04	06 06	10 11	11 12	57 57	13
100,000	00	02	04	04	04	06	11	12	58	15




FIGURE 20. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR OSAN, KOREA, WMO STATION 471220.

TABLE 24. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM KUNSAN, KOREA, WMO STATION 471410.

	(a)	PROBA	BILIT	/ OF (CUMUL	ATIVE	CLOU	COVI	ER	
HEIGHT						ES IN				
(FT)	-00-	-	-02-		_			_	-08-	٠.
100	99	01	00	00	00	00	00	00	00	01
200 300	98 98	0 î 0 î	00 00	00 00	00 00	00 00	00 00	00 00	00 00	02 03
500 500	95	01	01	01	00	00	00	00	01	04
700	94	02	01	01	00	01	00	00	01	05
1,000	90	03	02	01	01	01	01	00	02	06
1,500	85	04	03	01	01	01	01	01	03	07
2,000	79	06	04	02	01	01	01	01	05	08
3,000	63	10	07	03	02	02	03	02	80	09
5,000	48	1.1	09	04	03	04	05	04	13	10
10,000	38	10	09	04	03	04	06	05	19	1 1
15,000	33	10	09	05	04	05	07	06	22	12
20,000	26	09	10	05	04	05	80	08	26	13
30,000	22	08	10	05 05	05	05	08	09	28	14
100,000	17	08	10	05	05	06	09	09	30	15
STD DEV	06	02	03	02	02	02	02	06	08	
	(b) co	TIDNC- -01-	IONAL -02-		ABILI' -04-		CL0		SERVE)
100	99	00	00	00	00	00	00	00	-0 8-	,
200	99	01	00	00	00	00	00	60	00	2
300	99	01	00	00	00	00	00	00	00	3
500	97	01	01	00	00	00	00	00	00	4
700	96	02	01	00	00	00	00	00	00	5
1,000	94	02	02	01	00	00	00	00	00	6
1,500	92	04	02	01	01	00	00	00	00	7
2,000	88	06	03	01	01	01	00	00	00	8
3,000	78	10	06	02	01	01	01	00	00	9
5,000	67	14	09	04 04	02	02	02	01	00	10
10,000 15,000	62 57	15 16	11 12	05	03 03	03 03	02 03	01 01	00 00	11 12
20,000	51	16	14	06	04	04	04	02	00	13
30,000	47	15	15	07	05	04	04	02	00	14
100,000	39	17	17	08	06	05	05	03	00	15
	(c)	CONDI	TIONAL	PRO	BABIL	ITY, (CLOUD	OBSE	RVED	
	-00-	-01-	-02-	-03-	-04-	-05-	-06-		-08-	
100	00	18	16	19	18	10	12	04	03	1
200	00	13	13	13	13	09	10	07	23	2
300	00	10	12	11	10	09	10	07	30	3
500	00	08	10	10	08	10	11	07	36	4
700	00	07	10	09	07	11	12	08	37	5
1,000 1,500	00 00	07 07	11 10	08 07	07 06	09 09	11	08 08	39 43	6 7
2,000	00	07	10	07	06	08	11	08	44	8
3,000	00	07	10	06	06	08	11	09	44	9
5,000	00	05	07	05	06	08	13	11	45	10
10,000	00	03	06	04	05	07	12	12	51	11
15,000	00	03	06	04	04	07	12	12	52	12
20,000	00	02	05	04	04	06	12	14	53	13
30,000	00	02	05	04	04	06	12	15	53	14
100,000	00	02	04	04	04	06	12	14	53	15




FIGURE 21. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR KUNSAN, KOREA, WMO STATION 471410.

TABLE 25. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM TAEGU & TONCHON, KOREA, WMO STATION 471420.

	(a)	PROBA	BILITY	/ OF (CUMULA	ATIVE	CLOU	COVE	ĒR	
HEIGHT			% OF	occu	RRENCE	ES IN	EACH	OCTA		
(FT)	-00-		-02-		-04-			-	-08-	
100	93	03	02	01	00	00	00	00	00	01
200	93	03	02	01	00	00	00	00	00	02
300	93	03	02	01	00	00	00	00	00	03
500 700	93 92	03 03	02 02	01 01	00 00	00 00	00 00	00 00	00 00	04
1,000	91	04	02	02	01	00	00	00	00	05 06
1,500	88	04	03	02	01	00	01	01	00	07
2,000	84	04	03	02	01	01	02	02	02	08
3,000	60	08	05	04	02	05	05	05	06	09
5,000	43	13	07	07	03	06	06	05	10	10
10,000	36	12	07	06	04	0%	04	05	21	11
15,000	33	12	07	06	04	04	05	06	23	12
20,000	22 21	10 10	07 07	07	05	05	06	09	30	13
30,000 100,000	21	10	07	07 07	05 05	05 05	06 06	10 10	30 30	14 15
STD DEV	05	02	01	01	01	01	01	04	03	
		TIDNO						טע ов	SERVE)
	-00-		-02-		-04-		-06-	-07-	-08-	
100	95	03	01	01	00	00	00	00	00	1
200 300	95 95	03 03	01 01	01 01	00 00	00	00 00	0 U	00	2
500	94	03	01	01	00	00 00	00	00 00	00 00	3 4
700	94	03	02	01	00	00	00	00	00	5
1,000	93	03	02	01	00	00	00	00	00	6
1,500	92	04	02	01	00	00	00	00	00	7
2,000	91	04	03	01	00	00	00	00	00	8
3,000	77	09	05	03	01	02	02	01	00	9
5,000 10,000	61 59	16 17	08 09	06 06	02 03	03 03	02 02	01 01	00 00	10
15,000	57	18	09	07	03	03	02	01	00	12
20,000	46	19	11	09	05	04	03	03	00	13
30,000	45	19	11	10	05	04	03	03	00	14
100,000	45	19	1 1	10	05	04	03	03	00	15
	(c) -00-	CONDI		-03-	BABIL:	17V, (
100	00	28	31	25	09	03	-06- 02	-07- 02	-08- 00	1
200	00	28	31	24	10	04	02	02	00	2
300	00	27	30	24	09	04	02	03	00	3
500	00	23	27	24	10	05	04	06	03	4
700	00	20	25	23	10	05	05	07	04	5
1,000	00	16	21	20	09	06	80	13	06	6
1,500	00	11	17	15	07	07	13	20	11	7
2,000	00	06	10	08	04	07	16	26	23	8
3,000 5,000	00 00	05 0 5	06 06	07 08	05 06	13	19	19	26	9
10,000	00	05	06 05	08 06	06 05	13 07	15 09	14 12	32 53	10 11
15,000	00	04	04	06	05 05	07	08	12	55	12
20,000	00	02	03	05	05	06	08	15	56	13
	00	02	03	05	05	06	08	16	55	14
30,000										




FIGURE 22. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR TAEGU AND TONCHON, KOREA, WMO STATION 471420.

TABLE 26. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM PUSAN/KIMHAF, KOREA, WMO STATION 471530.

200 93 03 02 01 00 00 00 00 00 02 02 300 93 03 02 02 02 00 00 00 00 00 00 03 500 92 03 02 02 01 00 00 00 00 00 04 700 92 03 03 02 01 00 00 00 00 00 00 00 00 00 00 00 00		(a)	PROBAI	BILIT	/ OF	CUMULA	ATIVE	CLOU	COVE	ER	
(b) CONDITIONAL PROBABILITY, NO CLOUD OBSERVED -000102030405060708- 100 95 02 02 01 00 00 00 00 00 00 200 95 02 02 01 00 00 00 00 00 00 300 94 02 02 01 00 00 00 00 00 00 500 94 02 02 01 00 00 00 00 00 00 700 94 02 02 01 00 00 00 00 00 00 1,000 94 02 02 01 00 00 00 00 00 00 1,500 91 03 03 02 01 00 00 00 00 00 1,500 91 03 03 02 01 00 00 00 00 00 3,000 69 12 08 05 02 02 02 01 00 9 5,000 66 14 08 05 02 02 02 01 00 10 10,000 64 15 09 06 02 02 02 01 00 11 15,000 61 16 09 06 03 03 02 01 00 12 20,000 49 17 12 09 05 03 03 02 00 13 30,000 48 17 12 09 05 03 03 02 00 15	(FT) 100 200 300 500 700 1,000 2,000 3,000 5,000 10,000 15,000 20,000 30,000	93 93 93 92 92 90 86 81 52 48 39 36 23 22	03 03 03 03 03 04 04 10 11 11 11	-02- 02 02 02 03 03 04 04 08 08 07 07 07	-03- 01 01 02 02 02 02 02 06 06 05 06 07	-04- 00 00 01 01 01 01 02 03 03 05	-05- 00 00 00 00 00 01 01 05 04 04 04	-06- 00 00 00 00 00 01 05 05 04 05 05	-07- 00 00 00 00 01 01 02 05 04 05 08	00 00 00 00 00 01 03 07 09 23 24 32	01 02 03 04 05 06 07 08 09 10 11 12 13
-000102030405060708- 100	STD DEV	01	01	01	01	01	00	00	01	03	
	200 300 500 700 1.000 1.500 2.000 3.000 5.000 10.000 20.000 30.000	95599449949999999999999999999999999999	02 02 02 02 02 03 03 14 15 16 17	02 02 02 02 02 03 03 08 08 09 09 12	01 01 01 01 01 02 02 05 06 06 09	00 00 00 00 00 01 01 02 02 02 03 05	00 00 00 00 00 00 00 00 02 03 02 03 03	00 00 00 00 00 00 00 00 02 02 02 02 03 03	00 00 00 00 00 00 00 01 01 01 01 02 02	00 00 00 00 00 00 00 00 00 00 00	2 3 4 5 6 7 8 9 10 11 12 13





FIGURE 23. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR PUSAN/KIMHAF, KOREA, WMO STATION 471530.

TABLE 27. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM KWANGJU, KOREA, WMO STATION 471580.

#EIGHT		(a)	PROBA	BILIT	V OF	CUMUL	ATIVE	cron	COVI	ER	
STD DEV O2	(FT) 100 200 300 500 700 1,000 2,000 3,000 5,000 10,000 15,000 20,000	93 93 92 92 90 85 77 35 28 25	03 03 03 03 03 03 04 04 13 14 13 12	-02- 01 02 02 02 02 03 03 08 08 07 07	-03- 01 01 02 02 02 02 02 06 07 06 06	-04- 01 01 01 01 01 01 01 03 03 03 04 05	-05- 00 00 00 01 01 01 02 07 06 06	-06- 00 00 00 00 01 01 03 06 07 05 06 07	-07- 00 00 00 00 01 01 02 05 06 06 07	00 00 00 00 00 00 01 05 11 14 25 26 34	02 03 04 05 06 07 08 09 10 11 12
(b) CONDITIONAL PROBABILITY, NO CLOUD OBSERVED -000102030405060708- 100 95 02 01 01 00 00 00 00 00 1 200 95 02 01 01 00 00 00 00 00 2 300 95 02 01 01 00 00 00 00 00 03 500 95 02 01 01 00 00 00 00 00 00 3 500 95 02 01 01 00 00 00 00 00 00 4 700 94 02 01 01 00 00 00 00 00 00 5 1,000 94 03 02 01 00 00 00 00 00 5 1,500 91 03 02 02 01 01 01 00 00 00 7 2,000 89 04 03 02 01 01 01 00 00 00 00 8 3,000 59 17 09 06 02 04 02 01 00 9 5,000 55 19 09 07 02 04 03 01 00 10 10,000 52 20 10 07 03 04 02 01 00 11 15,000 49 21 11 08 04 04 03 02 00 12 20,000 33 22 14 11 07 06 04 03 00 14 100,000 33 22 14 11 07 06 05 03 00 15	·		_	-	_			_			15
100 95 02 01 01 00 00 00 00 00 1 200 95 02 01 01 00 00 00 00 00 00 3 500 95 02 01 01 00 00 00 00 00 00 3 500 95 02 01 01 00 00 00 00 00 00 4 700 94 02 01 01 00 00 00 00 00 00 5 1,500 91 03 02 01 00 00 00 00 00 00 6 1,500 91 03 02 01 01 01 01 00 00 00 00 00 6 1,500 91 03 02 02 01 01 01 00 00 00 00 00 8 3,000 59 17 09 06 02 04 02 01 00 00 8 3,000 55 19 09 07 02 04 03 01 00 10 10 10 10 10 10 10 10 10 10 10	SID DEV		-	_	_	-			-	-	
200 95 02 01 01 00 00 00 00 02 00 2 300 95 02 01 01 00<		-00	01-	-02-	-03-	-04-	-05-	-06-	-07-	-08-)
(C) CONDITIONAL PROBABILITY, CLOUD OBSERVED	200 300 500 700 1,000 1,500 2,000 3,000 5,000 15,000 20,000 30,000	95 95 95 94 91 99 55 43 33	02 02 02 03 03 04 17 19 20 21 22 22	01 01 01 01 02 02 03 09 09 10 11	01 01 01 01 02 02 06 07 07 08 11	00 00 00 00 00 01 01 02 02 03 04 07	00 00 00 00 01 01 04 04 04 06 06	00 00 00 00 00 01 02 03 02 03 04 04	00 00 00 00 00 00 01 01 01 02 03 03	00 00 00 00 00 00 00 00 00 00 00 00 00	2 3 4 5 6 7 8 9 10 11 12 13 14
-000102030405060708-	100 200 300 500 700 1.000 2.000 3.000 5.000 10.000 15.000 20.000	-00 00 00 00 00 00 00 00 00 00 00	17 16 14 11 09 07 04 05 05 03 02 02	19 18 17 15 13 11 06 06 04 04 03	26 26 25 23 19 15 13 07 07 05 04 04	-04- 17 16:5 14 10 09 04 04 04 04 05 05	-05- 10 11 11 13 12 13 11 13 08 06 06	-06- 05 06 09 10 15 16 15 14 09 09 09	-07- 04 05 06 07 10 16 18 16 14 12 13	-08- 00 01 025 07 10 15 36 35 38 54 56 56	1 2 3 4 4 5 6 7 8 9 1 1 1 2 3 3 4 4 5 6 7 8 9 1 1 1 2 3 3 4 5 6 7 8 9 1 1 1 2 3 3 4 5 6 7 8 9 1 1 1 1 1 2 3 3 4 5 6 7 8 9 1 1 1 1 1 2 3 3 4 5 6 7 8 9 1 1 1 1 1 2 3 3 4 5 6 7 8 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

AD-A1	62 210	PRO CLO	BABILI D COV	TY AND	COND	ITIONA . (U) 0 UL 85	L PROB	ABILII RICS	Y OF	CUMULA	TIVE	2/:	3
UNCLA	SSIFIE	F19	GHLLE 628-84	-C-884	HL. J			9 MFGI	IK-8:	F/G 4	/2	ML	



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS - 1963 - A




FIGURE 24. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR KWANGJU, KOREA, WMO STATION 471580.

TABLE 27. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM KWANGJU, KOREA, WMO STATION 471580.

	(a)	PROBA	BILITY	OF (CUMULA	TIVE	CLOUD	COVE	ER	
HEIGHT			% OF	OCCUP	RRENCE	ES IN	EACH	OCTA		
(FT)	-00	01-			-04-		-		-08-	
100	93	03	01	01	01	00	00	00	00	01
200	93	03	02	01	01	00	00	00	00	02
300	93	03	02	01	01	00	00	00	00	03
500	92	03	02	02	01	00	00	00	. 00	04 05
700	92	03	02	02 02	01 01	01 01	00 01	00 01	00 00	06
1,000 1,500	90 85	03 04	02 03	02	01	01	01	01	01	07
2,000	77	04	03	02	01	02	03	02	05	08
3,000	39	13	08	06	03	07	06	05	11	09
5,000	35	14	08	07	03	07	07	06	14	10
10,000	28	13	07	06	03	06	05	06	25	11
15,000	25	12	07	06	04	06	06	07	26	12
20,000	13	10	80	07	05	06	07	· 10	34	13
30,000	13	10	08	07	06	06	07	10	34	14
100,000	13	10	08	07	06	06	07	10	34	15
STD DEV	02	01	01	01	01	01	00	02	04	
	,	CONDIT				TY, NO				D
	-00			-03-		-05-	-06-	-07-	-08- 00	1
100	95	02	01	01 01	00 00	00 00	00 00	00 00	00	2
200 300	95 95	02 02	01 01	01	00	00	00	00	00	3
500	95	02	01	01	00	00	00	00	00	4
700	94	02	01	01	00	00	00	00	00	5
1,000	94	03	02	01	00	00	00	00	00	6
1,500	91	03	02	02	01	01	00	00	00	7
2,000	89	04	03	02	01	01	01	00	00	8
3,000	59		09	06	02	04	02	01	00	9
5,000	55		09	07	02	04	03	01	00	10
10,000	52		10	07	03	04 04	02 03	01 02	00 00	11 12
15,000	49 33		11 14	08 11	04 07	06	04	03	00	13
20,000 30,000	33		14	11	07	06	04	03	00	14
100,000	33		14	11	07	06	05	03	00	15
100,000	(c)		TIONA						RVFD	
	-00	01-	-02-	-03-	-04-	-05-	-06-	-07-	-08-	
100			19	26	17	10	05	04	00	1
200			19	26	16	11	06	05	01	2
300			18	25	16	11	06	06	02	3
500			17	23	14	11	09	07	05 07	4 5
700			15	19	14	13 12	10 14	10 16	10	5 6
1,000 1,500	00		13 11	15 13	10 09	13	15	18	15	7
2,000			06	07	04	11	16	16	36	8
3,000			06	07	04	13	15	14	35	9
5,000			06	07	04	13	14	14	38	10
10,000			04	05	04	08	09	12	54	11
15,000			04	05	04	08	09	13	54	12
20,000			03	04	05	06	09	14	56	13
30,000			03	04	05	06	09	14	56	14
100,000			03	04	05	06	09	14	56	15

TABLE 28. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM SACHON, KOREA, WMO STATION 471610.

	(a)	PROBA	BILITY	OF	CUMUL	ATIVE	CLOU	D COVE	ER	
HEIGHT			% OF	occu	RRENCI	ES IN	EACH	OCTA		
(FT)	-00-	-01-	-02-	-03-	-04-		-06-	-07~	-08-	
100	94	03	02	01	00	00	00	00	00	01
200	94	03	02	01	00	00	00	00	00	02
300	94	03	02	01	00	00	00	00	00	03
500 700	94 93	03 03	02 02	01 01	00 01	00 00	00 00	00 00	00 00	04 05
1.000	92	03	02	01	01	00	00	00	00	06
1,500	87	03	03	02	01	01	01	01	01	07
2,000	83	04	03	02	01	01	02	01	03	08
3,000	54	11	07	05	03	05	04	03	80	09
5,000	46	13	07	06	03	05	05	03	11	10
10,000	39 36	12 12	07 07	06 06	03 04	04 04	04 04	04 04	21 23	11
15,000 20,000	21	10	08	07	05	05	06	07	30	13
30,000	21	10	08	07	05	05	06	07	30	12
100.000	21	10	08	07	05	05	06	07	30	15
STD DEV	03	02	01	01	01	01	00	01	03	
		ONDIT)
100	-00-	-01- 02	-02- 01	-03- 01	-04- 00		-06-		-08-	
200	96 96	02	01	01	00	00 00	00 00	C O	00 00	1 2
300	95	02	01	01	00	00	00	00	00	3
500	95	02	01	01	00	00	00	00	00	4
700	95	02	01	01	00	00	00	00	00	5
1,000	94	03	02	01	00	00	00	00	00	6
1,500	92 91	03 03	02 02	01 01	01 01	00 00	00 00	00 00	00 00	7 8
3,000	70	13	07	04	02	02	01	01	00	9
5,000	65	15	08	05	02	03	02	01	00	10
10,000	62	16	08	06	03	02	02	01	00	11
15,000	59	17	09	06	03	03	02	01	00	12
20.000	44 44	19 19	13 13	09 09	05 06	04 04	03 03	02 02	00 00	13
30,000	44	19	13	09	05	04	03	02	00	15
,00,000	(c)	CONDI				_				, ,
	-00-		-02-			-05-		-07-		
100	00	24	29	22	12	07	07	01	00	1
200	00	23	28	22	12	07	07	01	01	2
300	00	22	27	22	12	08	07	01	01	3
500	00	20	25	21	13	09	07	02	02	4
700 1,000	00 00	17 14	23 20	19 16	14 13	10 09	08 12	05 07	05 09	5 6
1,500	00	07	13	12	11	10	16	15	16	7
2,000	00	05	09	10	08	09	15	15	32	8
3,000	00	06	07	08	06	12	14	12	35	9
5,000	00	06	06	80	06	11	13	11	39	10
10,000	00	04	05	06	04	07	08	09	57	1.1
15,000	00	04	04	06	05	07	08	10	57	12
20,000	00 00	02	04 04	05 05	05 05	06	09	12 12	57 57	13
30,000	00	02 02	04	05 05	05 05	06 06	09 09	12	57 57	15




FIGURE 25. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR SACHON, KOREA, WMO STATION 471610.

TABLE 29. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM GUATEMALA CITY, GUATEMALA, WMO STATION 786410.

	(a)	PROBAI	BILIT	OF (CUMUL	ATIVE	CLOU	COVI	ER	
HEIGHT (FT) 100	100	01- 00	-02- 00	-03- 00	-04- 00	-05- 00	00	-07- 00	-08- 00	01
200	99	00	00	00	00	00	00	00	00	02
300	98	00	00	00	00	00	00	00	01	03
500	95	00	01	01	01	01	01	00	02	04
700	90	01	01	01	01	01	01	01	03	05
1,000	78	03	03	03	02	02.	02	02	05	06
1,500	64	04	04	04	03	03	04	04	09	07
2,000 3,000 5,000	27 17 17	12 13 13	10 11 11	10 11	08 10 10	08 09 09	08 09 09	07 08 08	11 12 13	08 09 10
10,000	14	11	08	09	07	07	07	08	28	11
15,000	14		08	08	07	07	07	08	29	12
20,000	11	80	06	07	06	06	08	10	38	13
30,000	11	80	06	07	06	06	08	10	38	14
100,000	11	80	06	07	06	06	08	10	38	15
STD DEV	01	01	01	01	01	01	01	01	04	
	(b) (ONDIT:	IONAL -02-		ABILI' -04-	TY, NO -05-	-06-	JD 08:	SERVEC -08-)
100 200 300	100 100 99	00 00 00	00 00 00	00 00 00	00 00 00	00 00 00	00 00 00	00 00	00 00 00	1 2 3
500	98	00	01	00	00	00	00	00	00	4
700	96	01	01	01	01	00	00	00	00	5
1,000	89	03	03	02	01	01	01	00	00	6
1.500	82	05	04	03	02	02	01	01	00	7
2.000	45	17	12	10	07	05	03	01	00	8
3.000	31	21	15	13	09	06	04	02	00	9
5,000	31	21	15	13	09	06	04	02	00	10
10,000	32	21	14	12	08	06	04	02	00	11
15,000	32	22	14	12	08	06	04	02	00	12
20,000	31	21	13	12	08	07	05	03	00	13
30,000	31	21	13		08	07	05	03	00	14
100,000	31	21	13		08	07	05	03	00	15
	(c)	CONDI								
100 200	-00·	0 t 02	03 03	-03- 03 04	01 03	-05- 07 06 07	09 14	-07- 05 07	-08- 70 61	1 2
300 500 700	00 00 00	02 02 02	04 05 05	07 07 08	05 08 09	09 09	10	08 12 12	58 46 42	3 4 5
1,000 1,500 2,000	00 00	03 02 04	06 05 06	08 07 10	09 08 11	09 10 12	11 13 15	14 15 15	41 40 28	6 7 8
3,000	00	04	06	09	11	13	15	15	28	9
5,000	00	04	06	09	11	13	15	15	28	10
10,000	00	02	04	06	07	08	10	13	51	11
15,000	00	02	04	06	06	08	10	13	52	12
20,000	00	02	02	04	05	06	09	13	59	13
30,000	00	02	02	04	05	06	09	13	59	14




FIGURE 26. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR GUATEMALA CITY, GUATEMALA, WMO STATION 786410.

TABLE 30. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM SAN SALVADOR, EL SALVADOR, WMO STATION 786630.

	(a)	PROBAI	BILIT	V OF (CUMULA	ATIVE	CLOU	o covi	ER	
HEIGHT		_		OCCU						
(FT)		-01-	-02-		-04-				-08-	
100	100	00	00	0 0	00	00	00	00	00	0
200	100	00	00	00	00	00	00	00	00	0
300	99	00	00	00	00	00	00	00	00	0
500	98	00	00	00	00	00	00	00	00	04
700	97	01	01	01	00	00	00	00	00	Ŏ!
1,000	92	03	02	01	01	00	00	00	00	06
1,500	89	04	03	02	01	00	00	00	00	0
									01	
2,000	79	08	05	04	02	01	01	01		08
3,000	66	12	08	06	03	02	01	01	01	09
5,000	26	23	14	12	08	06	04	04	03	11
10,000	23	17	13	12	09	80	06	07	04	1
15,000	19	16	12	11	09	08	07	11	06	1
20,000	19	16	7.7	10	80	07	07	13	09	1
30,000	13	1.1	80	08	07	08	12	23	11	1
100,000	12	11	08	80	07	08	12	23	11	19
STD DEV	05	02	01	01	01	01	02	03	04	
	(b) c	DNDIT	ONAL	PROB	ABILI"	TY, NO	CLO	JD 08	SERVE)
	-00-	-01-	-02-	-03-	-04-	-05-	-06-	-07-	-08-	
100	100	00	00	00	00	00	00	0 0	00	
200	100	00	00	00	00	00	00	OO.	00	:
300	99	00	00	00	00	00	00	00	00	:
500	99	00	00	00	00	00	00	00	00	
700	98	01	01	00	00	00	00	00	00	,
	94	03	02					00	00	
1,000				01	00	00	00			
1,500	92	04	02	01	01	00	00	00	00	
2,000	85	07	04	02	01	00	00	00	00	
3,000	74	12	07	04	02	01	00	00	00	•
5,000	36	28	15	10	06	03	01	01	00	1 (
10,000	35	23	15	11	07	04	02	01	00	1
15,000	32	24	15	12	08	05	03	02	00	1 2
20,000	33	24	14	11	07	05	03	03	CO	1
30,000	28	21	13	11	07	07	07	06	00	1
	27	22		11	08	07	07		00	
100,000		22	13	11	08	07	0,	06	00	1 5
	(c) -00-	CONDI'	FIONA:			TTV, (-05-	-06-	OBSE	RVED -08-	
100	00	09	11	16	11	20	00	00	32	
200	00	07	07	15	16	11	03	04	36	:
300	00	09	15	15	18	10	08	07	19	;
500	00	07	14	13	16	11	09	09	20	4
700	00	09	15	17	14	10	08	08	19	
1,000	00	13	19	18	14	80	09	07	14	(
1,500	00	13	19	19	14	08	08	07	12	
2,000	00	15	20	21	13	08	07	07	10	
3,000	00	14	19	21	13	10	07	06	09	
5,000	00	10	13	16	15		11		10	
						14		12		1 (
10,000	00	06	09	13	14	14	13	18	13	1
15,000	00	05	07	10	1.1	13	13	24	15	1
20,000	00	05	06	09	09	11	12	26	22	1;
30.000	00	03	04	05	06	09	17	36	20	1.
100,000	00	03	04	05	06	09	17	36	20	15




FIGURE 27. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR SAN SALVADOR, EL SALVADOR, WMO STATION 786630.

TABLE 31. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM TEGUCIGALPA, HONDURAS, WMO STATION 787200.

()	a)	PROBA	BILIT	/ OF (CUMULA	ATIVE	CLOU	COVE	ER	
HEIGHT (FT) 100 200 300 500 700 1,000 1,500 2,000 3,000 5,000 10,000 15,000 20,000 30,000	-00- 100 100 99 96 93 84 82 78 40 06 05 05 04 04	-01- 00 00 00 02 03 10 11 12 11 15 10 10 08		OCCUP-03-00 00 00 01 01 01 01 07 11 09 09 07 07			EACH -06- 00 00 00 00 00 00 01 08 13 15 15 18 18	OCTA -07- 00 00 00 00 00 00 01 08 12 18 19 19 25 25	-08- 00 00 00 00 00 00 01 02 03 09 10 12 12	01 02 03 04 05 06 07 08 09 10 11 12 13 14
STD DEV	02	02	02	01	01	02	01	02	03	
100 200 300 500 700 1,000 1,500 2,000 3,000 5,000 10,000 15,000 30,000 100,000	-00- 100 100 99 97 94 87 85 83 57 12 13 13 12	00 00 00 01 03 09 10 11 14 25 21 21 21	-02- 00 00 01 02 03 04 04 09 18 16 16 16 13	-03- 00 00 00 01 01 01 01 06 14 13 13 12	-04- 00 00 00 00 00 00 01 05 12 12 12 11	-05- 00 00 00 00 00 00 00 00 04 11 11 11 11	-06- 00 00 00 00 00 00 00 00 00 00 00 00 00	-07- 00 00 00 00 00 00 01 03 05 06 08	-08- 00 00 00 00 00 00 00 00 00 00 00	1 2 3 4 5 6 7 8 9 10 11 12 13 14
100 200 300 500 700 1,000 1,500 2,000 3,000 5,000 10,000 15,000 20,000	C) -00- 00 00 00 00 00 00 00 00 00 00 00 00 00	CONDI: -01- 14 09 13 18 25 40 36 23 05 04 02 02 02 02 02		-03- 24 30 28 25 20 14 12 08 09 06 06 04					-08- 22- 05- 02- 02- 01- 02- 04- 09- 08- 07- 17- 17- 18- 18-	1 2 3 4 5 6 7 8 9 10 11 12 13 14




FIGURE 28. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR TEGUCIGALPA, HONDURAS, WMO STATION 787200.

TABLE 32. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM MANAGUA/SANDINO, NICARAGUA, WMO STATION 787410.

	(a)	PROBA	BILITY	OF C	CUMULA	TIVE	CFOU	COVE	R	
HEIGHT	_				RENCE				0.0	
(FT)		-01-		-03-	-04- 00	-05~ 00	-06- 00	-07- 00	-08 <i>-</i>	01
100	100 100	00 00	00 00	00 00	00	00	00	00	00	02
200 300	100	00	00	00	00	00	00	00	00	03
500	100	00	00	00	00	00	00	00	00	04
700	100	00	00	00	00	00	00	00	00	05
1,000	100	00	00	00	00	00	00	00	00	06
1,500	99	00	00	00	00	00	00	00	00	07
2,000	76	06	05	04	03	02	02	01	01	08
3,000	18	21	19	16	11	07	05	02	02	09
5,000	15	21	19	16	12	07	05	02	02 19	10 11
10,000	12	14	12	10	09	09 09	08 08	08 08	19	12
15,000	12	14 13	12 10	10 09	09 08	09	08	09	22	13
20,000 30,000	1 1 10	09	08	08	07	08	09	11	29	14
100,000	10	09	80	08	07	08	09	11	30	15
STD DEV	07	02	02	02	02	01	01	01	04	
		ONDIT						UD OB		D
	-00-		-02-		-04-			007-	-08- 00	1
100	100	00	00	00	00	00 00	00 00	UO	00	2
200	100	00 00	00 00	00 00	00 00	90	00	00	00	3
300 500	100	00	00	00	00	00	00	00	00	4
700	100	00	00	00	00	00	00	00	00	5
1,000	100	00	00	00	00	00	00	00	00	6
1,500	100	00	00	00	00	00	00	00	00	7
2,000	84	06	04	03	02	01	00	00	00	8
3,000	26	26	20	14	08	04	02	00	00	9
5,000	23	27	21	15	09	04	02 04	00 02	00 00	10
10,000	24	25 24	18 18	13 12	09 09	07 07	04	02	00	12
15,000 20,000	24 24	24	17	12	09	07	05	03	00	13
30.000	25	20	16	13	09	08	06	04	00	14
100,000	25	20	15	13	09	07	06	04	00	15
	(c)						CLOUD	OBSE	RVED -08-	
100	-00-		00	00	-04 <i>-</i>	00	-06-	00	00	1
100 200	00 00	00 07	14	00	41	17	21	00	00	2
300	00	05	11	08	32	13	32	00	00	3
500	00	07	90	07	37	12	28	00	00	4
700	00	06	08	06	31	10	24	00	16	5
1,000	00	07	05	10	24	17	16	00	21	6
1,500	00	04	06	12	16	14	15	14	18	3
2,000	00	09	13	17	17	14	14	07	10	
3.000	00	09	15	19	19	15	11	06	06	1,0
5,000	00	08	15	19	19	15	11	07 14	07 37	10
10,000	00	03	06	07	09 09	11	12 12	14	38	12
15,000	00	03 03	06 05	07 06	08	10	12	15	41	13
20,000 30,000		03	03	05	06	08	12	16	48	14
100,000		02	03	05	06	08	11	16	49	1 !




FIGURE 29. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR MANAGUA/SANDINO, NICARAGUA, WMO STATION 787410.

TABLE 33. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM SAN JOSE, COSTA RICA, WMO STATION 787620.

	(a)	PROBA	BILIT	V OF	CUMULA	ATIVE	CLOU	COVE	ER	
HEIGHT					RRENCI					
(FT) 100	-00- 97	01-	-02- 01	-03-	-04- 00	~05- 00	-06 - 00	-07- 00	-0 8 -	01
200	94	01	02	02	00	00	00	00	00	02
300	93	01	02	03	00	00	00	00	00	03
500	90	02	03	03	01	00	00	00	00	04
700 1,000	89 84	03 04	03 04	03 03	01 01	00 01	00 01	00 01	01 01	05
1,500	81	05	05	03	01	01	01	01	01	06 07
2,000	76	07	06	04	01	02	02	01	02	08
3,000	63	12	80	05	03	03	03	01	02	09
5,000	39	21	13	09	05	06	04	02	02	10
10,000 15,000	35 26	18 14	10 08	08 06	05 06	06 07	04 05	03 07	09 21	11 12
20,000	26	14	08	06	05	07	05	07	22	13
30,000	18	09	05	05	04	06	08	13	31	14
100,000	18	09	05	05	05	06	08	13	31	15
STD DEV	03	02	01	01	01	00	01	01	04	
	(b) c	ONDIT)
100	-00- 98	-01-	-02- 01	01	-04- 00	-05-	-06- 00	00	-08~ 00	1
200	96	01	0 i	02	00	00	00	ÕÕ	00	2
300	95	01	02	02	00	00	00	00	00	3
500 700	93 92	02 02	02 03	02	00	00 00	00	00	00	4
1,000	89	04	03	02 02	00 00	00	00 00	00 00	00 00	5 6
1,500	87	05	04	02	01	00	00	00	00	7
2,000	84	07	05	03	01	01	00	00	00	8
3,000 5,000	73 50	12 23	07 12	04 08	02 03	02 03	01 01	00 00	00 00	9 10
10,000	50	22	11	07	04	03	02	01	00	11
15,000	47	22	11	07	05	04	02	02	00	12
20,000	47	22	11	07	05	05	02	02	00	13
30,000	44 44	19 19	09 09	08 08	05 05	05 05	05 05	04 04	00 00	14
	(c)	CONDI	TIONAL	L PRO	BABIL	ITV, (CLOUD	OBSE	RVED	
	-00-	-01-	-02-	-03-	-04-	-05-	-06-	-07-	-08~	_
100 200	00 00	0 5 07	15 20	41	12	05 03	03	05	14	1
300	00	07	20	43 41	09 09	03	02 03	04 04	11 11	2 3
500	00	09	22	34	09	04	03	05	14	4
700	00	09	21	31	80	05	05	06	15	5
1,000	00	10	20	22	07	08	10	80	16	6
1,500 2,000	00 C0	09 10	18 17	17 15	07 07	11 12	12 14	09 09	17 17	7 8
3,000	00	10	14	14	10	15	14	08	14	9
5,000	00	12	14	16	12	16	13	07	11	10
10,000	00	08	09	10	09	13	11	10	30	11
15,000	00	04	04	05 05	06	09	09	14	48	12
20,000 30,000	00 00	04 02	04 02	05 03	06 04	09 06	09 10	14 19	49 53	13 14
100.000	00	02	02	03	04	06	10	19	53	15




FIGURE 30. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR SAN JOSE, COSTA RICA, WMO STATION 787620.

TABLE 34. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FROM TOCUMEN, PANAMA, WMO STATION 787920.

	(a)	PROBA	BILIT	V OF	CUMUL	ATIVE	CLOU	D COV	ER	
HEIGHT							EACH	OCTA		
(FT)		01-					-06-	-07-		
100	100	00	00	00	00	00	00	00	00	01
200	100	00	00	00	00	00	00	00	00	02
300	99	00	00	00	00	00	00	00	00	03
500	98	01	01	00	00	00	00	00	00	04
700	96	02	01	00	00	00	00	00	00	05
1,000	93	04	02	01	00	00	00	00	00	06
1,500	84	06	04	02	01	02	00	00	00	07
2,000	09	40	26	13	06	04	01	00	00	08
3,000	01 01	43 43	28 28	14	07	05	01	00 01	00	09
5,000 10,000	01	32	18	14	07	05	01	07	00 07	10
15,000	00	31	17	09 08	10 10	12 13	05 06	07	08	1
	00	31	17						08	1:
20,000	00	19	09	08 04	10	13	06	07 16		10
30,000 100,000	00	19	09	04	09 09	12 12	09 09	16	21 22	14
STD DEV	00	08	03	01	01	01	01	03	08	
	(b)	CONDIT	IONAL	PROB	ABILI	TV. N	0 010	ud On	SERVE	D
	-00-			-03-	-04-	-05-		-07-	-08-	_
100	100	00	00	00	00	00	ōō	СO	00	1
200	100	00	00	00	00	00	00	00	00	2
300	99	00	00	00	00	00	00	00	00	:
500	98	01	01	00	00	00	00	00	00	4
700	97	01	01	00	00	00	00	00	00	5
1,000	94	04	02	00	00	00	00	00	00	(
1,500	89	05	03	01	01	01	00	00	00	7
2,000	12	46	26	1.1	04	02	00	00	00	8
3,000	02	50	28	12	05	03	00	00	00	٥
5,000	01	51	28	12	05	03	00	00	00	10
10,000	01	48	22	09	08	08	02	01	00	1 1
15,000	01	47	22	09	09	08	02	02	00	12
20,000	01	47	22	09	09	08	02	02	00	13
30,000	00	43	16	07	12	11	06	05	00	14
100,000	00	43	16	07	12	11	06	05	00	15
	(c) -00-		TIONAL		BABIL -04-				RVED -08-	
100	00	16	05	24	11	27	16	00	00	1
200	00	18	30	25	13	08	05	00	00	2
300	00	15	38	29	13	04	02	00	00	3
500	00	23	40	24	08	04	01	00	00	4
700	30	26	42	21	08	03	01	00	00	5
1,000	00	31	31	14	08	08	04	03	00	ě
1,500	00	15	21	17	15	21	06	04	01	7
2,000	00	22	29	22	13	11	03	02	00	έ
3.000	00	21	27	21	13	12	03	02	00	9
5,000	00	21	27	21	13	13	04	02	00	10
10,000	00	10	11	08	12	18	10	15	17	11
15,000	00	09	10	07	12	18	10	15	18	
20,000	00	09	10				10		18	12
30,000	00	04		07	12 08	19	11	15		13
100,000	00	04	04 04	03 03	08	12 12	11	23 23	36 36	14




FIGURE 31. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR TOCUMEN, PANAMA, WMO STATION 787920.

TABLE 35. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE DATA FOR HOWARD AFB, PANAMA, WMO STATION 788060.

	(a) #	PROBA	BILITY	V OF (CUMULA	ATIVE	CLOU	COVE	ER	
HEIGHT (FT)	-00-	-01-	% OF -02-		RRENC!		EACH -06-	OCTA -07-	-08-	
100	100	00	00	00	00	00	00	00	00	01
200	100	00	00	00	00	00	00	00	00	02
300 500	100 99	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	03 04
700	99	01	00	00	00	00	00	00	00	05
1,000	95	04	01	00	00	00	00	00	00	06
1,500 2,000	74 39	20 32	04 17	01 08	00 03	00 01	00 00	00 00	00 00	07 08
3,000	23	31	22	13	06	03	01	01	00	09
5,000	17	27	22	15	09	05	02	01	01	10
10,000	13	16	16 14	13 13	11	12 13	08 09	06 08	06 07	11
15,000 20,000	11	13 12	13	12	11	13	09	08	10	13
30,000	05	06	07	07	07	08	10	12	38	14
100,000	05	05	06	06	07	08	10	13	39	15
STD DEV	04	02	02	01	01	01	02	03	80	
	(b) co	TIDNO	IONAL -02-	PROB		TY, N	0 CLO	UD 08:	SERVE!	D
100	100	00	00	00	00	00	00	00	00	,
200	100	00	00	00	00	00	00	CO.	00	2
300 500	100 99	00 00	00 00	00 00	00 00	00 00	00 00	00 00	00 00	3 4
700	99	01	00	00	00	00	00	00	00	5
1,000	96	03	01	00	00	00	00	00	00	6
1,500 2,000	78 45	19 33	03 15	01 06	00 02	00 00	00 00	00 00	00 00	7 8
3,000	29	34	21	10	04	01	00	00	00	9
5,000	23	32	22	13	06	03	01	00	00	10
10,000 15,000	21 21	24 20	20 19	14 15	09 10	07 09	03 04	01 02	00 00	11 12
20,000	21	20	19	14	10	09	04	02	00	13
30,000	18	16	17	14	12	10	08	05	00	14
100,000	18	16	16	13	12	10	08	05	00	15
	(c) +00-	CONDI -01-		-03-			CLOUD-	OBSE1	RVED -08-	
100	00	25	32	17	18	00	07	00	00	1
200	00	25	32	20	17	οα	06	00	00	2
300 500	00 00	29 40	31 28	19 13	15 13	00 00	05 06	00 00	00 00	3 4
700	00	43	26	12	11	02	05	01	00	5
1,000	00	54	21	09	06	03	04	02	01	6
1,500 2,000	00 0 0	57 29	20 30	10 21	05 11	03 04	02 02	01 01	01 01	7 8
3,000	00	19	26	23	15	08	04	02	02	9
5,000	00	13	21	22	18	12	07	04	03	10
10,000	00	05 04	10 08	12 11	14 13	18 19	14 15	14 15	14 16	11
15,000 20,000	00 00	03	07	10	12	17	15	15	22	13
30,000	00	01	02	03	05 05	07	11	16	54 55	14 15




FIGURE 32. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR HOWARD AFB, PANAMA, WMO STATION 788060.

TABLE 36. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE WINTER DATA FROM BITBURG, WEST GERMANY, WMO STATION 106100.

1	(a)	PROBA	BILITY	OF (CUMULA	ATIVE	CLOU	COVE	ER	
HEIGHT							EACH			
(FT)		-01-	-02- 02	-03- 01	-04- 01		-06-		-08- 00	01
100 200	93 92	02 02	02	01	01	00 00	00 00	00 00	01	02
300	90	02	02	01	01	01	01	01	02	03
500	83	02	03	02	01	01	01	01	05	04
700	77	02	03	02	01	02	02	02	09	05
1,000	66	03	04	03	02	03	03	03	14	06
1,500	52	03	05	03	02	03	04	04	23	07
2,000 3,000	43 33	04 04	06 05	03 03	03 03	04 05	04 05	06 08	28 35	08 09
5,000	26	03	04	03	02	05	06	10	41	10
10,000	20	03	05	03	02	04	07	11	45	11
15,000	18	04	05	03	03	04	07	11	46	12
20,000	15	03	05	03	03	04	07	12	48	13
30,000	14	03	05	03	03	04	07	13	49	14
100,000	11	04	05	03	03	04	08	13	49	15
STD DEV	09	02	02	01	01	01	03	10	80	
1	(b)o	ONDIT	IONAL -02-		ABILI'	TV, N	0 CLO	JD OB:	SERVEC)
100	95	02	01	01	00	00	00	03	00	1
200	95	02	01	01	00	00	00	00	00	2
300	95	02	02	01	00	00	00	00	00	3
500	93	02	02	01	01	01	00	00	00	4
700	91	02	02	02	01	01	01	00	00	5
1,000	86 81	03 05	04 06	02 03	01 02	01 02	01 01	00 01	00 00	6 7
2,000	75	05	07	04	02	03	02	0:	00	á
3,000	69	07	08	04	03	04	03	02	00	9
5,000	65	08	08	04	03	04	04	03	00	10
10,000	59	09	10	05	04	05	05	04	00	11
15,000	56 52	10 09	11 12	06	04	05	05	04	00	12
20,000 30,000	49	10	12	06 06	05 05	05 05	06 06	05 06	00 00	13 14
100,000	42	12	14	07	05	06	07	06	00	15
1	(c)		TIONAL				CLOUD	OBSE	RVED	
100		01-						-07-		_
100 200	00 00	14 08	22 14	18 11	14 09	14 07	14 08	05 10	00 32	1 2
300	00	04	09	08	07	07	98	11	44	3
500	00	03	06	06	05	08	09	11	52	4
700	00	02	05	05	04	07	09	12	56	5
1,000	00	02	05	04	04	07	08	10	60	6
1,500	00	01	04	03	03	06	07	11	65	7
2,000	00	01	03	03	03	06	07	12	65	8
3,000	00	01 /		02	03	06	07	12	66	9
5,000 10,000	00 00	01 01	02	02 02	02 02	05 04	07 08	14 14	68 68	10
15,000	00	01	02	02	02	04	08	14	68 68	12
20,000	00	01	02	01	02	04	07	15	68	13
30,000	00	01	02	01	02	04	07	16	68	14
100,000	00	01	02	01	02	04	08	15	67	15




FIGURE 33. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES IN WINTER FOR BITBURG, WEST GERMANY, WMO STATION 106100.

TABLE 37. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE SPRING DATA FOR BITBURG, WEST GERMANY, WMO STA-TION 106100.

(a) pa	ROBAB	ILITY	OF C	'UMUL A	TIVE	CLOUE	COVE	-R	
•	, -			-			•		-11	
HEIGHT (FT)	-00-						EACH		-08-	
100	97	01	01	00	00	00	00	00	00	01
200	97	01	01	00	00	00	00	00	00	02
300	96	01	01	00	00	00	00	00	00	03
500	94	02	01	01	00	00	00	00	01	04
700	91	02	01	01	01	01	01	01	02	05
1,000	86	03	02	01	01	01	01	01	03	06
1,500	78	03	03	02	02	02	02	02	06	07
2,000	70	04	04	03	02	03	03	02	09	08
3,000	54	06	07	04	03	04	05	04	13	09
5,000	34	08	09	06	04 04	06	07	07 10	19 25	10 11
10,000	24	07	08 08	05	04	07 07	09 09	10	25 26	12
15,000	22 17	08 07	08	05 05	04	06	10	13	29	13
20,000 30,000	14	06	08	05	04	06	11	14	31	14
100,000	11	06	08	05	05	07	12	14	32	15
STD DEV	05	02	03	02	01	02	03	09	08	
(ь									SERVEC)
100			-02-							,
100 200	98 98	01 01	01 01	00 00	00 00	00 00	00 00	00 00	00 00	1 2
300	98	01	01	00	00	00	00	00	00	3
500	97	02	01	00	00	00	00	00	00	4
700	96	02	01	01	00	00	00	00	00	5
1,000	93	03	02	01	01	00	00	00	00	6
1,500	90	03	03	01	01	01	01	00	00	7
2,000	86	04	04	02	01	01	01	00	00	8
3,000	75	07	07	04	02	02	02	01	00	9
5.000	58	12	12	06	04	04	03	01	00	10
10,000	50	13	13	07	04	05	05	02	00	11
15,000	48	14	14	07	05	05	05	03	00	12 13
20,000	42 38	15 15	15 16	07 08	05 06	06 06	06 07	04 04	00	14
30,000 100,000	32	15	17	09	06	08	08	05	00	15
									_	
(с			TIONAL							
100	-00- 00	-01- 26		-03- 17	-04- 13	-05- 05	-06- 07	-07- 08	-08- 00	1
100 200	00	19	25 21	13	14	05 07	07	11	08	2
300	00	14	15	11	13	10	08	14	15	3
500	00	0B	10	09	09	10	12	13	27	4
700	00	05	08	08	07	10	15	13	34	5
1,000	00	04	08	07	06	09	14	11	40	6
1,500	00	03	06	06	06	10	12	12	46	7
2,000	00	03	06	06	05	09	12	1.1	48	8
3,000	00	03	06	06	06	09	12	12	46	9
5,000	00	02	05	05	05	10	13	15	45	10
10,000	00	02	04	04	04	08	13	16	49	11
15,000	00	02	04	04	04	80	13	17	49	12
20,000	00	01	04	03	04	07	12	19	50	13
30,000 100,000	00	01	03	03	04	07	13	19	50	14
	00	01	03	03	04	07	14	19	50	15




FIGURE 34. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES IN SPRING FOR BITBURG, WEST GERMANY, WMO STATION 106100.

TABLE 38. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE SUMMER DATA FOR BITBURG, WEST GERMANY, WMO STA-TION 106100.

```
(a)
                  PROBABILITY OF CUMULATIVE CLOUD COVER
                         % OF OCCURRENCES IN EACH OCTA
  HEIGHT
    (FT)
             -00-
                   -01-
                         -02-
                               -03- -04- -05-
                                                 -06-
                                                              -08-
                                                       -07-
      100
                          01
              97
                    01
                                00
                                      00
                                            00
                                                   00
                                                         OΩ
                                                               00
      200
              97
                    01
                          01
                                00
                                      00
                                            00
                                                   00
                                                         00
                                                               00
                                                                     02
      300
              96
                    01
                          01
                                00
                                      00
                                            00
                                                   00
                                                         00
                                                               00
                                                                     03
      500
              94
                    02
                          02
                                0.1
                                      00
                                            0.1
                                                   00
                                                         00
                                                               01
                                                                     04
      700
              91
                    02
                          02
                                01
                                      01
                                             01
                                                   01
                                                         00
                                                               01
                                                                     05
   1,000
              86
                    03
                          03
                                01
                                      01
                                             01
                                                   01
                                                         D 1
                                                               02
   1,500
              78
                    03
                          04
                                02
   2,000
              72
                    04
                          05
                                      02
                                                   03
                                                         02
                                                               06
   3,000
              55
                    07
                          08
                                05
                                             04
                                                   04
                                      03
                                                         03
                                                               09
                                                                     09
   5,000
              35
                    09
                          10
                                07
                                      05
                                             07
                                                   0.7
                                                         06
                                                               14
                                                                     10
                                            07
  10,000
              24
                    08
                          09
                                06
                                      05
                                                   10
                                                         11
                                                               22
                                                                     11
              23
                                             07
  15,000
                    08
                          09
                                05
                                      05
                                                   10
                                                         11
                                                               23
                                                                     12
  20,000
              19
                    07
                          08
                                05
                                      05
                                             06
                                                   10
                                                         14
                                                               25
                                                                     13
  30,000
              16
                    07
                          08
                                05
                                      05
                                             06
                                                   11
                                                         15
                                                                     14
 100,000
              13
                    07
                          80
                                05
                                      05
                                             07
                                                   12
                                                         15
                                                               27
                                                                     15
STD DEV
              06
                    02
                          03
                                01
                                      01
                                             02
                                                   03
                                                         09
                                                               09
          (b)
                CONDITIONAL PROBABILITY, NO CLOUD OBSERVED
             -00- -01-
                               -03-
                                     -04- -05- -06-
                         -02-
                                                       -07-
                                                              -08-
      100
              98
                    0.1
                          0.1
                                00
                                      00
                                            00
                                                         OO
                                                   00
                                                               00
      200
              98
                    0.1
                          01
                                00
                                      00
                                             00
                                                   00
                                                         00
                                                               00
      300
              97
                    01
                          01
                                 00
                                      00
                                             00
                                                   00
                                                         00
                                                               00
      500
              96
                    02
                          01
                                00
                                       00
                                             00
                                                   00
                                                         00
                                                               00
      700
                    02
                          01
                                 01
                                       00
   1,000
              93
                    03
                          02
                                 01
                                             01
                                                         00
                                                               00
   1,500
              89
                    03
                          04
                                02
                                      01
                                             01
                                                   01
                                                         00
                                                               00
   2,000
              85
                    04
                          05
                                02
                                      01
                                             01
                                                   01
                                                         00
                                                               00
   3,000
              73
                    08
                          08
                                04
                                      02
                                             02
                                                   01
                                                         00
                                                               00
   5,000
                                 07
              56
                    13
                           12
                                      04
                                             04
                                                   03
                                                         0.1
                                                               QΩ
                                                                     10
  10,000
              48
                    14
                           13
                                 0.7
                                       05
                                             05
                                                   05
                                                         03
                                                               00
                                                                     1.1
  15,000
              47
                    15
                           14
                                 07
                                       05
                                             05
                                                   05
                                                         03
                                                               00
                                                                     12
  20,000
              42
                    15
                           14
                                 80
                                       06
                                             06
                                                   06
                                                         04
                                                               ٥٥
                                                                     13
  30,000
              39
                    15
                          15
                                 08
                                      06
                                             06
                                                   07
                                                         05
                                                               00
                                                                     14
 100,000
              34
                    15
                           16
                                09
                                      07
                                             07
                                                   08
                                                         05
                                                               00
                                                                     15
          (c)
                  CONDITIONAL PROBABILITY,
                                               CLOUD
                                                       OBSERVED
             -00- -01-
                         -02-
                               -03
                                     -04
                                           -05-
                                                  -06-
                                                        -07-
                                                              -08-
      100
              00
                    23
                          26
                                 15
                                       11
                                             10
                                                   08
                                                         07
                                                               01
      200
                           24
              00
                                 14
                                       09
                                             09
                    19
                                                   10
                                                         06
                                                               10
      300
                                 12
              00
                    14
                           22
                                       10
                                             10
                                                   09
                                                         07
                                                               16
                    08
      500
              00
                           16
                                 09
                                       08
                                             13
                                                   10
                                                         08
                                                               27
      700
              00
                    06
                          12
                                08
                                       07
                                             13
                                                   13
                                                         09
                                                               33
                                                                      5
   1,000
              00
                    05
                           10
                                 07
                                       07
                                             12
                                                   14
                                                         09
                                                               35
   1,500
              00
                    04
                           09
                                 07
                                             11
   2,000
                    03
                                       07
                                             1.1
                          08
                                 07
                                                   13
                                                         10
                                                               40
   3,000
              00
                    04
                          09
                                08
                                       07
                                                               38
                                                   13
                                                         11
   5,000
              00
                    03
                          07
                                 06
                                       06
                                             12
                                                   14
                                                         14
                                                               38
                                                                     10
  10,000
                                                   14
              00
                    02
                          04
                                       05
                                             08
                                                         18
                                 04
                                                               44
                                                                     11
  15,000
              00
                    02
                          04
                                 04
                                       04
                                             80
                                                   14
                                                         19
                                                               44
                                                                     12
  20,000
              00
                    02
                          04
                                 04
                                       04
                                             07
                                                   14
                                                         21
                                                               45
                                                                     13
  30,000
              00
                    01
                          03
                                 03
                                       04
                                             07
                                                   14
                                                         22
 100,000
                    01
                                       04
                                             07
```




FIGURE 35. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES IN SUMMER FOR BITBURG, WEST GERMANY, WMO STATION 106100.

TABLE 39. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER ALL OF THE FALL DATA FOR BITBURG, WEST GERMANY, WMO STATION 106100.

	(a)	PROBA	BILITY	0F (CUMULA	ATIVE	CLOU	COVE	ER	
HEIGHT			% OF	OCCUP	RENCE	ES IN	EACH	OCTA		
(FT)	-00-	-01-							-08-	
100	94	02	02	01	00	00	00	00	00	01
200	92	02	02	01	0.1	00	00	01	01	02
300	90	02	02	01	01	01	01	0.1	02	03
500	83	03	03	02	01	01	01	01	05	04
700	77	03	03	02	C 1	02	02	02	08	05
1,000	66	04	05	03	02	03	03	03	12	06
1,500	54	04	05	03	02	04	05	04	19	07
2,000	46	04	06	04	03	04	05	05	23	08
3,000	35	05	06	04	03	05	06	07	30	09
5,000	26	04	05	04	03	04	06	10	37	10
10,000	19	04	05	03	03	04	07	12	42	11
15,000	18	05	05	04	03	04	07	12	42	12
20,000	14	04	05	03	03	04	07	14	45	13
30,000	12	04	05	04	03	04	08	14	45	14
100,000	10	04	05	04	03	05	08	15	46	15
STD DEV	06	02	03	02	01	01	03	11	11	
(ONDIT)
		-01-			-04-		-06-		-	_
100	96	02	01	01	00	00	00	00	00	1
200	96	02	01	01	00	00	00	00	00	2
300	95	02	01	01	00	00	00	00	00	3
500	92	03	02	01	01	01	00	00	00	4
700	90	03	03	01	01	01	01	00	00	5
1,000	85 79	04	05	02	01	01	01	00	00	6
1,500	-	06	06	03	02	02	02	01	00	7
2,000 3.000	75 67	06 08	07 09	04 05	02 03	03 03	02 03	01 02	00 00	8 9
5,000	61	09	10	06	03	04	03	03	00	10
10,000	55	11	11	06	04	05	05	04	00	11
15,000	52	12	12	06	04	05	05	04	00	12
20,000	47	12	12	07	05	05	06	06	00	13
30,000	42	12	13	08	05	06	07	06	00	14
100,000	38	13	14	09	06	06	08	07	00	15
	(c)								-	. 3
		-01-							-08-	
100	00	14	20	16	11	10	12	14	03	1
200	00	08	13	1.1	10	08	09	15	26	2
300	00	05	10	08	07	08	1.1	14	38	3
500	00	03	07	07	06	08	10	1.1	48	4
700	00	02	06	05	04	08	1.1	12	53	5
1,000	20	02	05	05	05	08	1.1	10	55	6
1,500	00	02	04	04	04	07	10	1 1	58	7
2,000	20	01	04	03	03	07	10	12	60	8
3,000	00	01	03	03	03	06	09	13	61	9
5.000	วัง	01	02	02	02	05	08	15	64	10
10,000	00	01	02	02	02	04	08	16	65	11
15,000	00	01	02	02	02	04	08	16	64	12
20,000	00	01	02	02	02	04	08	17	64	13
30.000	00	01	02	02	02	04	08	18	64	.4
100,000	00	01	02	02	02	04	09	18	63	15




FIGURE 36. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES IN FALL FOR BITBURG, WEST GERMANY, WMO STATION 108100.

TABLE 40. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER 0600-1159 LST FOR THE SUMMER DATA FOR BITBURG, WEST GERMANY, WMO STATION 106100.

HETCHT	(a)	PROBA			_					
HËIGHT (FT)	-00-	-01-	% OF -02~	OCCUP	RRENCE -04-		-06-	OCTA -07-	-08-	
100	94	03	02	01	00	00	00	00	00	01
200	93	03	02	01	00	00	00	00	00	02
300	92	03	02	01	00	00	00	00	00	03
500	88	04	03	01	01	01	01	01	01	04
700	83	04	03	01	01	02	02	01	03	05
1.000	73	06	05	02	02	03	03	02	05	06
1,500	61	07	06	03	02	04	04	03	08	07
2,000	54	07	07	04	03	05	05	04	1.1	08
3,000	43	08	07	05	04	06	06	06	14	09
5,000	32	09	07	05	04	06	80	09	20	10
10.000	23	09	06	04	04	05	09	13	27	11
15.000	21	09	07	04	03	05	09	14	28	12
20,000	17	80	07	04	04	05	10	15	30	13
30,000	14	07	06	04	04	05	11	17	31	14
100,000	10	07	07	05	05	06	12	17	32	15
STD DEV	07	04	03	03	02	03	04	10	11	
		ONDIT		PROB	ABILI'	TYNO	CLO	פו סו	SERVE)
• • • •	-00~					-05-				
100	95	03	01	00	00	00	00	00	00	1
200 300	95 95	03 03	01 02	00 00	00 00	00 00	00 00	00 00	00 00	2
500	95	03	02	01	00	00		00	00	3
700	91	04	03	01	01	01	00 00	00	00	5
1,000	84	06	04	02	01	01	01	00	00	6
1,500	79	07	06	03	02	02	01	00	00	7
2,000	74	08	07	03	02	03	02	01	00	á
3,000	66	11	08	05	03	04	02	01	00	9
5,000	58	14	09	05	04	04	04	02	00	10
10,000	50	16	11	06	04	04	05	04	00	11
15,000	49	17	11	06	04	04	05	04	00	12
20,000	42	17	13	07	05	05	06	05	00	13
30,000	37	18	13	80	06	06	07	06	00	14
100,000	29	19	14	09	07	06	09	06	00	15
	(c)	CONDI								
100	-00-	-01- 24	-02- 24	-03- 13	-04- 11	-05- 12	-06-	-07-	-08-	
200	00	20	22	13	10	10	09	06 05	00	1
300	00	16	20	09	09	11	10 09	06	10 20	2
500	00	09	15	08	07	14	12	09	26	4
700	00	09	10	07	06	14	14	10	33	5
1,000	00	06	09	07	07	13	14	12	33	5 6
1.500	00	04	07	06	06	13	15	12	38	7
2,000	00	03	06	05	06	12	14	13	39	á
3.000	00	03	05	05	06	11	13	15	41	9
5.000	00	03	04	04	05	os	14	18	44	10
10,000	00	03	03	03	03	06	12	21	50	11
15,000	00	02	03	03	03	06	12	21	50 50	12
20,000	00	02	03	03	03	05	13	22	50 50	13
30,000	00	01	03	03	03	0 5	13	23	49	14
100,000	00	01	03	03	04	05	13	23	49	15




FIGURE 37. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES IN SUMMER DURING THE HOURS 0500 - 1159 LST FOR BITBURG, WEST GERMANY, WMO STATION 106100.

TABLE 41. PROBABILITIES AS A FUNCTION OF ALTITUDE OF CUMU-LATIVE CLOUD AMOUNTS AVERAGED OVER 1800-2359 LST FOR THE SUMMER DATA FOR BITBURG, WEST GERMANY, WMO STATION 106100.

,	a) p	ROBAB	ILITY	OF C	UMULA	TIVE	CLOUD	COVE	R	
HEIGHT (FT) 100 200 300 500 700 1,000 1,500 2,000 3,000 10,000 15,000 20,000 30,000 100,000	-00- 99 99 98 97 96 93 88 84 68 40 25 23 18 14	-01- 00 01 01 01 01 02 03 07 12 10 10 09 08					EACH -06- 00 00 00 00 01 01 01 02 05 09 10 11		-08- 00 00 00 01 02 03 04 06 10 18 19 21 23	01 02 03 04 05 06 07 08 09 10 11 12 13 14
STD DEV	06	03	04	02	03	03	03	10	09	
100 200 300 500 700 1,000 1,500 2,000 3,000 5,000 10,000 15,000 30,000	99 99 99 98 98 96 94 92 81 57 43 33 33	00 00 01 01 01 02 02 08 16 17 17	-02- 00 00 01 01 01 02 03 07 13 15 16 18 19 20	-03- 00 00 00 00 00 01 01 02 06 07 07 08 09	-04- 00 00 00 00 00 00 01 01 03 05 06 07	~05- 00 00 00 00 00 00 01 01 03 05 05 06 07	-06- 00 00 00 00 00 00 00 01 02 04 04 05 06	-07+ 00 00 00 00 00 00 00 00 00 00 02 02 03	-08- 00 00 00 00 00 00 00 00 00 00	1 2 3 4 5 6 7 8 9 10 11 12 13 14
100 200 300 500 700 1.000 1.500 2.000 3.000 5.000 10.000 15.000 20.000 30.000	(c) 00 00 00 00 00 00 00 00 00 00 00	CONDIT -01- 24 18 15 06 05 05 04 04 06 05 03 03 02 02	710NAI -02- 35 27 24 18 15 10 10 10 10 10 06 05 04				CLOUD -06- 00 11 04 03 12 15 10 10 11 13 15 14 14 14			1 2 3 4 5 6 7 8 9 10 11 12 13 14 15




FIGURE 38. PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES IN SUMMER DURING THE HOURS 1800 - 2359 LST FOR BITBURG, WEST GERMANY, WMO STATION 106100.




FIGURE 39. CONDITIONAL PROBABILITY OF CUMULATIVE CLOUD AMOUNTS OF SELECTED ALTITUDES FOR BITBURG, WEST GERMANY, WMO STATION 106100. THE RESULTS ASSUME THAT A CLOUD HAS BEEN REPORTED AT OR BELOW A GIVEN ALTITUDE.




FIGURE 40. CONDITIONAL PROBABILITY OF CUMULATIVE CLOUD AMOUNTS AT SELECTED ALTITUDES FOR BITBURG, WEST GERMANY, WMO STATION 106100. THE RESULTS ASSUME THAT A CLOUD HAS NOT BEEN REPORTED AT OR BELOW A GIVEN ALTITUDE.

CONCLUSIONS AND RECOMMENDATIONS

This study reported on an analysis of cloud data from 41 stations from around the world. The data from the stations were examined to determine the amount of data and an assessment of the quality of the data made. From the orginal set of stations a smaller set of 29 stations was selected for analysis. The analysis made was of the historical probabilities of cumulative cloud cover at and below given altitudes and the probabilities of cumulative cloud cover with the additional knowledge that a cloud has or has not been reported at or below a given altitude. The analyses have been performed over the entire data set for each station, for each season and for the time periods 0000-0599, 0600-1159, 1200-1759 and 1800-2359 local time. Graphical and tabulated results have only been presented in this report for the complete data sets. The other results are contained on a magnetic tape.

6.1 HISTORICAL PROBABILITIES

The historical probabilities for Germany and Korea show general agreement from one location to another for altitudes above about 2,000 feet. For altitudes below this there are differences from one location to another that are most likely due to site-specific orographic differences. They also tend to show the existence of extensive cloud layers with amounts above 5/8 for altitudes below about 3,000 feet. The Middle East results show a tendency for low cloud amounts in general, as would be expected from a simple climatic examination. There appear to be few general conclusions that can be drawn concerning the results for Central America.

6.2 CONDITIONAL PROBABILITIES

The conditional probabilities have a marginal impact on the results for the German stations except for nearly clear or nearly overcast conditions. For the Middle East stations the conditional probabilities significantly increase the results for oktal values 4 or more when clouds are reported at or below given altitudes. For the Korean stations having knowledge of a cloud existing improves the probabilities for altitudes at and below about 1,000 feet. There seems to be no general conclusions to be drawn about the role of the conditional probabilities from the Central American results.

6.3 DATA QUALITY PROBLEMS

On examination the data were not always found to be following the guidelines for the particular type of observation. For example, METAR reports are not supposed to contain a value of the total cloud cover amount yet many reports did. Also, Airways cloud reports of layer amounts are supposed to be cumulative yet Howard AFB yielded Airways data in which the layer amounts were decreasing with altitude instead of increasing as required in the reporting rules. These data were discarded instead of attempting to guess what the observer was really doing.

6.4 PROBLEMS IN INTERPRETING THE DATA

One problem inherent with these results is how to utilize them with the new generation of EO systems. That is, clouds may be reported as "opaque" or "thin", as with Airways data, but how is one to relate those descriptors to the performance capabilities of EO systems? Also, with cumuliform clouds there is no information in the cloud data relat-

ing to the cellular nature of the clouds. That is, the sky may be half covered with clouds but the coverage may be by numerous small clouds that have enough gaps to enable a pilot the opportunity to survey a targeted area.

6.5 RECOMMENDATIONS FOR FUTURE WORK

The results presented form a basis for providing climatological data that can be used by field commanders for planning purposes. However, the results suffer from inadequacies in the data that were used in the analysis. For example, METAR observations do not contain reports of the total sky coverage, thereby forcing one to make assumptions about the altitude distribution of cumulative cloud cover amount. This can be alleviated somewhat by augmenting METAR reports with satellite data of cloud cover amounts. The satellite data have the advantage of looking down on the atmosphere, as would a pilot on a mission, and so "see" the total amount of cloud coverage. Granted, the satellite data do not go back as many years as do the surface observations, but they do represent a data resource that we recommend should be utilized in further studies of this type.

Estimating cloud altitudes is extremely difficult. Without landmarks or other sources of information (ie. ceilometers, pilot reports and/or radiosonde data) the observer is forced to rely on experience, a factor that cannot be quantified. Also, the WMO altitude coding scheme tends to overestimate cloud amounts at given altitudes by instructing observers to code a cloud that is between two layers as being at the lower of the two layers. Instead of using the altitudes given in the various reports one could use generic altitudes that are based on the type of cloud that is reported. The types of clouds are generally easier to report and various climatologies of cloud bases versus type have

been assembled (e.g. 13). These climatologies also contain information on the thickness of the clouds so that one could provide estimates on cloud thickness at given altitudes as well as information on the cloud amounts. Therefore, we recommend that further studies of this type utilize generic cloud altitudes based on climatic analyses of cloud types rather than the coded cloud altitudes contained in the surface observation reports. In this way one could give probabilities of cloud amounts at given altitudes and estimates of the cloud thicknesses.

REFERENCES

- 1. John R. Hummel and William O. Gallery, Study and Conditional Cloud Cover Probabilities: Review and Evaluation of Data Bases, Interim Report, OptiMetrics, Inc., Ann Arbor, Michigan, OMI-84-103, April 26, 1984.
- 2. Hans R. Pruppacher and James D. Klett, <u>Microphysics of Clouds and Precipitation</u>, D. Reidel Publishing Company, Boston, Massachusetts, 714 pp., 1980.
- 3. Surface Observations, Federal Meteorological Handbook, Department of the Air Force, Headquarters Air Weather Service, Scott Air Force Base, Illinois, FMH-1B, Chapter 5, 1 January 1980.
- 4. Weather For Aircrews, Air Force Manual, AFM 51-12, Volume II, Department of the Air Force, Headquarters Air Weather Service, Scott Air Force Base, Illinois, Chapter 2, 20 February 1981.
- M. D. Shanklin and J. B. Landwehr, Photogrammetrically Determined Cloud-Free Line-of-Sight at Columbia, Missouri, Final Report, AFCRL-71-0273, AD725758, Air Force Cambridge Research Laboratories, 1971.
- 6. B. S. Katz, F. C. De Bold and J. J. Perze-Esandi, Estimates for the Probabilities of Surface-to-Air CloudFree Lines-of-Sight and Low Cloud Statistics from Ship
 Observations, Final Report, NSWS TR 78-143, Naval Surface Weapons Center, 1980.
- 7. R. De Violini, A. Shlanta and C. B. Elam, <u>Seasonal</u>
 <u>Cloud Amount and Cloud-Free Line-of-Sight Data</u>, <u>Techni-</u>
 <u>cal Publications TP-81-13 through TP-81-34</u>, <u>Pacific</u>
 <u>Missile Test Center</u>, 1981.
- R. R. Rapp, C. Schutz and E. Rodrigues, "Cloud-Free-Line-of-Sight Calculations", J. Appl. Meteor., 12, 484-493, 1973.
- 9. <u>USAFETAC DATSAV Data Base Handbook</u>, USAF Environmental Technical Applications Center, Scott Air Force Base, Illinois, USAFETAC-TN-77-2, December 1977.
- 10. S. Manabe and R.T. Wetherald, "Thermal Equilibrium of the Atmosphere with a Given Distribution of Relative

- Humidity", J. Atmos. Science, 24, 241-259, 1967.
- 11. K.A. Brownlee, Statistical Theory and Methodology in Science and Engineering, Wiley and Sons, New York, 581 pp., 1960.
- 12. J.A. Ruffner and F.E. Bair, eds. The Weather Almanac, Avon Books, New York, 728 pp., 1978.
- 13. J.H. Allen, J.D. Malick and S.M. Serebreny, Modeling the Vertical Distribution of Clouds, SRI International, Menlo Park, California, SRI Project 7116, July 1984.
- 14. Capt. R.G. Feddes, <u>Development of a Gridded Data Base</u>, United States Air Force Environmental Technical Applications Center, Washington, DC, USAFETAC TN 34-2, April 1974.

APPENDIX A

DIAGNOSTIC STATISTICS ON THE PROVIDED ETAC DATA SETS

A set of diagnostic statistics were performed on the 41 data sets provided by AFGL. The analyses were done to determine if a given data set 1.) had enough data to evaluate and 2.) to make a first order assessment of the quality of the data. The results of the analyses are given in Tables A-1 to A-29. Four separate analyses were done on each station's data. The results are given for each year of data and over the entire data set. The analyses are described below.

A.1 NUMBER AND VALIDITY OF THE OBSERVATION

The (a) Tables in Tables A-1 to A-32 give the results from an analysis that focused upon the total number of reported 3-hourly weather observation and the number of valid and invalid observations of the cloud parameter OBS, SKY, and CLOUD layers. The parameter OBS refers to the type of character reported, SKY to the reported total sky cover amount, and CLOUD LAYERS to the parameter involving individual cloud layers (amount and base altitude).

For the cloud layers, four checks in the validity were made. If any of the individual layer amounts are outside the valid range for that parameter (-1 to 9, -1 = missing, 9 = obscured) this observation was included under ERR#1. Observation where the height code for the layers was either out of range (-1 to 89) or decreasing with altitude were listed under ERR#2. ERR#3 includes observations which violate both of the first two rules. Finally, ERR#4 includes observation where both SKY is not zero and the layer observation are missing. This last category is not actually an error but rather indicates an observation with missing cloud data.

Valid reports for SKY are those which fall within the legal range (0 to 9, missing SKY reports are not included).

A.2 FREQUENCY-OF-OCCURRENCE OF OBSERVATION TYPES

The (b) tables in Tables A-1 to A-32 list the frequencies-of-occurence of the types of observations reported as given by the parameter OBS. In the ETAC data tapes they are given by a numerical code. The key to the codes is given in Table A-30.

A.3 FREQUENCY-OF-OCCURRENCE OF TOTAL SKY COVER PARAMETER

The (c) tables in Tables A-1 to A-32 list the frequencies-of-occurrence of the total sky cover parameter SKY given in terms of oktal values. The average and standard deviation values of SKY are also given for each year and over the entire data set.

A.4 PREQUENCY-OF-OCCURRENCE OF TOTAL CUMULATIVE

The (d) tables in Tables A-1 to A-32 list the frequencies-of-occurrence of the total cloud cover, TCC, as a function of okta. For those observations in which the total sky cover parameter SKY is given, TCC will be equal to SKY. For those observations in which SKY is not given TCC is calculated as described in the text. For those cases in which TCC is calculated the number is rounded off to the nearest okta for the purposes of this analysis.

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR SCHLESWIG/JEGEL, WEST GERMANY, WMO STATION 100370. TABLE A-1.

				INVALID OBS	
				*** S	
	٥	20000000000000000000000000000000000000		*** OBS AVG	1.878 2.000 2.000 2.000 2.000 2.000 1.601 1.334 1.347
	SKY VALID	0301 0000 0000 0000 0000 0000 1000 1000		***	000000000000000000000000000000000000000
	***** ERR4	00000 00000 00000 00000 00000 00000 0000		*********	888888888888888888888888888888888888888
	**** ERR 3	0000 0000 0000 0000 0114 0117 0119 0115 0103 0115		PE *****	000000000000000000000000000000000000000
	CLOUD LAYERS	00000 00000 00000 00000 00000 00000 0000		EACH TYPE * **6** .	Y FEARS
(a)	* œ	0270 0225 0223 0289 0186 0185 0159 0139 0139 0147 0139 0147 0139	(b)	P 2	00000000000000000000000000000000000000
	*	(4		OBSERVATIONS	
	**** VALID	2200 2400 2494 2063 2534 2412 2412 2412 2561 2619 2570 2598 0637		0F **3	000000000000000000000000000000000000000
	DATA RECORDS	02474 02625 02720 02352 02691 02788 02788 02899 02899 02886 00701		***** %	85.77 85.70 85.70 85.81
				***	22. 000. 000. 000. 000. 000. 000. 000.
	YEAR	1969 1970 1970 1976 1976 1980 1980 1981		*****	.000 .000 .000 .000 .000 .000 .000 .00
				VALID OBS	02625 02720 02352 02691 02702 02688 02788 02853 02899 02899 02886 00701
				YEAR	1969 1970 1971 1973 1974 1975 1976 1970 1980 1981

TABLE A-1. (continued)

	INVALIO SKY	217	262	37.7		2 6	202	02702	268	278	227	, ,	9	ã	185	189	747		20002	0		INVAL	1	•	00274	00225	00226	00289	00157	00299	_	-	~	00280	3 (00200	Öc	00780	0000		(7350
	رب * * * SDV	2.19	00			00.	9	000.	8	č			2	3.10	3.20	3.22	7					*** ()	200)	2	2.4	2.5	2.4	2.7	7 2.809	6	0		, ,	, ,	, ,	N (N (5			
	* * * SK <	6.193	•		000	•	. 000	000.	000		٠	•	ń,	•	•		•	•				***		2	7.	89	74	4	33	5.217	4				- (5.6	7.0	<u>.</u>			
	* * * * * * * * * * * * * * * * * * *	9	200		2	00.	00	0 0 .	6		9 :	٠	5.65	•	•		•	•		4.7.		4	٠.	i D	S	۳.	0	7	۳.		•	٠ ٧	, ,	٠. ٥	o c	۰.	σ.	3.39	٦.		,	4.09
	* * * * * * * * * * * * * * * * * * * *	C) (•	0	0	00.	C		•	4	31.29	2.7	3.0		יי יי		,	30.46		•		9	7	0				24.02		,,	- u	ָ מ	4	9	დ. დ	ა. შ	۲.)			24.10
	SKV **** **7**	20			00.	00.	00.	00	c		•	•	16.47	•		•	•	•		16.39		•		* / *	-					27.70				10 €	0.5	6.6	0.9	დ. 9	ى ئ			28.50
	TA FOR S	C	9 0	0.	00.	00.	00.	00			?	φ.	5.36	80				4	S	5.33			CTA FOR	* * *	C	9 0	ם נ	٠,	- u	0.7	. ·	٥	ا ہ	`.'	9.	٣.	٦.	۲.	Φ.		YEARS	•
(c)	H 0C	•	20.0	_	0	0	0) C	Э,	ᄀ.	w.	5,75	•		•	4	۲.		5.30	(p)		0	* * *	c	4 4	υ'n	ů, r	n.	4	1 0	7	٧.	٦.	Ξ.	٥.	٥.	9.	2.04		FOR 14	6.44
	S IN	(0 (2	0	0	C	000) (2	•	۲.	3.70	σ			ρ.	φ.	ALS	4.03			CES	* 4	-	- r	`. '	Ď,	4.	•	۱ 4	`.'	۳.	∞.	۲.	7	۰.	8	2.51		TOTALS	6.
	CURRENCE		5,65	00.	00.	00.	c			00.	•	•	4 78	•	•	•	•	•		5.67			OCCURREN	*	U	o. s	4. (ان	ų,	ອ I	`.'	4	4	7	ď,	7	σ.		2.98			4.24
	** % OC		9.99	00.	00.	00				00.	•			•		•	•	2.60		5.63			0 % ***	8	(? (7	۲.	س	ი.	ო.	ဖ	۲.	ო.	۲.	9	4	۳	4.40			4.68
	!		7.64	00.	00				00.	00.	8	œ			•	٦.	4	3.03		8.46			****	**!**	ı	ر ا	S.	3.0	φ.	٦.	۲,	7.	æ	7	σ.	~	. ^	. ע	78.4			10.48
	****		00.	00.	00			3.6	0	00.	0	4			0 0 1	ე ე	6 4	33.77		14.03			****	**0**	(.05	00.	. 08	.05	Φ.	o. o	4	0.7	۲.	7	4		. 0	21.51	:		6.35
	VALID		0030)	00000	00000	00000		0000	0000	00000	00000	00577	0100	2000	10000	78600	68600	00231		05118			VALID	TCC		22	24	24	20	25	24	2	24	25	26	20	, 6	1 0	00637	3		32580
	'EAR		ø	1	-		٠,	٠,	•	^	~	~	٠,	٠,	• (20	ø	286		4				VEAR		ഥ	97	97	6	97	97	6	97	97	6	6	ָ ס	9 0	1000	,		1.4

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR BREMEN, WEST GERMANY, WMO STATION 102240. TABLE A-2.

というなる。これないないないでは、これのないないないないない。

(a)

	DATA	****		UD LAYER	***** S	****	SKV
YEAR	RECORDS	VALID ERR		ERR 2	1 ERR 2 ERR 3 ERR	ERR4	VALID
1969	02899	2879	0015	0000	0002	0000	2819
1970	02890	2853	0026	0000	0011	0000	2792
1971	02919	2896	0021	0000	0002	0000	2869
1972	02911	2857	0051	0000	0003	0000	2704
1973	02907	2872	0033	0000	0001	0001	2786
1974	02911	2858	0049	0000	0000	0004	2765
1975	02805	2790	0013	0000	0000	0002	2748
1976	02925	2911	8000	0000	0000	9000	2885
1977	02918	2909	0000	0000	0000	0000	2870
1978	02919	2906	0008	0000	0000	2000	0 00
1979	02920	2767	0150	0000	0000	0000	2726
			POTATOT		0 4 11 2		
:	31924	31498	0381	0000	0023	0022	30856

(a)

INVALID OBS	000000 000000 000000 000000 000000 00000	00000
\$\$ *** SDV	.334 1.881 .657 .551 .531 .531 .358 .428 .1899	
*** OBS AVG S	2.576 2.576 1.153 .099 .084 .076 .059	
6	000000000000000000000000000000000000000	00.
****	000000000000000000000000000000000000000	.02
7		00.
EACH TYPE **6** *	000000000000000000000000000000000000000	/EARS .00
	900000000000000000000000000000000000000	FOR 11 V
OF OBSERVATIONS OF **3** **4** **5**	. 00 2. 40 2. 40 . 27 . 34 . 65 . 65 . 89 . 1. 20 . 1. 20 . 86 . 37 . 60	TOTALS F
0F 0BS	000000000000000000000000000000000000000	00
*****	2.69 3.32 1.61 7.08 4.13 1.85 1.23 1.23 6.61	3.27
***	67	.07
***	96.52 33.94 95.99 92.65 95.49 97.11 98.19 97.57 55.79	86.88
VALID OBS	02899 02890 02919 02911 02911 02925 02918 02919	31924
YEAR	1969 1970 1971 1972 1973 1974 1976 1976	-

TABLE A-2. (continued)

	INVAL ID SKV	000080 000098 00050 00050 00050 00057 000057 000057 000039	01068		INVALID TCC	00023 00037 00053 00035 00035 00015 00013 00013	00426
(c)	AVG SDV	5.509 2.924 5.471 2.940 5.290 3.008 5.220 3.022 5.220 2.022 5.451 2.786 5.188 2.951 5.012 2.984 5.563 2.7.7 5.765 2.679			*** TCC *** AVG SDV	5.483 2.948 5.478 2.922 5.258 3.013 5.229 2.894 5.329 2.894 5.116 2.958 5.488 2.740 5.643 2.710 5.554 2.762	
	• • • • • • • • • • • • • • • • • • • •	2.66 2.47 2.02 2.02 1.29 1.60 1.77 2.15 2.71	1.92		* * * * * * * * * * * * * * * * * * * *		1.92
	* * * * * * * * * * * * * * * * * * * *	32.21 33.15 33.15 29.96 29.72 31.39 29.15 27.73 34.06	31.30		* * * * * * * * * * * * * * * * * * * *	22-088847-00 607-18-18-18-18-18-18-18-18-18-18-18-18-18-	29.34
	SKV ***	23 66 21.35 20.86 19.60 22.86 19.83 18.23 22.02 20.19	20.53		TCC ***	6-0046-66- 6466-66-66-66-66-66-66-66-66-66-66-66-66	22.16
	TA FOR	6.13 6.83 7.32 8.32 8.92 8.92 10.84 10.84	VEARS B.58		CTA FOR **6**	6.29 6.87 7.32 8.08 9.63 9.67 10.69 11.28 VEARS	
	EACH 0C **5**	64440040000 646400000440 7-64600000000000000000000000000000000000	FOR 11 4.97	(P)	EACH 00	3.82 4.38 4.38 4.38 5.53 5.57 5.57 5.38 6.347	დ.
	CES IN	444444444 0.64968647044 46660686744	TOTALS 4.52		ENCES IN	• • • • • • • • • • •	4.22
	OCCURREN: **3**	7.74 6.65 7.82 7.82 6.74 7.74 6.40 7.15 7.75 8.88	5.67		OCCURREN : **3**	44400-00000	5.54
	***	4444.04 4444.04 444.	5.04		****	-00000000	4.66
	***	8 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	7.10		**-		8.57
	* * * * * * * * * * * * * * * * * * *	10.29 10.64 12.16 13.42 10.91 10.91 11.82 7.54 6.97	10.37		***0	0400000004	10.13
	VALID SKY	028 + 9 0279 2 02869 02704 02786 02786 02786 02885 02885 02883	30856		VALID	02879 02853 02896 02857 02872 02872 02911 02909 02909	31498
	VEAR	1969 1970 1971 1972 1973 1975 1976 1976	Ξ		YEAR	1966 1997 1997 1997 1997 1997 1997 1997	-

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR HANNOVER, WEST GERMANY, WMO STATION 103380. TABLE A-3.

			INVALID	
			\$ *** S	271 1.898 1.27 1.27 1.31 1.31 1.31 1.30 1.30 1.30 1.30 1.30
			*** 08S AVG	2.039 2.559 2.559 3.568 3.588 3.588 3.588
	SKY	2858 2858 2716 2736 2839 2839 2839 2736 2736 39536 39536	* * * * * * * * * * * * * * * * * * *	
	: * * * * ERR4	00000 00000 00001 00001 00001 00002 00002 00002 00003	**********	000000000000000000000000000000000000000
	*****	00004 00005 00010 00000 00000 00000 00000 00000 00000 0000	*	
	CLOUD LAVERS	00000000000000000000000000000000000000	EACH TYPE * **6**	× E A R N
(a)		0014 0019 00019 00017 00017 00013 00013 0004 0152 0205 00144 00152 00144 00144 00152	P 0	P. O.
	*****	S	ERVATIC	63.59 2.955 2.955 2.95 1.24 1.03 37.64 85.15 19.73 .55 19.73
	**** VALID	2898 2898 2888 2888 2889 2860 2901 2901 2901 2901 2901 2901 2901 290	OF OBSERVATIONS **3** **4** *:	
	DATA RECORDS	02914 02917 02911 02911 02911 02920 02920 02920 02920 02920 02920 02920	***************************************	1.78 2.06 6.60 6.60 1.13 1.13 1.13 1.13 1.13 1.13 1.13 1.1
	R RE(00-00400-00-0 4	* * -	**************************************
	VEA	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	97.84 34.73 993.16 993.16 997.15 998.50 998.50 997.95 997.95 997.95 973 973 973 973 973 973 973 973 973 973
			VALID OBS	02914 02917 02911 02911 02911 02920 02920 02920 02920 02920 02920 02920 02920
			VEAR	1969 1970 1971 1973 1974 1976 1976 1980 1981

TABLE A-3. (continued)

	INVALID SKY	00056	09000	00195	00082	000033	48000	00032	00014	00185	00255	00062	00047			ŝc I D		INVALID	100	00018	9000	00030	9000	77000	0002	7000	00024	0000	00157	00201	00046	00014	00651	; ; ;
	*** SKY *** AVG SDV	5.591 2.897	367 2.88	.386 2.91	.435 2.90	704 2.69	331 2.60	78.7 010	. 6 16 g. 6. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	77 2 008	652 2 94	754 2 74	870 3.06					*** JJL ***	AVG SDV	.562 2.	.659 2.7	.328 2.9	.347 2.9	.404 2.9	240 2.7	240 4.8	755 2.7	771 2.7	Φ.	.579 2.9	.676 2.7	.834 3.0		
	***6**	2.13	40.	2.17	. 88	00.	30.0	0.4	000				7.71			1.44			**6**	_	4	თ.	0	۰. ۱	٠,	,,	٠ يد	. 6	1.48	9	S.	Θ.	1 46	
	* * * * * * * * * * * * * * * * * * * *	32.72	9 60	8	.9	2.5	יכ	. u	- -		. a		. 4 . v			31.84		***	**8*	2.6	3.7	7.6	0.2	٠. و	. v	ວ ທ	n c		35,25	6.0	3.2	φ. 3	4	
	SKY ****	24.84	1 0	4.	3.7	0.	0.0	4. ¢	ם ספ		ם מפ	າ ເ	o -	:		24.90		*	****	4.6	ზ.	0.4	9.	4.4		4 (o o) (C	25.81	2.5	5.6	1.2	27 12	
	FOR **	96.9	ი –	. 0	4	۲.	۰.	- (. c	יי	- 0		ים,	?	VEARS	•		FO	**9**	8	. 2	თ.	თ.	4	ω, (٠ .		<u> </u>	6.51	4	რ.	٠.	VEARS	•
(င (င	EACH OCTA **5** 1	5.04	ە د	٠, د	. 7	٦.	ლ	ი, ი		-, °	٦.	າ ເ	٦,	•	-	4.74	(P)	OH	**2**	. 7	۲.	σ.	٦.	9.	۲,	4.	ې و		4.27	9	٦.	σ.	FOR 14	
	CES IN	3.22	၁ ၀	. ת	· ^:	4	7	<u>ල</u>	<u>ග</u> (ъ.	4	- 1	<u>ب</u>	٥.	لير	3.84		. ·	**44*	o.	ი.	ĸ,	რ.	В.	٠.	۲.	ų,	0 u	3.0	. –	ഹ	9.	TOTALS	٥
	CCURREN **3**	3.64	<u>ب</u> ب	ט ת	900	٥.	Θ.	0.	٦.	7	თ. (ດ. ທ	٥.		4.62		THE PER	**3**	ε.	7	٦.	٥.	ღ.	4	ო 1	ΣQ 1		4.60		· თ	5.27	•	4.39
	*** % 0	3,32	ຕ	- a	ຸນ	٦.	ღ.	7.	7	۲.	٦.	ຫຼ	4.16	` .		4.17		9	*2*		4	4	σ.	æ,	æ	Φ.	<u>ن</u> ر	٥.	•	9	. 0	5.09	,	3.77
	* * * - * * * * * * * * * * * * * * * *	æ	თ (۰ ج	•	4	ε.	'n	4	Θ.	თ.	۲,	5.39	æ.		6.00		*****	**	6	8		٦.	ß	٦.	ε.	۲.	7.0	? -	ເ	, _	9.40	•	7.64
	* * * 0 * *	. 2	- '	`. 0	0	4	۲.	2.5	ທ	٥.	٥.	۲.	89.89	æ.		10.95		*	**0	0	o	4	٣.	σ.	9.5	ı,	2.5	ΰ	? 0	9 6	9 00	15.66	1	10.76
	VALID SKV	285	286	285	- 240	286	283	289	288	290	273	255	02858	287		39536		-	100	289	289	288	284	288	289	286	292	289	- 67	260	700	02905		40044
	VEAR	· ·	1	'	~ ~	٠.	7	7	7	7	97	æ	1981	σ Ο		7			YEAR	9	1	. ~	~	7	7	7	7	~ 1	٠,	- α	ο α	1982	,	4

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR BERLIN/TEGEL, WEST GERMANY, WMO STATION 103820. TABLE A-4.

	SKY VALID	0364	0000	0000	0000	0000	0000	0000	0000	0000	0364
	***** ERR4	0000	0000	0000	0001	0000	0000	0000	0000	0005	9000
	CLOUD LAVERS ****** 1 ERR 2 ERR 3	0000	0000	0000	0000	0000	0000	0000	0000	0000	YEARS 0000
<u>-</u>	UD LAVER ERR 2	0000	0000	0000	0000	0000	0000	0000	0000	0000	FOR 11
(а		0585	1108	1032	1068	1110	1085	0889	0891	1016	TOTALS 10708
	**************************************	2204 2028	1794	1846	1816	1750	1814	2011	2024	1896	20989
	DATA RECORDS	02789 02869	02902	02878	02885	02860	02899	05800	02915	02917	31703
	YEAR	1969	1971	1973	1974	1975	9/61	1911	1978	1979	Ξ

	INVALID	000000 000000 000000 000000 000000 00000	00000
	, OBS ***	337 .000 .000 .000 .000 .000 .000	
	*** 08 AVG	2.000 2.000 2.000 2.000 2.000 2.000 2.000 2.000	
	6	000000000000000000000000000000000000000	00.
	8	000000000000000000000000000000000000000	00.
	*****	000000000000000000000000000000000000000	00.
	OF OBSERVATIONS OF EACH TYPE **3** **44* **5** **6** *	000000000000000000000000000000000000000	VEARS .00
(Q)	48 OF E/	000000000000000000000000000000000000000	FOR 11 V
	ERVATIO:	000000000000000000000000000000000000000	TOTALS F
	0F 0BSI	000000000000000000000000000000000000000	T 00.
	*****	86.95 100.00 100.00 100.00 100.00 100.00 100.00	98.85
	***	3.05 0.00 0.00 0.00 0.00 0.00 0.00 0.00	1,15
	******	000000000000000000000000000000000000000	00.
	VALID	02789 02869 02902 02889 02878 02860 02860 02899 029915	31703
	VEAR	1969 1970 1971 1972 1973 1975 1976 1977	=

TABLE A-4. (continued)

	INVALID SKY	02425 02869 02902 02889	02878 02885 02886	02899 02900 02915	02917	31339		INVALID	00585	0084	01083	01032	01069	01085	00889	00891	12010	10714
	SKV *** SDV	1.938 .000.	0000	000	000			\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2.321	2.069	2.195	2.391	2.268	2.790	2.327	2.565	7.438	
	* * * SK AVG	6.805	0000	0000	000			*** . TCC AVG	.35	47.	.58	. 55	6.699	32	.58	.37	4	
	* * * * * * * * * * * * * * * * * * *	8886	999	8000	00.	00.		* * * * * * * * * * * * * * * * * * * *	.05		1.11	86.	.06	. 9	1.69	1.73	. U5	. 93
	* * * * * * * * * * * * * * * * * * * *	60 . 16 . 00 . 00	0000	000	00.	91.09		* * * 8 * * * * * * * * * * * * * * * *	~ ~ .	o -	- 1	0	63.00	3 4	~	ധ വ	20	57.74
	SKY ***	13.74	8000	888	00.	13.74		TCC ***	•	•	- ~	ö	12.11	: <i>-:</i>	•	•		12.33
	TA FOR **6**		8666	888	00.	YEARS 6.04		TA FOR	2	20.4	2 ~	۲.	4.68	?	9	~ (N	VEARS 5.04
(၁)	EACH OCT,	6.32	8888	8000	000	FOR 11 6.32	(P)	EACH OCTA **5**	0,	4.0	. 6	φ.	4.35	, 7	4	٠. ۲	Ν.	FOR 11 5.53
	N I S	3.02	8888	000	00.	707ALS 3.02		++4++	0	4 1	٠ .	რ.	3.58	9.00	რ.	4 (TOTALS 3.63
	OCCURRENCE **3** *	.00.	8888	8888	00	4.95		OCCURRENCE **** *	•	•		•	2.86	٠.	•	•	•	3.25
	** 2 **	2.47	8888	000	00.	2.47		**2**	9.	٠ د	į	8	2.20	. 60	0.	- (o.	3.06
	* * * * * * * * * * * * * * * * * * * *	3.30	8888	000	00.	3.30		****	. ლ	`. '	- છ		3.52	<u>`</u>	∞.	٠. ۲		5.65
	* * * * * * * * * * * * * * * * * * * *	0000	8000	000	0	00.		* * * 0 * *	00.	8.6	90.	•	3.63		•	•	•	2.84
	VALID SKY	00364 00000 00000	00000	00000	00000	00364		VALID TCC	02204	02028	01806	01846	01816	01814	02011	02024	96810	20989
	YEAR	1969 1970 1971	1973 1974 1975	1976 1977 1978	1979	=		YEAR	9	-	. ^	97	1974	97	~	Ñ 1		11

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR GIESSEN, WEST GERMANY WMO STATION 105320. TABLE A-5.

																					TANAT	088	00000	00000	00000	00000	00000	00000	0000	00000	00000	00000			0000	0000		00000	, , , ,
																					**	Sov	000.	. 123	000	.047	81.	000.	70 to 10 to	, 358 900	000.	90 C		100.	, ,	455.			
																					***	AVG	000.	. 003	000.	00.	200.	000.	200.		000.	070	20.	4 6	0.00				
	SKV VALID		2013	2363	1750	1804	2592	2497	2564	2770	7777	05.77	9187	2876	2875	2692	2868	35228			4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	**6**	00.	00.	00.	00.	00.	9.0	00.	9.	00.	00.	3.6	3.6	3.6	00.		0	,
	**** ERR4		0000	0000	0000	0000	0000	0000			0000	5000	0000	0000	000	0000	0005	6000			4 4 4	6** **8** ***	00.	00.	00.	00.	00.	00.	oa.	8 .	00.	. 25	17.	25.	٠٠.	- .		4	
	. * * * * * * * * * * * * * * * * * * *		0002	1000	1000	0004	0001	000		200	1000	0000	0000	0000	0000	0000	0000	EARS 0014	· ·				00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	9.0	00.	00.		5))
	CLOUD LAYERS		0000	0000	0000	0000	0000	0000			nnnn	0000	0000	0000	0000	0000	0000	FOR 14 Y			1	OF EACH TYPE	00.	.04	00.	00.	. 04	00.	.04	40.	00.	00.	00.	.03	00.	00.	1	VEARS	
(a)			0003										0002					TOTALS F		(a)			00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.		FOR 14	
	****** D ERR																					ERVATIO **4**	00.	00.	00.	00.	8.	00.	8	00.	8.	00.	8.	8	00.	00.		TOTALS	
	* * * * * * * * * * * * * * * * * * *		201	236	174	180	25.5	0000	7 1	207	276	274	281	287	287	280	2866	35.196	-			OF OBSERVATIONS **3** **4** *	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	<u>0</u>	00.	00.			00.
	DATA	1	016	371	751	. נימ	. 6	100	200	266	773	749	819	877	875	200	02868	25261				*****	00.	00.	00.	90.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.		Ċ	9
	α	•															9 07					******	00.	00	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.		ć	90.
	A 4 4 4	֭֭֡֡֡֝֡֡	(C	100) (C	ט נ	1 C	- 1	•	_	^	~	\sim	_	. r	- 1	1976	•	-			******	0.0	6	0	6	6	0.0	6.6	9.7	0.0	9.7	99.79	4.6	9.6	8.6		(99.85
																						VALID OBS	02016	02371	01751	01811	02594	02499	02566	02773	02749	02819	02877	02875	02692	02868			35261
																						EAR		ú) (C	(~	~	_				916	7	~	7			4

	INVALID	000003 000003 000002 000002 000003 000003 000000 000000 000000 000000	INVALID TCC 000003 000004 000004 000004 000004 000001 000001 000001 000001
	*** SKV *** AVG SDV	5.761 2.633 5.307 2.889 5.887 2.701 5.915 2.847 5.758 2.759 5.252 3.072 4.985 3.072 4.985 3.072 4.985 3.074 5.538 2.838 5.294 3.056 5.177 2.706 5.644 2.794	** TCC *** AVG SDV 5.577 2.586 5.108 2.832 5.732 2.640 5.719 2.756 5.518 2.860 5.018 2.952 4.961 2.952 4.76 2.947 4.961 2.952 5.259 2.947 4.665 3.029 5.551 2.635 5.558 2.635
	* * * 6 * * * * * *	- 6246. 21.21.2 2 60.00.00.00.00.00.00.00.00.00.00.00.00.0	** ** ** ** ** ** ** ** ** ** ** ** **
	* * * * * * * * * * * * * * * * * * * *	34. 67 36. 057 443. 07 37. 38 33. 76 33. 01 39. 00 36. 26 38. 78 39. 00 39. 26 39. 51 39. 55	22.38 17.86 27.65 27.65 27.65 18.24 16.22 16.22 16.36 14.53 18.74 18.74
	SKV ****	18.38 15.23 14.34 16.47 16.47 12.29 12.19 13.35 12.17 20.17 21.27 21.27 21.27 21.27 21.27	7CC *** 29.89 26.65 27.07 31.39 34.71 30.47 30.4
	4 FOR	11.97 9.77 9.77 9.77 10.61 10.61 10.63 9.17 9.23 9.23 9.25	# 101 # 8 # 9 # 9 # 9 # 9 # 9 # 9 # 9 # 9 # 9
(c)	EACH OCT/	0.00 0.00	EACH OCT **5** 7.56 6.80 7.78 5.86 6.73 7.37 7.37 7.37 5.90 5.90 5.91 5.91 5.91 5.91 6.37
	NCES 1N **4**	2.63 2.947 2.947 3.946 3.946 3.20 3.20 3.20 3.20 3.20 3.20 3.20 3.30 3.3	# * * * * * * * * * * * * * * * * * * *
	CCURRE	6.66 6.66 6.66 6.66 6.66 6.66 6.66 6.6	2004 3004
	** % 0	44488884848 44888888888888888888888888	* * 446000000000000000000000000000000000
	* * * - * *		** ** ** ** ** ** ** ** ** **
	* * * * * * * * * * * * * * * * * * * *	6.61 1.30 1.499 1.499 1.245 1.457 1.6.20 1.6	* * * * * * * * * * * * * * * * * * *
	VALID SKY	02013 02363 01750 01804 02592 02592 02772 02746 02816 02876 02876 02876 35228	VALID TCC 02011 02368 01747 01800 02584 02584 02584 02584 0258 02745 02875 02875 02875 02875
	VEAR	1966 1967 1968 1970 1970 1973 1974 1975 1976	YEAR 1966 1967 1969 1970 1973 1974 1975 1976

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR BITBURG, WEST GERMANY, WMO STATION 106100. TABLE A-6.

(a)

	DATA	****	* * *	ď	* * * *	****	SKV
VEAR	RECORDS	VALID	ERR 1	ERR 2	E & &	ERR4	VALID
953	02917	2222	0890	0105	0000	0000	2917
954	02919	2333	0347	0239	0000	0000	2919
955	02909	2252	0397	0259	0001	0000	2909
926	02926	2234	0398	0292	0001	1000	2926
957	02917	2233	0282	0402	0000	0000	2917
928	02500	1973	0177	0320	0000	0000	2500
959	02919	2434	0167	0318	0000	0000	2919
096	02928	2379	0122	0427	0000	0000	2928
196	02920	2404	0113	0403	0000	0000	2920
962	02919	2278	0148	0493	0000	0000	2919
963	02920	2325	0216	0376	0003	0000	2920
964	02928	0352	2541	0000	0035	0000	2927
965	01596	0276	1320	0000	0000	0000	1596
996	00159	0159	0000	0000	0000	0000	0159
196	00292	0292	0000	0000	0000	0000	0292
968	02318	2252	9900	0000	0000	0000	2284
696	02852	2634	0218	0000	0000	0000	2840
970	02620	2612	0308	0000	0000	0000	2917
973	02919	2742	0175	0000	0000	2000	0000
974	02919	2865	0053	0000	0000	1000	0000
975	02919	2919	0000	0000	0000	0000	0000
916	02928	29:26	000	0000	0000	1000	0000
977	02920	2917	000	0000	0000	0002	0000
978	02820	2919	0000	0000	0000	1000	0000
979	02920	2917	0005	0000	0000	1000	0000
980	02928	2924	0005	0000	0000	2000	0000
186	02811	œ	0000	0000	0000	6000	0000
2.2	70943	50581	TOTALS	FOR 27	VEARS	41.00	44709
,	1000	- 000	1		1 1 2	2	1 1

*	٥ 085 م																											00000 000		00000
SBC	AVG SDV							•	-													•		•	•			2.000 .0		
* * * * * .	* # G * *	00	00	00	00	0			30	00	00	00	00.	00.	00	000	00	00	00	00	00					00	00	00.		Ċ
******	* * 8 * *	00	00	00	0			3	3	00	00	00	00.	00.	00	00.	00.	00.	00	00	00	00			200	00	00	00.		C
****	**/**	00	00.	00	00	00		80	00	00.	00.	00.	00.	00.	00	00.	00.	00.	00.	00.	00.	00	C	000		00	00	00.		00
EACH TYPE	**9**	00.	00.	00	00	00		0	0	000	00.	00.	00.	00	00.	00.	00.	00.	00.	00.	00.	00	00	00	C	00	00.	00.	YEARS	00
ONS OF E	* * * *	00	00.	00.	00	00	00	00	000	00.	00.	00.	00.	00.	00.	00.	00.	00`	00.	00	00,	00	00	00	00	00	00.	00.		00
OBSERVATION	* * * *	00	00.	00	00	00	00		00	00	00.	00.	00.	00.	00.	00.	00.	00.	00.	.07	. 14	00	00.	00	0	00.	00.	00.	TOTALS	
0F 0BS	* * * * * * *	00	00.	00	00	00	00	00	00	00.	00	00.	00.	00.	00.	00.	00.	00.	00.	00.	00,	00	00	00	00	00.	00.	00.	_	00
% ****	**5**	00.	00.	00.	00.	00	00	00	00	00.	00.	00.	00.	00.	00.	00.	100.001	100.001	100.001	99.93	98.66	100.001	100.00	100.00	100.00	100.00	100.001	100.00		48.30
****	* * * *	o.	o.	Ö	ö	ö	o	0	100.00	0	ö	0	ö	0	0	o.	00.	00.	00.	00.	00.	00.	00.	00.	00	00.	00.	00.		51,69
* +	*	00.	00.	00.	00.	00.	00.	00	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.		00.
VALID	S B O	02917	02919	02909	02926	02917	02200	02919	02928	02920	02919	02620	02928	01596	00159	00292	02318	02852	02620	02919	02919	02919	02928	02920	02920	02620	02928	02811		70943
-	r AK	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1961	1968	1969	1970	1973	1974	1975	1976	1977	1978	1979	1980	1981		27

INVALID SKY			00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	0000	00000	00000	00000	00034	00012	00003	62919	02919	02919	02928	02920	02920	02920	02928	02811		26234
*** SKV *** AVG SDV	E 506 3 234		. 7 /66.	.666 3.	.887 3.	.819 2.	.224 2.	.067	2 2.	.915	.833 3	.905 3	.865 3.	.6913	000. 000.		.137	5.776 2.909	.896		000. 000.				•	•	000. 000.	٠		
* * * * * * * * * * * * * * * * * * *	90		7.80	7.12	4.72	4.53	4.76	4.49	5.77	4.76	4.42	6.10	00.	00.	00.	00.	7.05	5.00	4.94	00.	00.	00.	00.	00.	00.	00.	00.	00.		4.93
****	31.05		43.88	32.06	44.50	40.66	46.00	33.33	48.09	47.74	44.64	46.23	55.69	55.01	00.	00.	44.79	40.60	40.18	00.	00.	00.	00.	00.	00.	00.	00.	00.		42.84
SKV ***	75 20		25.15	25.71	22.42	24.92	25.76	22.44	23.80	19.59	21.62	19.42	15.27	14.72	00.	00.	13.22	13.63	•	00.	00.	00.	00.	00.	00.	00.	00.	00.		20.51
FOR **	ć		0 0.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	6.87	7.01	7.06	00.	00.	00.	00.	00.	00.	00.	00.	00.	VEARS	1.26
EACH OCTA **5** **	Ċ		00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	3.94	4.82		00.	00.	00.	00.	00.	00.	00.	00.	00.		.86
	ç		00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	3.50	4.93	5.14	00.	00.	00.	00.	00.	00.	00.	00.	00.	TOTALS	.83
OCCURRENCES IN **3** **4**	S	9	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	4.12	4.01	4.66	00.	00.	00.	00.	00.	00.	00.	00.	00.		.77
** % 0	4	7	14.70	21.04	16.68	20.71	15.60	21.31	14.45	14.79	17.54	14.93	17.05	12.97	00.	00.	4.03	4.37	4.42	00.	00.	00.	00.	00.	00.	00.	00.	00.		14.64
*****	ć	2	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.		5.74		00.	00.	00.	00.	00.	00.	00.	00.	00.		1.00
* * * C * * *	, (7	11.48	11.07	11.69	9.19	7.88	18.43	7.89	13.12	11.78	13.32	11.99	17.29	100.00	100.00	8.41	9.89	6.75	00.	00.	00.	00.	00.	00.	00.	00.	00.		12.36
VALID		11670	02919	02909	02926	02917	02500	02919	02928	02920	02919	02920	02927	01596	00159	00292	02284	02840	02917	00000	00000	00000	00000	00000	00000	00000	00000	00000		44709
×		200	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1961	1968	1969	1970	1973	1974	1975	1976	1977	1978	1979	1980	1981		27

a d	VALID TOT	* * *	*****	e *	OCCURRENCES IN **A**		##U# ##U## ##U## ##U##	* * * * * * * * * * * * * * * * * * *	**7**	**8**	**6**	AVG SDV	TCC
))		,	,		ı	•		
953	22	19.26	2.70	60.6	4.46	3.15	4.23	14.00	6.48	25.29	11.34	5.018 3.282	9000
954	23	14.36	3.13	7.16	3.81	2.31	4.54	13.97	5.83	10	5.27	n	00586
955	22	14.30	4.66	10.61	5.64	3.33	7.64	12.92	3.73	~	8.30	က	00657
926	22	15.31	4.97	7.61	3.04	2.64	4.74	10.03	3.72	'n	5.28	m	00692
957	22	12.00	5.91	10.66	60 9	3.49	6.36	10.70	3.49	in	5.64	ຕ	00684
958	9	9.93	4.41	7.60	4.05	3.90	68.9	12.37	3.09	-	5.32	~	00527
656	24	22.10	7.44	9.78	3.74	2.88	6.04	10.52	3.33	\sim	5.18	(C)	00485
096	23	6	4.08	7.06	3.99	3.24	7.40	11.64	5.72	40.23	6.94	N	00549
961	24	15.93	5.95	6.45	2.20	2.41	5.16	10.11	4.03	m	5.41	(T)	00516
862	22	15.06	5.97	7.46	2.55	2.90	4.78	9.92	3.95	\sim	5.18	(T)	00641
696	23	9	3.83	7.44	3.01	2.88	5.59	9.63	4.04	\sim	6.67	(T)	00595
964	03	0	00.	00.	00.	00.	00.	00.	00.	\sim	00.		02576
965	02	0	00.	00.	00.	00.	00.	00.	00.	00.	00.		01320
996	00159	100.00	00.	00.	00.	00.	00.	00.	00.	00.	00.		00000
196	02	0	00.	00.	00.	00.	00.	00.	00.	00.	00.		00000
968	22	8.53	3.91	4.09	4.04	3.46	3,95	6.93	13.23	44.89	6.97	(V	99000
696	26	10.67	5.54	4.25	3.80	4.56	4.86	7.06	14.09	40.70	4.48	(A	00218
970	26	7.54	6.70	4.13	4.56	5.13	5.74	7.24	15.54	39.24	4.17	C	00308
973	27	9.41	8.61	5.84	4.19	4.60	7.66	9.37	23.81	24.80	1.71	(A	00177
974	28	6.77	4.54	4.47	4.47	4.71	6.63	9.53	25.41	33.33	14	"	00054
975	29	8.32	5.04	5.17	5.00	3.77	6.85	8.80	22.30	31.59	3.15	(A	00000
916	29	11.45	6.25	5.84	4.96	4.78	4.85	8.51	19.38	31.41	2.56	1.1	00005
977	29	4.90	3.81	4.15	4.70	4.46	4.39	9.05	28.56	32.53	3.46	(4	00003
978	29	5.72	4.86	5.04	4.08	4.73	3.91	8.36	28.13	30.28	4.90	(1	00001
979	29	5.93	3.57	4.97	4.66	5.25	6.27	8.88	21.19	36.44	2.85	1.4	00003
980	29	9.64	4.24	4.45	3.93	3.63	4.38	6.84	15.36	45.35	2.19	"	00004
981	28	5.77	3.88	4.52	4.27	4.81	6.02	7.48	16.67	43.38	3.21	(A	00003
						TOTALS	FOR 27	VEARS					
27	59581	12.55	4.88	6.15	4.09	3.79	5.49	9.41	13.34	35.79	4.51		11362

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR RAMSTEIN, WEST GERMANY, WMO STATION 106140. TABLE A-7.

(a)

	DATA	****		CLOUD I AVERS	*********	**	2
VEAR	RECORDS	VALID	ERR 1	ERR 2		ERR4	VALID
1953	02920	2011	0533	0376	0000	0000	or or
1954	02918	2168	0464	0286	0000		0767
1955	02918	2223	0604	1000			8) 67
1956	02927	2548	0000	0700	5000		8167
1957	02920	2526	0150	0244			1262
1958	02920	2308	0217	0395			0262
1959	02918	2364	0272	0000			0262
1960	02927	2283	0168	0476		0000	8167
1961	02919	2316	0186	0417			1767
1962	02868	2327	010	0432			6-67
1963	02744	2075	0233	0435	000		2744
1964	02921	0334	2550	0000	000		47.70
1965	01577	0260	1315	0000	7000		26.5
1966	00226	0226	0000	0000	0000		7707
1961	00357	0357	0000	0000	0000		0770
1968	02807	2737	0000	0000			7000
1969	02583	2280	0303	0000	0000		2631
1970	02920	2669	0251	0000	0000		1000
1973	02919	2771	0144	0000		000	0767
1974	02919	2888	0000		7000	2000	0415
1975	02920	2002	2000		0000	0003	0172
1976	02928	2026	000		0000	0000	0102
1977	02820	2010			2000	0000	0028
1978	0.2920	2010	,	0000	0000	0000	0043
1979	0.020	2010	1000	0000	0000	0001	0008
0.00	9.000	5-62	ຣຸດດຸດ	0000	0000	1000	0001
9 6	02670	1767	0004	0000	0000	0003	0153
96-	02620	2913	2000	0000	0000	9000	0118
,			TOTALS	27	YEARS		
27	71583	60094	/913		0043	0020	46258

	VALID	****	****	% *****	0F 0BS	OBSERVATIONS	OF	EACH TYPE	***	*****	****	*** OBS	*** 5	INVALID
YEAR	088	**0**	* * * * * * * * * * * * * * * * * * * *	**2**	* * ° *	* * 7 * *	**2**	* 9 * *	**/**	* # ©	* * * *	AVG	SD/	S B O
1953	02920	00.	100.00	00.	·	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1954	02918	00.	100.00	00.	00.	00.	00.	00.	00.	00.	0	1.000	000.	00000
1955	02918	00.	•	00.	·	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1956	02927	00.	•	00.	•	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1957	02920	00.	•	00.	•	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1958	02920	00.	•	00.	·	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1959	02918	00.	•	00.	•	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1960	02927	00.	•	00.	•	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1961	02919	00.	•	00.	·	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1962	02868	00.	•	00.	•	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1963	02744	00.	•	00.	•	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1964	02921	00.	•	00.	·	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1965	01577	00.	•	00.	•	00.	00.	00.	00.	00.	00.	000.1	000.	00000
1966	00226	00.	100.00	00.	•	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1961	00357	00.	•	00.	•	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1968	02807	00.	00.	100.00	·	00.	00.	00.	00.	00.	00.	2.000	000.	00000
1969	02583	00.	00.	100.00	•	00.	00.	00.	00.	00.	00.	2.000	000.	00000
1970	02620	00.	00.	100.00	•	00.	00.	00.	00.	00.	00.	2.000	000.	00000
1973	02919	00.	00.	99.97	•	.03	00.	00.	00.	00.	00.	2.001	.037	00000
1974	02919	00.	00.	100.00	•	00.	00.	00.	00.	00.	00.	2.000	000.	00000
1975	02620	00.	00.	99.97	•	.03	00.	00.	00.	00.	00.	2.001	.037	00000
1976	02928	00.	00.	100.00	8.	00.	00.	00.	00.	00.	00.	2.000	000.	00000
1977	02920	00.	00.	100.00	00.	00.	00.	00.	00.	00.	00.	2.000	000.	00000
1978	02920	00.	00.	100.00	00.	00.	00.	00.	00.	00.	00.	2.000	000.	00000
1979	02919	00.	00.	100.00	00.	00.	00.	00.	00.	00.	00.	2.000	000.	00000
1980	02928	00.	00.	100.00	00.	00.	00.	00.	00.	00.	00.	2.000	000.	00000
1981	02920	00.	00.	100.00	00.	00.	00.	00.	00.	00.	00.	2.000	000.	00000
ţ	1	;				TOTALS F	FOR 27	VEARS	;	,	ļ			
2.1	71583	00.	51.66	48.34	00.	00.	8.	00.	00.	0	00.			00000

ပ

	VALID	****	****	0 % ***	OCCURRENCES	CES IN	EACH OCTA	FOR	SKV ***	*******	****	*** SKY ***	INVALID
YEAR	SKV	**0**	* - *		**3**	****	**2**		**/**	**8**	**6**	AVG SDV	SKV
1953	02920	4	3.90	8.90	4.52	3.56	4.55	12.53	7.95	36.03	3.63		00000
1954	02918	9.84	3.77	68.9	3.63	3.29	4.18	12.78	11.10	41.06	3.46		00000
1955	02918	8.70	3.22	8.43	3.67	2.84	4.22	14.22	16.8	37.53	8.26		00000
1956	02927	S	2.56	7.45	3.45	3.11	4.30	12.78	6.83	44.00	4.92		00000
1957	02920	ß	2.60	7.95	4.01	3.15	4.69	12.88	7.09	42.84	3.25		00000
1958	02920	8.94	2.74	7.50	3.53	2.67	3.87	12.74	7.43	46.03	4.55		00000
1959	02918	٠	5.31	9.49	4.18	2.30	4.25	12.47	3.53	36.67	4.42		00000
1960	02927	8.99	2.60	6.49	3.04	2.36	3.01	10.83	5.30	54.70	2.70	6.131 2.791	00000
1961	02919	•	3.22	5.41	2.64	1.85	2.30	9.32	6.54	50.67	4.25		00000
1962	02868	12.17	4.57	7.22	4.08	3.31	3.38	10.88	6.42	45.36	2.62		00000
1963	02744	12.43	4.66	6.63	2.99	3.13	2.33	00.6	•	47.67	4.41		00000
1964	02919	11.44	3.60	8.02	2.64	2.71	3.46	11.99		49.88	00.		0000
1965	01577	16.49	2.85	5.52	2.66	2.35	1.97	12.18		50.67	00.		00000
1966	00226	100.00	00.	00.	00.	00.	00.	00.	00.	00.	00.		00000
1967	00357	100.00	00.	00.	00.	00.	00.	00.	00.	00.	00.		00000
1968	02788	7.42	4.70	3.41	3.16	4.12	4.77	9.36		45.23	•		00019
1969	02531	9.40	4.07	3.91	4.07	3.28	4.70	8.22	13.35	43.82	5.18		00052
1970	02920	6.44	5.45	5.17	5.86	4.52	90.9	9.93		38.49	3.84		00000
1973	00415	11.57	6.75	6.51	5.06	5.54	5.78	4.82	10.84	42.17	96.		02504
1974	00172	8.72	2.33	1.74	4.65	2.91	6.40	9.30	11.05	51.16	1.74		02747
1975	00102	10.78	4.90	2.94	4.90	8.82	1.96	6.86	10.78	47.06	86.		02818
1976	00029	13.79	13.79	3.45	3.45	00.	9.90	6.90	06.9	41.38	3.45		02899
1977	00043	2.33	2.33	4.65	4.65	9.30	00.	9.30	11.63	53.49	2.33		02877
1978	80000	00.	00.	12.50	00.	00.	00.	00.	12.50	25.00	50.00		02912
1979	0000	00.	00.	00.	00.	00.	00.	00.	00.	00.	100.001		02918
1980	00153	9.80	6.54	3.27	5.88	•	3.92	4.58	11.76	49.67	. 65	5.791 2.930	02775
1981	00118	7.63	5.93	3.39	.85	5.08	3.39	11.02	14.41	•	00.	2	02802
						TOTALS		YEARS					
27	46258	12.21	3.75	6.71	3.63	3.06	90	11.15	8.24	43.70	3.65		25325

	VALID	****	* * * *	0 % ***	OCCURRENCES	CES IN	EACH OCTA	FOR	*** 331	*******	*****	*** JOL ***	INVALID
/EAR	100	**0**	**!**	*	**8**	***	**2**	**9	****	**8**	**6**	AVG SDV	100
953	02011	20.84	5.92	11.34	5.27	4.48	6.32	9.95	5.37	25.21	5.32		
954	02168	13.24	4.38	7.10	3.09	3.09	5.81	11.58	7.56	40.68	3.46		
955	02223	11.43	3.64	7.24	3.19	1.98	5.53	14.26	8.37	38.15	6.21		
926	02548	12.17	2.79	6.95	2.32	2.24	4.95	11.89	5.89	46.94	3.89		
957	02526	13.34	2.93	9.22	3.40	2.45	5.46	11.28	4.75	43.47	3.68		
928	02308	11.31	2.99	8.23	3.86	2.56	5.29	10.70	4.33	45.36	5.37		
959	02364	21.45	4.99	9.35	4.31	3.00	5.80	10.66	1.90	33.04	5.50		
096	02283	11.52	3.85	7.62	3.33	3.55	6.31	10.56	3.46	46.56	3.24		
961	02316	17.40	4.10	6.61	2.68	1.86	4.62	8.46	3.76	45.55	4.97		
962	02327	15.00	6.40	8.29	4.60	2.97	5.97	9,20	3.22	41.43	2.92		
963	02075	16.43	6.46	7.23	3.28	3.52	4.39	7.86	4.05	41.78	5.01		
964	00334	100.001	00.	00.	00.	00.	00.	00.	00.	00.	00.		
965	00260	100.00	00.	00.	00.	00.	00.	00.	00.	00.	00.	000.000.	01317
996	00226	100.001	00.	00.	00.	.00	00.	00.	00.	00.	00.		
296	00357	100.00	00.	00.	00.	00.	00.	00.	00.	00.	00.		
968	02737	7.56	4.68	3.47	3.14	4.20	4.86	9.24	15.24	44.98	2.63		
696	02280	10.44	3.86	3.51	3.60	3.11	4.82	8.33	13.51	45.00	3.82		
970	02669	7.04	5.40	4.91	5.51	4.27	6.33	10.19	15.14	38.29	2.92		
973	02771	9.38	8.19	5.59	4.91	5.02	7.47	12.31	21.76	25.23	. 14		
974	02888	7.31	5.06	4.33	3.36	3.77	5.26	13.95	29.22	27.63	.10		
975	02916	10.05	6.10	4.22	4.29	5.28	5.25	9.57	21.95	31.21	2.09		
916	02926	14.08	6.08	5.30	5.19	6.05	99.9	10.05	19.51	25.67	1.40		
977	02916	6.10	3.12	4.39	4.22	4.49	6.31	11.66	29.01	28.67	2.02		
978	02918	7.33	3.39	4.97	4.15	4.73	6.48	10.38	25.09	31.73	1.75		
919	02913	7.07	3.98	4.87	6.01	5.53	5.90	9.75	25.71	29.35	1.82		
980	02921	11.02	4.28	3.97	3.80	4.04	4.01	7.84	23.59	36.15	1.30		
981	02913	8.20	4.67	4.50	4.81	3.67	5.53	8.07	20.97	38.69	68.		
						TOTALS	FOR 27	YEARS					•
27	60094	13.11	4.57	5.95	3.97	3.74	•	10.14	14.33	35.85	2.83		11489

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR GRAFENWOHR, WEST GERMANY, WMO STATION 106870. TABLE A-8.

				INVALID OBS	
				S *** SDV	
	ر ۵		o.	*** OBS	22.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2
	SKY VALID	2920 19520 1588 0232 0334 0000 0000 0000 0863 0863 0001 0001 0001 0003	9340	* * * * * * * * * * * * * * * * * * *	000000000000000000000000000000000000000
	**** ERR4	000000000000000000000000000000000000000	0014	* * * * * * * * * * * * * * * * * * * *	
	ERR 3	00000000000000000000000000000000000000	VEARS 0021	*****	000000000000000000000000000000000000000
	CLOUD LAVERS	0458 00000 00000 00000 00000 00000 00000 0000	FOR 16 VI 0458 (EACH TYPE	× F A S S S S S S S S S S S S S S S S S S
(a)		0396 0000 0000 0000 0000 0000 0012 0013 0013	AL.S	(a)	00000000000000000000000000000000000000
	* * * ER		T0T.	SERVATIONS	000. 000. 000. 000. 000. 000. 000. SJATO.
	* * * * * VALID	2066 0266 0240 0232 0333 2363 2863 2801 2801 2801 2839 2839 2839 2833	33361	OF OBSE **3**	
	DATA RECORDS	02920 01952 01589 00232 00233 002928 02920 02920 02909 02890 02880 02880	8821	***** %	00000000000000000000000000000000000000
	R RE(w4v@v@wow4v@v@	n	* * -	000000000000000000000000000000000000000
	VEAR	9960 9960 9960 9960 9976 9760 9760 9760	16	***	
				VALID	02920 01952 01589 00232 00334 02928 02917 02920 02990 02990 02980 02844 02860
				VEAR	1963 1965 1965 1966 1968 1973 1974 1975 1976 1978 1979

	INVALID SKY	00000	00000	0000	00000	00000	02928	02917	02920	02057	02218	02575	02698	02814	02857	02843	02653	29481			INVALID TCC		385	168	134	000	200	950	400	4 .	- 6	1000			002	001	00000	0.00	1
	*** SKV *** AVG SDV	.779 3.06	5.580 3.127	.959 3.10	000	00	8	000	000.000.	2.90	.844 2.45	.016 3.15	.074 3.25	000 000	000 .000	000 000	.358 2.41				*** TCC *** AVG SDV		02 3.23	00. 00	00. 00	00. 00		.695 2.16	.468 2.26	45.2 2.24	400 2.60	5 285 2 903	20.5 505.	29. 2. 20.	262 2.54	029 2.48	905 2.46		
	* * * * * * * * * * * *	3.77	00.	00.	00.	00.	00.	00.	٥.	0	ო.	თ.	5.9	٥.	0.0	0.0	1.7	2.00			* * * * * * * * * * * * * * * * * * * *	,	5.42	00.	00.	00.	? '	3.87	ກ ເ	`. '	. ·	. 30	? a	, 0	• -	1.52		,	\ t · y
	* * * 8 * *	S	46.41	വ	00.	00.	00.	00.		31.17	œ	9	Ø	00.	00.	00.	49.14	42.31			* * * * * * * * * * * * * * * * * * * *	,	39.40	00.	00.	00.	٠,	0			n (o	o a	o a	. α		31.56	0	
	SKY *** **7**	0.5	21.36	0.8	0	0	0	0	٥.	က	Φ.	₩.	σ.	0	0	00.	16.38	16.49			TCC ***	. '	4	00.	0	0	٠,	0.7	2.5	۰ (۱	- c	19.27	, a	. 4	. 4	0	4.2	,	•
	CTA FOR **6**	00.	00.	00.	00.	00.	00.	00.	0	8.5	∞.	4	σ.	00.	0	00.	6.90	VEARS 2.27			CTA FOR **6**	•	^	00.	0	0	٠.	8, 9		~ (د	9.70	٠ ٥	ی د		-	Ξ.	YEARS	•
(၁)	EACH 00	00.	00.	O	00.	0	O	0	٥.	0.0	٦.	რ.	4	0	О	О	7.33	FOR 16 2.32	7	(Q	EACH OC	,	4	0	0	0	٠.	4 1	`.'	٠.۲	`. `	•		٠.			വ	FOR 16	0
	CES IN	00.	00.	00.	00.	00.	00.	00.	٥.	7	ĸ.	რ.	4	8.	00.	00.	3.88	TOTALS			CES IN	•	3.92	00.	00.	00.	۰.	ი.	7	י נכ	• (5.23 F 23	• -	٠ ٦	r oc	9	5.10	TOTALS	0
	CCURREN	00.	8.	00.	00.	00.	00.	00.	00.	5.21	S.	4	4	00.	00.	00.	2.59	1.25			CCURREN	•	_	00.	0	0	۰.	0.	4 (Ü,	٠, ١	4.07	•	•	. ^	ď	. 5	5	T
	*** % 0	9.6	18.60	0.7	0	0	0	0	٥.	က	ღ.	٥.	σ.	O	00.	00.	4.74	13.40			*** % 0		ø	0	0	0	٠.	9	<u>ه</u>	٦. '	7.0	4. r.	ŗċ	. 4	•	. ~		0	9
	* * * - * * * * * * * * * * * * * * * *	00.	00.	00.	00.	00.	00.	00.	00.	က	æ	۲.	4	00.	00.	0	1.72	1.10			*****		5.71	00.	00.	00.	0		4 (ო (יי נ	υç	. 4	۳,	? -	. ~	4.20	, 11	٥.
	* * * 0 * *	6.0	13.63	5.	0.0	00.0	0	0	0.	9	5.5	ഹ	5.8	0	00.	00.	5.60	17.33			* * * * * * * * * * * * * * * * * * * *	•	5. 4	0	00.00	00.00	00.00	0	0	٠.	٠, ١	 			. c	. ~	5.48	6	•
	VALID SKY	292	01952	158	023	033	000	000	000	980	690	031	020	000	000	000	023	09340			VALID		20	0	5	07	9	25	2	200	9 0	200	9 6	2 6	2 8	28	02883	33361	2
	VEAR	9	1964	96	9	96	96	96	97	97	97	97	97	97	97	6	œ	16			EAR		c	9	9	9	9	9	9 1	٠,	٠,	974	٠,	٠,	٠,	. ~	8	91	2

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR HEIDELBERG, WEST GERMANY, WMO STATION 107340. TABLE A-9.

(a)

* SKV	>								0 2920																	_	_		1 42171
********	ERR4	0000	000	000	0000	0000	000	000	0000	000	000	000	000	000	000	000	000	000	000	000	0000	6000	000	000	0002	000	000		005
	ERR 3	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0014	0004	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	>	0018
CLOUD LAYERS	ERR 2	0474	0339	0322	0301	0443	0479	0495	0414	09/0	0616	0420	0321	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	FOR 26	
	ERR 1	0220	0366	0176	0187	0141	0114	0122	0187	0153	0381	0419	0463	2529	1307	0000	0000	0292	0521	0328	0030	0003	000	0001	000		2000	TOTALS	7983
****	VALID	2203	2208	2421	2426	2343	2323	2300	2319	2014	1923	2080	2136	0376	0310	0287	0389	2636	2399	2592	2886	2908	2904	2917	2849	2915	2920		55984
DATA	RECORDS	02927	02913	02920	02914	02927	02916	02917	02920	02927	02920	02919	02920	02919	01621	00287	00389	02928	02920	02920	02920	02920	02906	02920	02852	02920	02928		06869
	VEAR	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1961	1968	1969	1970	1974	1975	1976	1977	1978	1979	1980		26

******	******	******	*****	ō#	* 0BSE	≥ * α *		EACH TVP	E **7	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	*** OBS AVG		INVALID
02927 .00 100.00 .00 .00 .00 .00 .00 .00 .00	. 00.00.00.	100.00	•		000	0.0	000	8.8	88	88	8.6	1.000	000	00000
. 00 100.00	. 00 100.00	100.00	•		00.	8	8	00.	00.	00.	00.	1.000	000	00000
. 00.001 00.	. 00.001 00.	100.00	•		00.	00.	00.	00.	00.	00.	00.	1.000	000.	00000
. 00.001 00.	. 00.001 00.	100.001	٠		00.	00.	<u>00</u> .	00.	00.	8.	00.	1,000	000.	00000
. 00.001 00.	. 00.001 00.	. 00.001	•		00.	00.	00.	00.	00.	00.	00.	1.000	000.	00000
. 00.001 00.	. 00.001 00.	100.00	•		00.	00.	00.	00.	00.	00.	00.	1.000	000	00000
. 00 100.00	. 00 100.00	100.001	0.6		00.	88	8.6	90.	88	88	8.6	1.000	000	00000
00.001.00.	00.001.00.	00.00	3.6		3 8	3.6	8.6	9.0	3.6	9.6	3		200	
00.001.00	00.001.00	100.00	00.		30	88	30	000	000	30	30	1.000	000	00000
. 00.001.00.	. 00.001.00.	100.00	00.	-	00	00.	00	00.	00	00.	00.	1.000	000	00000
. 00.001 00.	. 00.001 00.	100.00	00.		00	00.	00.	00.	00.	00.	00.	1.000	000	00000
. 00. 00.00 .00.	. 00. 00.00 .00.	. 00. 00	•	•	00	00.	00.	00.	00.	00.	00.	1.000	000.	00000
. 00. 00.001 00.	. 00. 00.001 00.	. 00. 00.001	•	٦.	8	00.	00.	00.	00.	00.	00.	1.000	000.	00000
. 00. 00.001 00.	. 00. 00.001 00.	. 00. 00.001	•	•	0	00.	00.	00.	00.	00.	00.	1.000	000.	00000
. 00.001 00. 00.	. 00.001 00. 00.	. 00.001 00.	.00	٠.	ō	00.	00.	00.	0.	00.	00.	2.000	000.	00000
. 00.001 00. 00.	. 00.001 00. 00.	. 00.001 00.	. 00.	٠.	0	00.	00.	00.	00.	00.	00.	2.000	000.	00000
. 00.001 00. 00.	. 00.001 00. 00.	. 00.001 00.	.00	٥.	ō	00.	00.	00.	00.	00.	0 0 .	2.000	000.	00000
. 00 100 00	. 00 100 00	. 00.001 00.	. 00.	٠.	2	00.	00.	00.	00.	00.	00.	2.000	.000	00000
. 00.001 00. 00.	. 00.001 00. 00.	. 00.001 00.	.00	٦.	2	00.	00.	00.	00.	00.	00.	2.000	000.	00000
. 00.001 00. 00.	. 00.001 00. 00.	. 00.001 00.	.00.	•	00	00.	00.	00.	00.	00.	00.	2.000	000.	00000
. 00.001 00. 00.	. 00.001 00. 00.	. 00.001 00.	. 00.	•	00	00.	00.	00.	00.	00.	80.	2.000	000.	00000
. 00.001 00.	. 00.001 00.	. 00.001 00.	. 00.	•	00	00.	00.	00.	00.	00.	00.	2.000	000.	00000
. 00.001 00. 00.	. 00.001 00. 00.	. 00.001 00.	.00	•	00	00.	00.	00.	00.	00.	00.	2.000	000.	00000
. 00.001 00. 00.	. 00.001 00. 00.	. 00.001 00.	. 00.	Ξ,	00	00.	00.	00.	00.	00.	00.	2.000	000.	00000
								4						
41.99	58.01 41.99	. 01 41.99	41.99	•	00	. 00	87 200.	YEAKS .00	00.	00.	00.			00000

VEAR	VALID SKV	* * * 0 * *	***	**2**	OCCURRENCES IN **3** **4**	CHV + + + + + + + + + + + + + + + + + + +	##2## ##6##	**9**	**/**	80	**6**	AVG SDV	SKY
6 4 6	10000	10.25	0	19.85	00	00	00	00.	27.74		2.32		00000
2001	02913	14 80		22.18	00.	00.	00.	00.	25.92	33.95	3.16	5,258 3,198	000 00
200	02920	12 77	000	18.46	00	00.	00.	00,	28.60		96.		00000
1057	02010	12.08	0	19.42	00	00	00.	00.	27.14		•	က	00000
200	1020	12, 13	00	18.48	00.	00.	00.	00.	27.09	38.85			00000
1957	02916	12.48	00.	18.14	00.	00.	00.	00.	28.77		2.02	က	00000
1958	02917	9.50	00	17.11	00.	00.	00.	00.	28.25	42.30		2	00000
9000	02020	16.44	00	21.27	00	00.	00.	00.	23.08	34.90	4.32	რ	00000
1960	02820	90	00	16.57	00.	00.	00.	00.	25.93	48.00	1.43	'n.	00000
1967	02820	12.02	00	16.03	00.	00.	00.	00.	21.64	48.25	2.05	5.831 3.035	00000
1967	02919	9.97	00	20.18	00.	00.	00.	00.	22.64	45.08	2.12	6	00000
1963	02820	10.79	00	20,31	00.	00.	00.	00.	19.52	46.13	3,25	ო	00000
1964	02912	12.88	00	16.45	00.	00.	00.	00.	17.86	52.82	00.	რ	0000
1001	01617	19.17	00	10.70	00.	00.	00.	00.	14.66		00.	ო	00004
1966	00287	100,00	00	00.	00.	00.	00.	00.	00.	00.	00	000.000.	00000
1967	00389	100.00	00	00	00.	00.	00.	00.	00.	00.	00.		00000
1968	00031	3.23	3.23	3.23	00.	3.23	3.23	3.23	12.90	67.74	00.	8	02897
990	00000		00.	00	00.	00.	00.	00.	00.	00.	00.		02920
0201	00000	6	00	00	00.	00.	00.	00.	00.	00.	<u>8</u>		02920
1974	00512	10.35	5.27	4.49	3.71	4.88	6.64	8.20	11.91	43.95	. 59	7	02408
1975	00376	15.43	3.99	5.05	6.91	6.38	4.26	7.98	14.10	35.64	.27	ო	02544
1976	00176	19.32	6.82	3.41	3.98	3.98	3.41	4.55	60.6	44.32	1.14	ო	02730
1977	0000	6.38	7.45	4.26	5.32	9.57	6.38	7.45	10.64	42.55	00.	ς.	02826
1978	00293	10.92		3.75	6.14	5.12	4.10	6.48	6.48	48.81	00.	რ	02559
1979	00110	4.71	2.94	6.47		4.12	5.29	9.41	11.76	50.59	00.	6.165 2.501	02750
1980	00274	13.14	2.92	3.65	4.01	6.20	5.47	5.84	12.41		1.09	ς.	02654
! !													
						TOTALS	FOR 26	VFARS					
36	42171	13 55	23	17.53	. 22	. 25	;	.33	23.52	41.85	2.27		27219
))).			 .	1 1 .	•						

	VALID	*****		0 % ***	CCURREN	CES IN	EACH OC		1CC **	****	****	*** JOL ***	INVALID
EAR	202	**0**		**2**	**1** **2** **3** **44*	***	**5** **6**		**/**	***** **** ***	* 60 * *	AVG SDV	100
952	02203	13.62	4.45	12.98		4.45	6.9	13.48	4.77	30.91	3.13	4.886 3.023	00724
953	02208	19.52	4.62	13.81		4.62	5.25	12.14	5.93	24.73	4.39		00105
954	02421	15.41	3.80	9.95		3.80	6.07	16.69	5.20	33.66	1.28		00499
955	02426	14.51	4.58	9.56		3.26	7.79	16.69	5.07	28.65	5.61		00488
926	02343	15.15	4.44	10.24		2.65	98.6	19.97	3.88	24.75	4.31		00584
957	02323	15.67	4.82	11.11		2.67	8.14	18.21	2.88	30.18	2.93		00593
958	02300	12.04	4.09	10.39		2.83	7.78	15.57	3.78	35.83	4.52		00617
959	02319	20.70	7.37	96.6		2.37	7.68	11.56	2.16	29.67	5.52		10900
096	02014	11.72	4.97	10.53		3.33	9.29	16.19	3.38	34.71	2.23		00913
196	01923	18.25	4.89	8.89		2.39	6.92	13.52	3.02	36.25	3.17		00997
962	02080	13.99	90.9	9.62		3.13	7.55	11.39	4.04	37.16	3.13		66800
963	02136	14.75	5.06	9.46		2.62	6.23	10.30	4.35	39.23	4.54		00784
964	00376	100.00	00.	00.		00.	00.	00.	00.	00.	00.		02543
965	00310	100.00	00.	00.		00.	00.	00.	00.	00.	00.		01311
့ ၁	00287	100.00	00.	00.		00.	00.	00.	00.	00.	00.		00000
296	00389	100.00	00.	00.		00.	00.	00.	00.	00.	00.	000.000.	00000
896	02636	.04	6.41	4.67		4.14	5.31	5.54	12.22	56.41	1.67		00292
696	02399	00.	5.46	4.17		4.04	4.34	5.59	11.25	56.98	5.00		00521
970	02592	00.	5.17	3.97		5.02	5.56	6.33	10.84	56.29	2.85		00328
974	02886	9.60	3.95	3.81		5.20	6.31	6.41	16.39	43.07	. 10		00034
975	02908	12.48	6.84	5.71		5.33	6.02	7.26	15.17	35.63	1.00		00012
916	02904	13.84	8.95	6.82		5.96	6.82	8.02	13.74	30.10	92.		00005
977	02917	6.92	5.49	3.87		6.03	6.58	11.55	21.84	31.37	1.23		00003
918	02849	6.88	4.84	4.35		5.05	6.32	10.04	23.03	33.80	.63		00003
616	02915	5.59	3.95	4.19		5.56	6.83	11.15	28.13	29.57	. 45		00005
086	02820	10.03	4.01	3.97	4.25	4.83	6.20	10.55	27.19	28.32	. 65		80000
						; ;	ï						
26	55984	13.19	5.09	7.31	4.10	TOTALS 4.08	FOR 26 6.59	VEARS 11.19	11.03	34.96	2.46		13406

GERMANY						INVALID OBS	000000000000000000000000000000000000000	00000
WEST						\$\$ *** SDV	.549 .311 .311 .484 .484 .1.808 .1.170 .549	
EIM,						*** OB: AVG	.085	
MUNCHEN/REIM,		SKV VALID	2804 2816 2773 2887 2881 2881 2264 2266 2809 2809	27542		* * * * * * * * * * * * * * * * * * *	000000000000000000000000000000000000000	00.
			n -mod mono-			* * * * * * * * * * * * * * * * * * *		.03
A FOR		**** ERR4	0000 00003 00003 00003 00000 00000 00000	0017		*****	000000000	00.
THE DATA		RS **** ERR 3	0000000000 00000000000 400000000000	VEARS 0004		EACH TYPE *	0000000000	ARS .00
z O	(a)	CLOUD LAYERS 1 ERR 2	000000000000000000000000000000000000000	FOR 10	(p)	*5**	000000000	R 10 VEAR:
Performed		**** CLO ERR 1	0045 0008 00017 0013 0013 0498 0100	TOTALS 1094		OBSERVATIONS ** **4** *		TOTALS FOR 12.67
တ္သ		****** VALID	2857 2848 2790 2911 2903 2901 2599 2315 2820	27846		OF OBSEI	800000000000000000000000000000000000000	00.
STATISTIC 1 108660.		(0		8		**** %	3.40 3.06 1.33 1.34 1.51 1.51 1.51 1.51 1.58	4.84
~		DATA RECORDS	02909 02910 02901 02928 02920 02919 02915 02919	28961		***	0000000000	00.
DIAGNOSTIC WMO STATIO		VEAR	1973 1974 1975 1977 1978 1978 1980 1980	10		*****	96.18 96.56 98.57 97.50 97.57 56.32 6.22 78.18	82.46
. DIA						VALID OBS	02909 02910 02910 02920 02920 02910 02815 02815	28961
Е A-10						VEAR	1973 1974 1975 1976 1977 1979 1980 1981	01

(0)

INVALID	000105 00094 00028 00041 00039 00035 00553 00553	01419		INVALID	00052 00062 00011 00017 00017 00320 00320 00100 001115
*** SKV *** AVG SDV	5.081 3.055 5.397 2.809 5.027 3.083 4.959 3.151 5.555 2.722 5.464 2.875 5.674 2.875 5.349 2.755 4.845 3.015			*** TCC *** AVG SDV	5.056 3.079 5.343 2.858 4.980 3.117 4.918 3.183 5.516 2.917 5.380 2.921 5.276 2.814 4.799 3.056
* * * * * * * * * * * * * * * * * * *	20.07 20.07 30.67 20.07 20.07 20.07 20.07	. 95		* * * 6 * * * * * * * * * * * * * * * *	1.05 2.37 3.74 2.36 2.96 1.23 1.73 1.73 2.03
* * * * * * * * * * * * * * * * * * * *	31.56 32.24 28.99 28.85 29.09 30.32 33.70 34.08 26.33	29.61		********	31.96 32.48 28.10 28.10 28.10 30.04 33.05 33.65 25.95 26.33
SKV ***	17.58 19.78 18.75 16.18 22.01 20.20 20.75 23.98 23.96	20.27		TCC ***	17.15 19.49 18.49 16.01 21.84 19.99 20.32 23.37 23.37 20.54
F0R **	7.99 7.10 7.10 7.10 7.10 7.10 89.55 89.28 89.83 89.83 89.88	VEARS B.66		TA FOR	7.77 9.83 6.88 6.88 6.90 9.27 8.85 8.35 7.82
EACH OCTA **5** **	4 0 4 4 9 0 4 4 4 9 0 0 4 4 4 4 4 1 0 0 0 0 0 0 0 0 0 0 0 0	5.05	(P)	EACH OCTA ****	4.48 5.06 4.12 4.12 4.32 4.32 4.32 6.85 6.85 6.85 7.17
CES 1N	44444444444444444444444444444444444444	4.80		** ** **	42.24 5.02 3.98 4.05 5.65 4.16 4.28 5.00 5.00 7.76 7.76 7.76
OCCURRENCE * **B** '*		5.26		OCCURRENCES * **3** **	
** * * % 0	5.00 6.00 7.00 7.00 7.00 7.00 7.00 7.00 7	5.25		****	4.31 4.44 4.47 4.44
* * * - * *	9.09 10.22 10.22 10.22 1.65 1.65 1.68 1.68 1.68 1.68 1.68	7.90		** ** ** ** **	10.54 9.13 11.79 11.79 11.79 8.53 9.39 9.39 9.57 11.85
*****	13.48 13.48 14.62 14.62 13.99 13.99 13.95 13.65 14.65	11.25		*****	13.41 14.50 14.50 14.50 14.50 15.40 15.40 16.55 17.10
VALID SKY	02816 02816 02773 02881 02881 02876 02564 02562 02809	27542		VALID	02857 02848 02790 02911 02901 02599 02315 02820 02902
VEAR	1973 1974 1975 1976 1977 1979 1980 1981	0.		VEAR	1973 1974 1975 1976 1979 1980 1981

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR DEIR ZZOR, SYRIA, WMO STATION 400450. TABLE A-11.

				INVALID OBS		00000
				* * * SDV	000000000000000000000000000000000000000	
				*** OBS AVG		
	SKV VALID	1094 1705 2375 2048 2048 2133 2407 2325 2140 1761 1651 1761 1651 1761 1761 1761 1761		***		00.
	* * * * ERR4	00000 00000 00000 00000 00000 00002 00002 00002 00001 00001 00001		**********	000000000000000000000000000000000000000	00.
	*****	00000 0001 0001 0000 0000 0000 0000 00		*	000000000000000000000000000000000000000	00.
	CLOUD LAYERS	00000 00000 00000 00000 00000 00000 0000		EACH TYPE * **6**	• • • • • • • • • • • • • • • • • • • •	, 00
(a)		00008 0051 00016 00010 00006 00003 00002 00002 00002 00001 00001 00001 00001 00001	(p)	S OF #5#		. 00 .
	* * * * * 0	0		OBSERVATION		.00
	**** VALID	1087 1653 2349 2034 2034 2120 2397 2307 2141 1763 1647 1384 1433 0933 0300		OF OBSE **3**	000000000000000000000000000000000000000	00.
	DATA RECORDS	01095 01706 02379 02052 02134 02409 02325 02148 01766 01654 011386 01438 01230 00935		****	000000000000000000000000000000000000000	00.
	REC	00000000000000000000000000000000000000		* * * * * * * * * * * * * * * * * * * *		00.
	VĒAR	966 1968 1969 1969 1970 1973 1978 1978 1979 1978		******	100 100 100 100 100 100 100 100 100 100	100.00
				VALID OBS	01095 01706 02379 02052 02134 02409 02325 01766 01654 01386 01438 01230 00935	24958
				VEAR	1966 1968 1969 1969 1970 1974 1974 1978 1978 1979 1979	5.

INVALID	00000 00000 00000 00000 00000 00000 0000	00028	17CC 00008 00053 00033 00012 000114 000018 000017 000007 000007 000005 000005 000005
*** SKV ***	1.473 2.464 2.274 2.832 2.274 2.832 2.401 2.970 1.688 2.517 1.977 2.671 1.375 2.342 2.257 2.999 1.501 2.671 1.368 2.433 1.290 2.311 1.528 2.469)) + +	*** TCC *** AVG SDV .063 .522 1.324 2.355 2.145 2.775 2.145 2.775 1.555 2.395 1.796 2.676 1.911 2.641 1.371 2.337 2.201 2.961 1.662 2.631 1.333 2.391 1.518 2.455 3.197 2.971
* * * * * * * * * *	000 000 000 000 000 000 000 000		* * * * * * * * * * * * * * * * * * *
* * * * * * * * * * * * * * * * * * *	3. 755 3. 755 6. 02 7. 30 6. 02 7. 30 8. 52 8. 52 8. 56 8. 52 8. 56 8. 56	4.90	** * * * * * * * * * * * * * * * * * *
SKV ***	. 4 . 8 . 8 . 8 . 8 . 8 . 8 . 8 . 8 . 8	6.06	## # 3.03 10.09
7A FOR **6**		8 8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	**************************************
(c) EACH OC **5**		0R 15 4.06 (d)	# # S # # OC # OC
CES IN **4**	2.35 2.35 3.05 3.05 3.05 3.05 4.05 4.05 5.05 5.05 6.05	0TAL 3.1	**************************************
CURREN **3*	. 4 . 6 . 6 . 6 . 6 . 6 . 6 . 6 . 6 . 6	5.21	**************************************
*** % OC.		5.71	** * * * * * * * * * * * * * * * * * *
* * * * * * * * * * * * * * * * * * * *	73 101 101 101 101 101 101 101 10	9.	** * * * * * * * * * * * * * * * * * *
* * * * * * * * * * * * * * * * * * *	97.17 97	. 15	** 097
VAL ID SKV	01094 01705 02375 02048 02133 02325 02142 01742 01651 01385 01385 01330	493	VALID TCC 01087 01683 02340 02120 02397 02397 02141 01763 01763 01763 01847 01933 01933
х 4 Ш >		ر د	VEAR 1966 1966 1969 1970 1972 1973 1974 1978 1978

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR MANN, JORDAN, WMO STATION 403100. TABLE A-12.

				INVALID OBS	00000 00000 00000 00000 00000	00000 00000 00000 00000	0000	20000
						000000000000000000000000000000000000000		00
				085 ** SDV			• • • •	
				*** 0 AVG	00000	0000	0000	
	SKY VALID	0943 1472 0706 0591 0387 0435 1012 1171 0964 1096 0989 1284 1384	15099	* * * * * * * * * * * * * * * * * * *	000000	000000	0000	00.
	**** ERR4	000000000000000000000000000000000000000	0000	***********	000000	2000000	2000	00.
	*****	00000 00000 00000 00000 00000 00000 0000	10001	*	000000	8000000	8688	. 00
	CLOUD LAYERS	00000 00000 00000 00000 00000 00000 0000		EACH TYPE **	000000	800000000000000000000000000000000000000	8000	YEARS .00
(a)		00000 00215 00000 00001 00000 00000 00000 00001 00001 00001 00002 00002	(a)	\$ 0F	000000	20000000	80.00	FOR 15
	* * ER		053	08SERVATION ** **4**	000000	2000000	0000	TOTALS .00
	**** VALID	0943 1258 0706 0706 0386 09386 1007 1171 1200 1283 1384	14874	0F 08S	000000	0000000	0000	± 00°.
	DATA ECORDS	00943 01473 00591 00591 00387 00035 01012 01017 01096 01096 01201 01284 01384		***** %	000000	00000	0000	00.
	RECO		1510	* * * * * * * * * * * * * * * * * * * *	8888888	0000000	0000	00.
	VEAR		<u>.</u>	* * * * * * * * * * * * * * * * * * * *	100.00 100.00 100.00 100.00 100.00	00000	0.00	100.00
				VALID OBS	00943 01473 00707 00591 00387	01012 01171 00964 01096 00989	01284 01384 01464	15101
				VEAR	1966 1967 1968 1969 1970	~~~~	h. h. mh	15

TABLE A-12 (continued).

	INVALID SKY	00000 000001 000000 000000 000000 000000	00000 00000 00000 00000 00000 00000 0000
	*** SDV	0000 0000	000 000 000 000 000 000 000 000
	*** SKY AVG	. 0000 . 0002 . 0002 . 0030 . 0030 . 0007 . 0010 . 0111 . 0114 . 0024 . 0024 . 0024 . 0024 . 0024 . 0024 . 0024 . 0024 . 0036 . 0037 . 0036 . 0036	000 000 000 000 003 003 003 003 003 003
	* * * * * * * * * * * * * * * * * * *	** **	000000000000000000000000000000000000000
	* * * * * * * * * * * * * * * * * * * *		
	SKV ****		000 000 000 000 000 41
	A FOR **6**	1.833 1.833	A P S S S S S S S S S S S S S S S S S S
(c)	EACH OCT **5**	2.17 .000 .26 .000 .000 .000 .000 .000 .000	Po
	NI SH ***	2.00 2.049 2.040 3.000 3	
	CURRENCE **3**		0.0000000000000000000000000000000000000
	** % OC		2 000000000000000000000000000000000000
	* * * * * * * * * * * * * * * * * * * *	14.88 . 28 . 00 . 00	12.80 28 00 00 00 00 00 00
	***	000.00 066.51 099.22 099.08 099.08 099.83 099.83 099.83 099.66 099.66 099.66 099.66	100.000 77.82 99.01 100.00 99.48 99.50 99.83 99.69 100.00 99.83 99.77 99.78
	VALID SKY	00943 001472 001472 00387 00435 01012 01012 01284 01284 01284 01284 01284 01284 01284 01284 01287 0128	009943 01258 00706 00591 00386 000386 01171 01171 0196 01200 01283 01283
	VEAR	1966 1967 1967 1970 1971 1975 1975 1976 1978 1978 1978 1978	1966 1968 1968 1969 1970 1971 1975 1978 1978 1978

THE DATA FOR BAGDAD INTL., SYRIA, NO DIAGNOSTIC STATISTICS PERFORMED WMO STATION 406500. A-13 TABLE

	SKV	VALID	1163	1589	1703	1559	1721	1709	1529	1069	1268	1375	1563	0512		16760
	****	ERR4	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000		0000
	***** S	ERR 3	0003	0028	0033	0000	0000	9000	9100	0015	9100	1100	0017	0007	VEARS	0182
a)	CLOUD LAVERS ******	ERR 2	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	S FOR 12	
)		ERR 1	9200	0295	0218	0164	0151	0200	0165	0192	0269	0239	0132	0029	TOTALS	2130
	*****	VALID	1185	1676	1699	1565	1774	1767	1558	1151	1471	1449	1563	0519		17377
	DATA	RECORDS	01264	01999	01950	01759	01925	01973	01739	01358	01756	01699	01712	00555		19689
	٠	YEAR	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980		12

00000 .548 1.727 1.649 1.649 1.649 1.820 1.651 1.800 1.867 *** OBS AVG S 2.445 2.995 2.995 2.995 2.995 2.458 2.458 2.055 2.055 2.458 2.055 **6** 8888888888888 00. EACH TYPE YEARS .00 12 OF OBSERVATIONS OF | **3** **4** **5** FOR TOTALS 50.85 .00 50.88 65.90 69.30 68.05 72.33 72.33 55.43 67.03 85.96 65.77 0 × 7.99 20.51 12.46 11.14 10.34 13.13 13.02 12.02 12.02 19.07 8.64 4 228. 221. 221. 232. 239. 26. 01264 01999 01999 01925 01925 01739 01736 01756 01756 1969 1970 1972 1973 1974 1975 1976 1978 1978 7

<u>e</u>

ပ

SKV *** INVALID SKV SKV	.637 1.658 2.436 2.509 00247 2.509 00204 2.730 00264 2.734 00210 2.026 2.026 00289 2.154 00488 1.881 00324 2.504 00324	0 2 8 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	TCC *** INVALID SDV TCC 5DV TCC 7CC 9 .960 00079 9 2.347 00251 0 2.447 00194 5 2.010 00151 6 2.693 00206 6 2.211 00181 2 2.166 00207 2 2.295 00285 6 1.934 00250 0 2.236 00149
** ** AVG			*** AVG 15 00 00 00 00 00 00 00 00 00 00 00 00 00
6** *** *** ***	1.32 2.57 2.57 2.79 6.79 2.19 2.19 1.96 3.39	90.	** ** ** ** ** ** ** ** ** **
SKV ***	- 4 0 0 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0	. v.	7.CC *** 7.34 7.06 7.34 7.34 7.34 7.39 3.20 7.39 3.20 7.39 7.39 7.31 7.31
OCTA FOR		. X	** FOR ** ** ** ** ** ** ** ** ** ** ** ** **
EACH 0(2.00 2.00 2.00 2.50 1.57 2.62 1.10 1.10 1.10	- 8 P	#ACH #ACH #ACH #ACH #ACH #ACH #ACH #ACH
NCES IN	3.01 3.02 3.01 1.50 1.70 1.50 1.24 1.24	. 14.	**************************************
OCCURREN **3**	2.20 2.20 2.29 2.29 2.30 2.10 2.31 2.33	1	OCCURRE * 1.551 * 1.551 2.125 2.125 2.125 1.636 1.388 1.388 2.136 2.125 1.636 1.388
****	7.47.1.1.47.4.4.4.4.4.4.4.4.4.4.4.4.4.4.	φ.	** ** ** ** ** ** ** ** ** **
* * * * * * * * * * * * * * * * * * * *		4	* * * * * * * * * * * * * * * * * * *
* * * 0 * * *	98.80 89.80 75.95 83.09 71.91 79.66 87.75 85.02	. ←	** * * * * * * * * * * * * * * * * * *
VALID SKY	01163 01589 01703 01721 01729 01069 01268 01375	29	VALID TCC 01185 01686 01699 01774 01774 01151 011471 01471
VEAR	1969 1970 1972 1974 1975 1976 1978 1978		VEAR 1969 1972 1974 1975 1978 1978 1978

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR REZAIVEH, IRAN, WMO STATION 407120. TABLE A-14.

																	INVALID	088	00000		00000	00000	00000	00000	00000	00000	0000		00000	00000	0000	2
																	S	SDV	000.		000	000.	000.	000.	000	000	000		000	000.		
																	*** 08	AVG	000		000	000	000.	000.	000.	000.			000.	000.		
	SKY VALID	0479	0385	0347	1150	0591	0458	0572	0310	0522	0244	9660	0626	0394	6250		****	**6**	00.	3.5	000	00.	00.	00.	00.	00.	9.0	9.0	00.	00.	ć	
	* * * * * ERR4	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000		*	* * * * * *	0.6		80	00.	00.	00.	00.	00.		8.6	80.	00.	Ċ	
	*****	0005	0002	0000	0000	0000	000	0000	0000	0000	0000	0000	0000	0000	.EARS 0005			**/**	0.0	3.5	80	00.	00.	00.	00.	8.8	3.5	8.8	00.	00.	Ċ	
	CLOUD LAYERS 1 ERR 2 (0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	2000	0000	FOR 14 YI		EACH TYPE	**9**	86	9 6	80	00.	00.	00.	00.	8.6		88	80.	00.	VEARS))
(a)	* CLOUD R 1 EI													0001	ALS	(b)	OF	* *	00.	9.5	30	00.	00.	00.	00.	9.6	3	3 8	00.	00.	FOR 14	.
	* * ER														0		F OBSERVATIONS	**4*	00.	3 6	8 6	00.	00.	00.	00	00.	0.5	3.6	00.	00.	TOTALS F	2
	**** VALID	045	038	034	031	020	045	057	037	052	024	680	061	0393	6198		0F 08SE	**8**	00.	3 6	86	00.	00.	00.	00.	0.0	900	3.0	00.	00.	- 6	2
	DATA RECORDS	481	385	347	311	591	458	572	370	523	244	397	526	0039 4 00555	254		×		00.	8	80	00.	00.	00.	00.	0.0	9.0	3.5	00.	00.	ć	2
	Œ														1 0625		* * *	* -	00.	3 6	38	80.	00.	00.	00.	0.0	3.6	3.5	00.	00.	ć	2
	VEAR	1961	1968	1966	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	ر 4		******	* **0**	100.00	9 0		0.0	0.0	0.0	0.0	0.0) c) c	0.0	0.0	000	
																	VALID	088	00481	2 2	ţ _	9	5	2.1	37	22	4 6	3 6	Ś	25	2 3 0	C 7 D
																		VEAR	1967	O 4	2 ~	7	7	7	7	-	٠,	, r	. ~	80	5	Ī

OLINA	SKY	00002	00000	00000	00000	00000	00000	00000	0000	00000	0000	00000	00000	00000		00004			INVALID	100	00027	00004	20000	00000	0000	70000		0000	00000	00005	11000	0000	
*	ž č	.478	.955	.641	. 291	. 598	.331	.927	.746	000.	.897	490	373	971					*** 33	SDV	1.688	.410	744	. 227	334	37.7	0.00	. 040 040	064	764	.741	. 214	_
\ \ \ \ \	AVG AV	1.225 2	124	.051	.014	.063	.026	. 143	.065	000	114	792	028	130					-	AVG	.705	.021	.070	.013	020	.020	.033	9,0. 8,10	0.00	. 084	960.	.015	
•	* * * * * * * *	8.6	000	00.	00.	00.	00.	00.	.57	00		1 76			<u>.</u>	90			* * * * *	**6**	00.	00.	00.	00.	00.	00.	00.	8.0	3.0	000	. 16	00.	8.
4	* * * * * * * * *	6.47	1.50	64	00.	44	00.	. 27	00	2			9 5		40.	ď			******	* # 00 * #	-	•	•	•	•	•	•	•	•	•	. 49	•	-
•	SKV *** **7**	3.34	200	200	. 17	00	00	8	61				4 c		4	9	0 †		*	****	.88	00.	00.	00.	. 17	00.	00.	. 27	<u>.</u> 5	3.6	00.	00.	8.
	A FOR S	1.67	3.5	3	30	0	17	4.7		9 6	3		• e	00.	10 -	YEARS	7.		FOR	* 9	1.32	00	00.	00.	00.	00.	. 17	00.	9.6		63.	00.	. 18
	EACH OCT/ **5**	2.09	200	3	30							67.	8	20.	.54	0R 14	67.	, r	EACH OF	******	1 98	00	00	00.	00.	00.	. 17	00.	00.	3.6		00.	. 18
	Z *	5.09	00.	9 6	90			- 6		90.	00.	. 25	00.	00.	00.	OTALS F	.21		2	* *	1 76		00	.32	17	00.	00.	. 27	00.	90.	00.	. 25	00.
	OCCURRENCES	2.71	80.	90.	3.6		.0.	- (77.	00.	00.	. 25	. 16	00.	00.		. 34			00000000000000000000000000000000000000	6	•		00	00	00.	.35	1.08	00.	00.	33	00.	. 18
	** % OC **2**	2.30	. 26	00.	3.6		00.0	0.	.54	00.	00.	00.	. 48	. 25	00.		. 29		à	**5**	ŭ	•				88	00	. 54	00.	0.6	2.5 9.8	00.	00.
	* * * * * * * * * * * * * * * * * * * *	5.85	00.	00.	9:		77.	cs.	00.	00.	00.	00.	00.	.5	. 36		. 58		4	* * * - * * *		0.0	8.6			22	38	. 54	91.	4.	. 25	. 5	.72
	******	4.	m	8.2	<u>ო</u>	9 0	4.		7.3	9.5	0.0	8.2	5.8	6.0	ω.		96.53			* * * 0 * *	1	`:		- ປ		, T) o		9.6	9.5	98.48	. 6	8.
	VALID														00555		06250			VALID	,	0.45 0.05 0.05	ממ ממ	מ מ	2 0	000	, ה ה	037	052	024	00395	036	055
	YEAR	10	•	ľ	~	_	97	9	_	9	9	6		_ [~	1980		4			VEAR	- 1	0	ة ق	0 1	- 1	- 1	- 1	6	~	97	1977	, r	. co

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR TEHRAN/MEHRABAD, IRAN, WMO STATION 407540. TABLE A-15.

				INVALID	
		,		* * * SDV	780 714 714 714 714 714 714 714 714 714 714
				*** CBS AVG	2.708 1 2.992 1 3.191 1 2.595 1 2.757 1 2.472 1 2.651 1 3.038 1
	ShY	0724 1255 1538 1335 1001 0977 0906 1074 1320 12303		***6**	000000000000000000000000000000000000000
	* * * * ERR4	00000 00000 00000 00000 00000 00000 0000		***********	000000000000000000000000000000000000000
	RR 3 **	8 000010010000		-	800000000000000000000000000000000000000
	νm	× 000000000000000000000000000000000000		OF EACH TYPE 5** **6**	YEARS
(a)	CLOUD LAVER 1 ERR 2	0000 0000 0000 0000 0000 0000 0000 0000 0000	(p)	*	Po
	**** C ERR 1	0073 0273 0185 0187 0183 0261 0261 0261 0270 1070 1070 1070		OBSERVATIONS	.00 72.27 72.27 66.31 66.31 47.35 46.57 46.57 46.57 79.56 58.58 54.38
	***** VALID	0813 1529 1629 1370 1340 1134 1077 1639 1225		OF OBSER **3** *	
	TA RDS	988 1145 1173 1186 1186 1186 1186 1186 1186 1186 118		***	18.47 29.97 14.99 17.11 15.07 28.90 30.10 31.73 34.69 38.13
	DATA RECORDS	00888 01795 01814 01508 01573 01337 01299 01576 01495		* * * * * * * * * * * * * * * * * * * *	2.0000000000000000000000000000000000000
	YEAR	1969 1970 1972 1972 1974 1976 1978 1979		* * * 0 * *	79.28 17.33 12.73 16.58 16.58 29.24 23.75 23.33 18.72 6.73 7.49
				VALID OBS	00888 01795 01814 01508 01573 01358 01377 01299 01576 01676
				VEAR	1969 1970 1971 1972 1973 1975 1976 1977

INVALID SKV	0 4 P 10 G	00357 00357 00393 00502 00701	04401	ı	INVALID TCC	000075 00273 00185 00188 00138 00224 00222 00252 00252 00270
*** SKV ***] AVG SDV	. 224 1.21 . 216 2.28 . 201 2.83 . 296 2.88	2.317 2.103 2.317 2.103 1.955 2.874 1.980 2.894 2.151 2.972 2.030 2.759 2.203 2.797			*** TCC *** AVG SDV	. 659 1.892 1.764 2.647 2.276 2.857 2.493 2.947 1.387 2.963 2.210 2.963 2.281 3.002 2.465 3.047 2.457 2.966 2.717 3.013
* * * * * * * *	000.00	222	9-		* * * * * 6 * *	00000000000000000000000000000000000000
* * * * 00 * * * *	2481	6.099 6.099 7.098 7.059 7.055	4.58		* * * * * * * * * * * * * * * * * * * *	2.09 2.00 3.00 3.87 3.87 3.87 3.87 3.87 3.90 6.90 6.16 6.16 7.33
SKY **** **7**	છં ભે છઇ 4. ⊂	90.09 90.09 90.09 90.00 10.00 80.00	8 . 44		TCC ***	2.95 6.64 12.22 9.85 9.23 9.23 10.65 10.37
4 FOR	40000	2 4 4 4 7 3 4 4 4 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	YEARS 4.39		* FOR	1.60 4.86 5.46 5.18 3.31 6.00 6.00 6.22 6.22 6.22 6.22 6.23 7.84 8.71
EACH OCT.	42000	2.4.0 2.4.0 2.4.0 2.4.0 2.4.0 2.4.0 2.4.0 2.4.0 2.4.0 2.4.0 2.4.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3	FOR 11 4.42	2	EACH OCT	5.78 6.57 6.57 6.57 6.13 3.60 4.86 4.48 4.48 7.26 7.26 7.35
ES IN	43000	2.0.2 2.0.2 2.0.4 2.0.2 2.0.2 2.0.2 2.0.2 2.0.2	3.54		** † **	1.23 4.30 4.30 2.45 3.00 3.94 3.71 4.23 3.71 4.57 4.57 3.78 3.78 3.78 3.78 3.78
OCCURRENC	- a o u v	5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 		CCURRENC:	. 62 2. 63 3. 25 5. 33 2. 53 2. 54 4. 4. 45 2. 51 3. 17 3. 17 3. 17 3. 17
****	2. w. w. w	0.004440 0.004-0046	4.02		** % OC **2**	- 4 R 4 E 4 E E 4 4 P 7 4 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B
* * * * * * * * * * * * * * * * * * * *	~ 8 4 Q C	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	4 46.		* * * - * * * * * * * * * * * * * * * *	3.08 9.53 9.53 9.32 9.32 9.66 9.66 9.33 9.33 9.33 9.33 9.33
* * * 0 * * *	23.00.00	54.55 61.82 60.38 57.45 56.89	61.81		* * * * * * * * *	85.73 59.86 50.77 70.77 70.03
VALID	212	01001 00977 00906 01074 01320	12303		VALID	00813 01522 01522 01370 01370 01116 01077 01324 01639 01225
VEAR	96 97 97 97	1974 1975 1975 1977 1978	Ξ		VEAR	1969 1970 1971 1972 1974 1975 1976 1977

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR KERMANSHEH, IRAN, WMO STATION 407660. TABLE A-16.

						(g (
		VEAR	#DATA RECORDS	***** VALID	*	100	D LAYERS ERR#2 E	+++++	***** ERR4	SKY VALID			
		1961	00948	0937			0000	0000	0000	0946			
		1968	00845	0845			0000	0000	0000	0845			
		9961	00548	0548				0000	0000	0548			
		0/61	87800	8780	2000		0000	0000	0000	0828			
		1970	0000	0.00				0000	0000	0915			
		7/61	00,000	\ 6 \(\)				0000	0000	0798			
		1070	69/00	0900				0000	000	0 7 8 9			
		7 i	69500	8000				0.00	0000	0368			
		\$/5:	67700	0744	67 00			0000	0000	0773			
		9/6	00484	0474 0				0600	000u	0484			
		1.61	00667	0655				ემიი	0000	0667			
		1978	00775	07.0				0000	೦೦೧೦	0725			
		1979	00447	0442	•			0000	0000	0447			
		1980	00654	0646	9000		იიიი	0000	0000	0654			
					•			ų G					
		14	06769	1116	0078	2	> 1	0000	0001	9787			
						(P)							
VEAR	VALID	• • • • • • • • • • • • • • • • • • • •	***************************************	OF OBSERVATIONS	RVATION	*	OF EACH TYPE 5** **6**		*************	**6**	*** 08S	\$ *** SDV	INVALIE OBS
· · · ·	0.0948	100.00	00	00.	00.	00.	00.	00.	00.	00.	000.	000.	00000
1968	00845		•	00.	00.	<u>. 00</u>	00.	00.	00.	00.	000.	000	00000
1969	00548			00.	00.	oo.	0.	00.	00.	00.	000.	000	00000
1970	00828	100,001		00	00.	00.	00.	00.	00.	00.	000	000.	00000
1971	00915		•	00.	00.	00.	3.6	3.5	9.0	3.5	000	200	
1972	00798			90.	2 5	3.5	3.6	80	000	00.	000	000	00000
5/6/	69700	20.00	•	0.0	8.6		00	00.	00	00.	000	000	00000
1975	00369		00	00.	00.	00.	00.	00.	00.	. 00	000.	000.	00000
1976	00484			oo.	00.	00.	00.	00.	00.	00.	000	000	00000
1977	00667	00.00	00.00.	00.	00.	00.	00.	00.	00	00.	000	000	00000
1978	00725	100.00		00.	00.	00.	00.	900	3.0	3.6	000	000.	
1979	0.447		00.	00.	0.0	9.0	3.0	2 5	8	9 6	000	000	00000
1980	00654		00.	00.	00.	3				2))	
				٠	TOTALS F	FOR 14 V	VEARS						
4.	06760	100.00	.00° 00°	0u		OO.	00	00.	00.	00.			00000

۵

TABLE A-16. (continued).

	INVALID SKV	000000000000000000000000000000000000000	00003	TCC 100000000000000000000000000000000000
	* * * OS	.063 .000 .000 .000 .000 .000 .000 .000		Sbv Sbv .677 .677 .000 .074 .533 .074 .533 .082 .083 .084 .0
	*** SKV AVG	192 1 000 000 000 000 000 000 000 000 000		AVG
	* * * * * * * * * * * * * * * * * * * *	3.75 	.67	**** .00 .00 .00 .00 .00 .00 .00 .00 .00
	* * * * * * * * * * * * * * * * * * * *	. 74 . 00 . 00 . 00 . 13 . 163 . 00 . 00 . 15 . 15	. 24	* * * * * * * * * * * * * * * * * * *
	SKV ****		. 88	**************************************
	* FOR * 6	4.00 0.00	EARS . 16	# \$0.000.000.000.000.000.000.000.000.000.
(2)	EACH OCT. **5**	500000000000000000000000000000000000000	FOR 14 V . 13 (d)	**************************************
	₩ *	# 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	TOTALS F 08	2
	OCCURRENCES **3** **	4.0000-0000-0000-0000-00000-0000-0000-0	ਲ	# # # # # # # # # # # # # # # # # # #
	** % OC		. 6	* * * * * * * * * * * * * * * * * * *
	* * * * * * * * * * * * * * * * * * * *	8. 000 000 122 000 000 000 000 000 000 000	<u>.</u> 4	. 53 . 60 . 00 . 00 . 00 . 00 . 00 . 00 . 00
	*****	95.77 100.00 98.91 100.00 99.67 99.50 95.99 96.83 97.45 97.45	98.07	96.69 96.69 96.91 100.00 99.78 99.75 99.73 99.73 99.73 99.73
	VALID SKY	00946 00848 00828 00915 00798 00773 00773 00667 00725	18760	VALID TCC 00937 00845 00548 00913 00789 00789 00744 00744 00749
	YEAR	1967 1968 1968 1969 1970 1971 1975 1976 1976 1979	4	VEAR 1967 1968 1970 1971 1973 1974 1975 1976 1976

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR CAIRO, EGYPT, TABLE A-17.

									INVALID OBS	00000	00000	00000	00000	00000	00000	00000	00000
		۵	۲ 9 6	04 a	o – 4 •	7 4	ø		*** 085 *** AvG SDv	2.093 .419	8 4	.876 1	.570 1	782 1	. 508.1	. 651	
		SKY VALI	2677 1940 2009 1706	165	130	147	18110		* * * * * * * * * * * * * * * * * * *	000	8	88	00.	000	8.8.	00.	00.
		**** ERR4	00000	0000	0000	0000	1000		*********	00.	00	\circ	000	0	8.8.	00.	00.
		S ***** ERR#3	00000	0000	0000	0000	VEARS 0000		<u>"</u>	00.			•	•	• •	•	00.
		*** CLOUD LAYER: ERR#1 ERR#2	0000	0000	0000	0000	FOR 11		EACH TYPE . **6**	00.	• •	• •	•	• •	• •	•	VEARS
	(a)	*** CLOL ERR#1	0521 0651 0537 0346	0237	0349 0460 0562	0894 0372	TOTALS 5192	(P)	IONS OF	o.c	00.	. 0	o c	, o,	. 0	٥.	S FOR 11 9 .00
3660.		******	2290 2041 2076 1915	1918	1,45 1675 1736	1399 1727	20441		OBSERVATIONS	ď	00 62.30	9 0 0	52	200	3 4	2	TOTALS 00 44.29
62		* >					20		* % OF * 3	•		•	•	• •	• •	•	•
STATION		#DATA RECORDS	02811 02692 02613 02261	02155	02136 02136 02298	02293 02099	25634		****	4,	0 22.77	16	22.0	3 66	9 4	29	2 29.16
MWO S		/EAR	1969 1970 1971	7 7 5	'	~ ~	Ξ		* * * * * * * * * * * * * * * * * * * *	•	300	•	•		•	• •	ο. ο.
									* * * 0 * *	5.2	14.9	7.9	9.6	4.0 0.0	٥. ٣	ი.	26.5
									VALID OBS	281	02613	226 215	218	213	229 229	209	25634
									VEAR	9	1970	1	. 1	1	7	- /	Ξ

(၁)

INVALID SKY	00134 00752 00604 00555 00528 00636 01064 01119	07518	INVALID TCC 00521 00551 00537 00346 00363 00363 00362 00363
*** SKV *** AVG SDV	2.345 2.620 1.894 2.467 1.672 2.399 1.144 2.091 1.003 2.003 1.085 2.165 1.114 2.364 1.345 2.342 1.180 2.131		** TCC *** AVG SDV 1. 635 2.147 1. 858 2.338 1. 705 2.350 1. 218 2.345 1. 431 2.345 1. 501 2.273 1. 943 2.467 1. 995 2.484 1. 995 2.241
* * * * * * * * * *	8 6 7 4 - 0 - 4 6 8 6 6 7 8 8 6 7 8 8 6 7 8 8 6 7 8 8 7 8 9 7	33	* * 0000000000000000000000000000000000
* * * * * * * * * * * * * * * * * * * *	2.05 1.60 1.39 1.39 1.30 1.30 1.41	1.25	* * * * * * * * * * * * * * * * * * *
SKV ***	5.72 4.72 4.72 1.88 1.92 1.92 1.03 1.03	3.33	7.00 4.77 3.43 3.52 2.05 3.52 4.29 4.29 4.29 4.29 5.01 4.21 2.43 3.26 3.27
4 FOR	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	VEARS 5.65	6 * * * * * * * * * * * * * * * * * * *
EACH OCT/	88848888888888888888888888888888888888	FOR 11 5.72 (d)	######################################
ENCES IN * **4**	0004604600 -014604600 -0146046000 -014600000000000000000000000000000000000	TOTALS 4.49	CERS * * * * * * * * * * * * * * * * * * *
OCCURREN **3**	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	5.62	**************************************
** ** (7.064 3.752 3.752 3.752 3.753 3.753 3.753 3.753 4.30 3.40 1.30 3.753 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.3	5.19	* * * 0
* * * * * * * * * * *	5.64 4.28 4.23 2.81 2.98 2.33 2.73 2.35 2.35 2.35 2.35 8.00 8.00 8.00 8.00 8.00 8.00 8.00 8.0	3.37	** ** ** ** ** ** ** ** ** **
* * * * * * * * * * * * * * * * * * * *	45.16 58.93 71.75 71.75 73.15 73.18 66.33 70.18	65.05	** 52.79 51.64 51.64 51.64 63.55 60.28 63.07 63.97 63.97 66.13
VALID SKY	02677 01940 02009 01706 01786 01654 01301 01234 00874	18116	VALID TCC 02290 02041 02076 01918 01918 01745 01675 01736 01736
YEAR	1969 1970 1971 1972 1973 1975 1976 1977	Ξ	YEAR 1969 1970 1971 1974 1975 1976 1976

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR SEOUL, KOREA, WMO STATION 471110. TABLE A-18.

																				INVALI	OBS	00000	00000	00000	00000	00000	00000	0000	00000		00000	00000	00000	00000		00000
																				***	SDV	000.	000	000	000.	.417	000.	000	900		000	000	. 000	000.		
																				*** 088	AVG	1.000	1.000	1.000	1.000	•	•	•	•	•	2.000		•	•		
	SKY VALID	6773	0938	2926	2920	2181	0000	0000		0004	0000	0000	0000	0000	0000	0000		9742		***	**6**	00.	00.	00.	00.	9.6	9.0	3.6	9.5		00	00.	00.	00.		00.
	**** ERR4	0000	0000	0000	0000	0000	0000	1000		1000	2000	0002	2002	9000	0004	0004		0022		****	**8**	00.	00.	00.	00.	00.	9.0	9 6	9.0		00.	00.	00.	00.		00.
	******		0000			0000									- 0	0001	,	0103 (**/**	00.	00.	00.	00.	00.	3.5	9.0	9.0		00.	00.	00.	00.		00.
					0037											000		4		EACH TYPE	**9**	00.	00.	00.	00.	00.	3.6	5.6	3.6		000	00.	00.	00.	0 4 4	00.
(a)	CLOUD LAY														0 (0		1LS FOR 0080	(p)	90	*2 *	00.	00.	00.	00.	00.	00.	00.	9 6	8.0	200	00.	00.	00.		00.
	***** CLOUD LAYERS ERR#1 ERR#2	2000	0000	0000	2000	0.083	0007	400		0.145	0035	0050	0025	0047	0072	0082	ï	TOTAL 0914		NOT T V	****	00.	00.	00.	00.	00.	00.	20.	5 C	200	20.	00.	00.	00.		.01
	***** VALID	0773	0938	2633	2883	2587	0157	2241	100	706.7	1836	2079	2685	2258	2218	2304		27594		OF OBSERVATIONS	*****	00.	00.	00.	00.	00.	00.	00.	00.	9.0	8.0	00.	00.	00.	+	00.
	#DATA RECORDS	773	938	928	02620	811	184	30E	0.70	1 4 8	873	101	712	311	295	394		28713		**		00.	00.	00.	00.	22.38	100.00	00.00	99.81	00.00	100.00	100.00	100.00	100.		90.99
																				***	*	00.00	100.00	00.00	00.00	77.62	00.	00.	00.	9.0	3.5	00	00.	00.		33.93
	VEAR	1066	1967	1968	1960	1970	1971	107		0/6	1976	1977	1978	1979	1980	1981		4		****	**0*	0	٥	0	00.	0	00.	00.	90.	9 6	3.5	00	00	00.		00.
																				Q	088	00773	98600	02928	02620	02811	00184	02325	02148	5 6 6 6	02712	02311	02295	02394		28713
																					VEAR	1966	1961	1968	တ	σ.	თ (1974	1975	n c	1070	1979	1980	1981		14

٥

NVAL.ID SKV	000000 000000 000002 000000 00630 001844 02325 02144 02325 02101 02295	18971	INVALID TCC 00000 00200 00224 00027 00084 00087 00087 00087 00087 00087
*** SKV *** I AVG SDV			** TCC *** AVG SDV .000 .000 .000 .000 3.744 3.382 4.693 3.316 4.298 3.332 4.298 3.332 4.298 3.332 4.298 3.332 4.298 3.332 4.298 3.332 4.298 3.332 4.298 3.332
* * * * * * * * * * * * * * * * * * *		. 71	** ** ** ** ** ** ** ** ** **
* * * * * * * * * * * * * * * * * * * *	21.39 27.74 29.02 29.02 20.00 00 00 00 00 00 00 00 00 00 00 00 00	21.26	***** . 00 . 00 . 21.61 .24.63 .24.63 .24.63 .24.63 .29.47 .29.47 .29.47 .29.47 .29.47 .29.47 .29.47 .29.69 .29.69
× × × * * * * * * * * * * * * * * * * *	25.00 25.00 25.00 25.00 .00 .00	10.48	* * * * * * * * * * * * * * * * * * *
A FOR S	. 000 6 . 53 7 . 77 8 . 30 8 . 30 25 . 00 . 00 . 00 . 00 . 00	VEARS 6.16	**6** .00 .00 5.51 7.54 7.54 7.55 6.09 6.09 6.55 4.56 5.65
EACH OCT	00	FOR 14 4.34 (d)	# * 5 * * 5 * * 5 * * 5 * * 5 * * 5 * * 5 * * 5 * * 5
ES IN	00	4.00	***** .00 .00 .00 4.37 3.95 4.99 3.95 5.27 6.04 6.04 5.12 6.14 5.47 70 FALS
CCURRENC **3**	00. 4 75 6 . 85 6 . 85 6 . 14 000	4.86	**************************************
*** % OC **2**	8 8 4 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	4.37	* * * * * * * * * * * * * * * * * * *
* * * * * * * * * * * * * * * * * * * *		5.17	*** *** . 00 7 03 6 52 6 52 6 52 6 74 7 35 7 98 8 72 7 24
0**	100.00 100.00 30.62 23.96 21.09 .00 .00 .00 .00	38.65	***********************************
VALID SKV	00773 00938 02926 02926 02181 00000 00000 00000 00000 00000	09742	VALID 1CC 000773 00938 02633 02683 02587 020157 02002 01836 02002 02002 02003 02003 02003 02003 02003 02003 02003
/ EAR	1966 1966 1968 1970 1971 1974 1976 1979 1979 1979	4	YEAR 1966 1967 1968 1970 1971 1975 1978 1979 1980

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR HOENGSUNG/R-401, KOREA, WMO STATION 471180. TABLE A-19.

			INVALID OBS	
			*** S	0000 0000 0000 0000 0000 0000 0000 0000 0000
	_		*** 0BS AVG	1.000 1.000 1.000 1.000 1.21 1.21 2.000 2.000 2.000 2.000 2.000 2.000 2.000
	SKY VALID	0846 0998 2928 2919 29174 2174 0000 0000 0000 0000 0000 0000 0000	* * * * * 6 * *	
	**** ERR4	00000 00000 00000 00000 00000 00000 0000	************	300000000000000000000000000000000000000
	*****	0000 0000 0000 0000 0000 0000 0000 0000 0000		000000000000000000000000000000000000000
	CLOUD LAYERS 1 ERR#2 E	00000 00000 0016 0012 00000 00000 00000 00000 00000 00000 0000	OF EACH TYPE	VEARS
(a)	*	0000 00211 0000 0154 0477 0477 0597 0350 0074 0121 0039 0021 0023 0052 0052 107ALS FG		000 000 000 000 000 000 000 000 000 00
	*		085ERVATIONS	.000 .000 .000 .000 .000 .000 .000 .00
	**** VALID	0846 0998 2556 2904 2599 1772 1863 2409 2021 2021 2021 2835 2183	OF 08SE	
	#DATA RFCORDS	00846 00998 02928 02920 02765 02765 02485 02485 021782 02042 02042 02037	*******	. 00 . 00 . 00 . 00 . 10 . 10 . 10 . 00 . 0
	A*C		* * * * * * * * * * * * * * * * * * * *	000.000 000.000 000.000 000.000 000.000 000.000 000.000
	VEAR	1966 1966 1966 1967 1972 1973 1976 1976 1976 1976	* * * 0 * * *	
			VALID OBS	00846 00998 02928 02765 02749 02460 02508 02185 02182 02182 02042 02042
			VEAR	1966 1967 1968 1969 1970 1973 1975 1976 1978

TABLE A-19. (continued)

	INVALID SKY	00000 00000 00000 00001 00591 02249 02460 02478 02170 01782 02659	21174	INVALID TCC 00000 00372 000166 00166 00477 00597 000597 000121 000021 00021
	* * * * X	3.253 3.277 3.287 3.178 3.178 .000 .000 .000		CC ** SDV SDV 3.253 3.253 3.294 2.497 2.282 3.354 3.253 3.352 3.352 3.352
	* * * St	. 0008 4. 140 4. 140 6. 140 6. 000 6. 000 7. 000 7. 000 9. 000 9. 000 9. 000 9. 000 9. 000 9. 000		*
	* * * * * * * *	000000000000000000000000000000000000000	.52	** ** ** ** ** ** ** ** ** **
	* * * * * * * * * * * * * * * * * * * *	25.58 33.40 29.76 29.76 29.76 25.00 25.00 00	24.06	* * * * * * * * * * * * * * * * * * *
	SKY * * * * * * * * * * * * * * * * * * *	000 100.25 100.25 100.25 14.29 14.29 100 100 100 100 100 100 100 100 100 10	8.92	**************************************
	CTA FOR **6**	6.63 6.63 7.06 9.84 9.84 9.84 14.29 16.67	VEARS 6.24	**6** .00 5.79 7.02 9.35 9.35 9.42 8.32 4.25 4.25 4.25 4.25 4.25 6.19
(c)	EACH OC **5**		FOR 14 4.82 (d;	# # # # # # # # # # # # # # # # # # #
	CES IN	444 a	3.75	**4** **4** 00 4.15 4.65 4.73 5.02 5.21 5.14 4.07 4.95 4.08
	CCURREN **3**	000.44 000	4.54	# 000 * 34 * E
	** * * 0		4.88	** ** ** ** ** ** ** ** ** **
	* * * * * * * * * * * * * * * * * * * *	444 00880	3.75	* * * * * * * * * * * * * * * * * * *
	* * * * * * * * * * * * * * * * * * *	100.00 99.90 27.42 23.26 21.94 21.94 33.33 33.33 33.33 00 00 00	38.52	**************************************
	VAL ID SKY	00846 00998 02928 02919 02174 00017 00000 00000 00000 00000 00000	09887	VALID TCC 00846 00998 02556 02904 02599 01772 01863 02158 022051 02021 02635
	VEAR	1966 1966 1968 1968 1970 1971 1975 1976 1977	4	VEAR 19667 19667 19667 1970 1971 1974 1976 1976 1977 1976

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR OSAN, KOREA, WMO STATION 471220. TABLE A-20.

	#DATA	*****	**** CF(******** CLOUD LAYERS	******** S	***	SKY
YEAR	RECORDS	VALID	ERR#1	ERR#2	ERR#3	ERR4	VALID
1953	02850	2571	0041	0238	0000	0000	2850
1954	02919	2778	0058	0083	0000	0000	2919
1955	02919	2658	0104	0157	0000	0000	2919
1956	02928	2735	0029	0133	0000	0001	2928
1957	02920	2644	0101	0174	0000	0001	2920
1958	02920	2557	0130	0233	0000	0000	2920
1959	02919	2533	0064	0322	0000	0000	2919
1960	02928	2523	0039	0366	0000	0000	2928
1961	02920	2428	0039	0453	0000	0000	2920
1962	02919	2478	0029	0382	0000	0000	2919
1963	02919	2397	0078	0444	0000	0000	2919
1964	02925	9090	2284	0000	0035	0000	2920
1965	01785	6080	0962	0000	0011	0000	1785
1966	00673	0673	0000	0000	0000	0000	0673
1961	00817	0817	0000	0000	0000	0000	0817
1968	02903	2862	0038	0000	0005	0001	2902
1969	02894	2804	0600	0000	0000	0000	2882
1970	02796	2703	0093	0000	0000	0000	2792
1973	02920	2685	0235	0000	0000	0000	0365
1974	02919	2889	0030	0000	0000	0000	0296
1975	02920	2918	0001	0000	0000	0001	0088
1976	02928	2926	0005	0000	0000	0000	0023
1977	02920	2916	0003	0000	0000	1000	0020
1978	02908	2905	0002	0000	0000	0001	0000
1979	02917	2913	0003	0000	0000	1000	0168
1980	02928	2907	0017	0000	0000	000	0937
1981	02920	0	9000	0000	0000	0004	0151
1		1	ď	S FOR 27	VEARS		0
27	73134	65545	4541	2985	0048	0015	48920

INVALID	088	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000		00000
*** S	SDV	000.	000.	000.	000.	000.	000.	000.	000.	000.	000.	000.	000.	000.	000.	.049	000.	000.	000.	.074	.064	.052	000.	000.	000.	000.	000.	.000		
*** OBS	A VG	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.002	2.000	2.000	2.000	2.003	2.002	2.001	2.000	2.000	2.000	2.000	2.000	2.000		
* * * *	* * 6 *	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	;	00.
****	* * 80 * *	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	ļ	00.
****	**/**	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	;	00.
EACH TYPE	* * * *	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	VEARS	00.
OF.	* * ነጋ* *	00.	00.	00.	00.	00.	00.	00.	00.	00.	.00	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	-	00.
DBSERVATIONS	* * *	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	. 14	01.	.07	00.	00.	00.	00.	00.	00.	TOTALS F	0
OF OBSE	**O**	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.		00.
8 ****	**2**	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	. 24	100.00	100.001	100.001	98.66	99.90	99.93	100.00	100.00	100.00	100.001	100.00	100.00		47.67
* * * * * *	* * - * *	_:	_:	_:	_:	_:	_:	Ξ.	100.001	Ξ.	_:	_:	Ξ.	Ξ.	_:		00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.		52.31
* * * * *	**0**	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.		00.
VALID	0 8 S	02850	02919	02919	02928	02920	02920	02919	02928	02920	02919	02919	02925	01785	60673	00817	02903	02894	02796	02920	02919	02620	02928	02920	02908	02917	02928	02820		73134
	, EAR	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1961	1968	1969	1970	1973	1974	1975	1976	1977	1978	1979	1980	1981	1	27

	VALID	****	*****	0 % ***	OCCURRENCES	CES IN	EACH OCTA	TA FUR	SKV ***	****	****	SKY	INVALID
ن نز هر	SKY	**0**	**!**	**2**	**8**	* * 7 * *	**2**	* * 9 * *	**/**	**8**	* * 6 *	AVG SDV	SKY
1053	02850	26.42	00	17.79	00.	00.	00.	00.	21.12		1.58	3.48	00000
200	01000	26.10	00	18.23	00	00.	00.	00.		34.81	1.92	ფ	00000
1005	02019	25.80	00	21.58	00.	00.	00.	00.		32.44	2.12	ю	00000
1956	02928	28.14	00.	19.13	00.	00.	00.	00.	•	34.05	. 85	<u>-</u>	00000
1957	02620	27.95	00	18.87	00.	00.	00.	00.	•	34.90	2.19	ල ල	00000
1958	02920	24.25	00.	19.45	00.	00.	00.	00.	16.03	37.02	3.25	4,765 3,501	00000
1959	02919	25.76	00.	21.79	00.	00.	00.	00.	•	31.62	1.03	က	00000
1960	02928	25.89	00	21.76	00.	00.	00.	00.	•	30,50	1.26	.430 3	00000
1961	02920	24.62	00.	21.16	00.	00.	00.	00.	•	33.53	1.06	.575 3	00000
1962	02919	24.60	00.	22.85	00.	00.	00.	00.	•	32.55	1.10	,483 3	00000
1963	02919	22.47	00	21.21	00.	00`	00.	00.	•	38.10	1.10	. 769 3	00000
1964	02920	20.65	00.	19.49	00.	00.	00.	00.	٠	43.25	3.	က	00002
1965	01785	45,32	00.	15.85	00.	00.	00.	00.	11.09	27.73	00.	.312 3	00000
1966	00673	100,00	00.	00.	00.	00.	00.	00.	00.	00.	00.		00000
1961	00817	99.16	. 12	00.	00.	00.	00.	00.	00.	. 12	00.		00000
1968	02902	22.36	12.03	6.00	6.10		3.69		٠	25.47	1.24		00001
1969	02892	17.53	11.65	5,74	4.74	3.6	4.36	5.88	11.48	33.20	1.83	4,712 3.272	00005
1970	02792	18.05	10.92	6.84		•	4.98		•	28.83	. 93	. 530	0000
1973	00365	15.07	8.77	5.75	3.84	•	10.14		•	23,29	1.37	. 666	02555
1974	00296	9.12	2.03	2.03		•	22.64		•	•	1.69	5.449 2.432	02623
1975	00088	30.68	5.68	7.95	4.55	•	•		٠	•	00.	. 784	02832
1976	00023	30.43	8.70	4.35		00.	•		•	÷.	4.35		02905
1977	00000	12.00	10.00	00.	8.00	2.00	10.00		٠	•	2.00	.380	02870
1978	00000	00.	00.	00.	00.	00.	00.	•	00.	00.	00.		02908
1979	00168	17.26	8.33	3.57	10.12	•	•	7.14	•	27.38	2.38	_	02749
1980	00937	12.59	8.32	6.51	6.19	5.76	5.34	7.	10.03	•	1.28	-	01991
1981	13100	21.85	13.25	4.64	7.95	3.97	•	•	•	•	99.	4.205 3.319	02769
						TOTALS	FOR 27	VEARS					
27	48920	26.74	2.36	16.39	1.16	1.09	1.12	1,49	16.10	32.21	1.33		24214

**************************************	***	* * * * * * *	* * *	*	OCCURRENCES IN	CES IN	OH:	FOR	Ų.	************	* * * * * * * * * * * * * * * * * * * *	*** TCC ***	INVALID
0 **1** **2** **3** **	**1** **2** **3** **	*1** **2** **3** **	** **** **	*	*	4	* * *	* *9 *	*	# # # #	# # 5: #	AVG SDV	
29.13 3.73 9.53 3.58 2	29.13 3.73 9.53 3.58 2	9.53 3.58 2	.53 3.58 2	.58 2	2	.57	3.70	10.50	3.54	_	2.37	n	0027
27.36 4.00 8.64 3.06 2	27.36 4.00 8.64 3.06 2	8.64 3.06 2	.64 3.06 2	.06 2	7	.38	4.07	9.43	4.00	4	2.16	.436 3	0014
28.03 5.94 9.59 4.06 2	28.03 5.94 9.59 4.06 2	9.59 4.06 2	.59 4.06 2	.06 2	2	.75	4.10	8.35	2.14	S	2.52	. 167 3	005
29.84 4.79 8.34 2.74 2	29.84 4.79 8.34 2.74 2	8.34 2.74 2	.34 2.74 2	.74 2	7	۲.	3.99	8.99	2.96	က	1.68	.220 3	00193
30.71 5.64 9.23 2.72	30.71 5.64 9.23 2.72	9.23 2.72	.23 2.72	. 72	(4	. 04	4.16	8.13	2.00	3	2.72	.097 3	00276
27.61 6.10 8.72 3.09	27.61 6.10 8.72 3.09	8.72 3.09	.72 3.09	60.	•	5.62	4.42	8.06	1.96	4	3.05	. 299 3	00363
5.80 11.45 4.97	29.53 5.80 11.45 4.97	11.45 4.97	.45 4.97	.97	(-)	3.99	5.88	9.28	2.01	25.94	1.14	3.765 3.279	00386
30.00 6.58 11.53 4.99	30.00 6.58 11.53 4.99	11.53 4.99	.53 4.99	66.	4	1.24	5.1	9.75	2.93	ന	1.51	. 665 3	00405
29.53 6.96 12.03 4.24	29.53 6.96 12.03 4.24	12.03 4.24	.03 4.24	. 24	`	3.42	5.52	10.21	2.14	4	1.48	.703 3	00492
28.53 6.34 11.02 4.08	28.53 6.34 11.02 4.08	11.02 4.08	.02 4.08	.08	4	. 92	6.05	11.54	2.62	~	2.82	.802 3	00441
27.24 6.68 9.89 4.59 4	27.24 6.68 9.89 4.59 4	9.89 4.59 4	.89 4.59 4	. 59	4	.38	5.63	9.35	2.95	\sim	1.63	.987	00522
00. 00. 00. 00.001	00. 00. 00. 00.001	00. 00.	00.			80.	00.	00.	00.	00.	00.		02319
00. 00. 00. 00.001	00. 00. 00. 00.001	00. 00.	00.		•	00	00.	00.	00.	00.	00.		97600
00. 00. 00. 00.001	00. 00. 00. 00.001	00. 00.	00.		•	00	00.	00.	00.	00.	00.		00000
99.76 .12 .00 .00	99.76 .12 .00 .00	00. 00.	00.		•	00	00.	00.	00.		00.		00000
22.68 11.91 5.97 5.94 5	22.68 11.91 5.97 5.94 5	5.97 5.94 5	5.94 5	.94 5	υ.	35	3.63	5.49	12.26	ທ	1.26	(T)	00041
18.08 11.70 5.67 4.81 3	18.08 11.70 5.67 4.81 3	5.67 4.81 3	4.81 3	.81	ო	53	4.28	5.96	11.66	32.95	1.36	.662 3	06000
18.65 10.73 6.70 4.99 4	18.65 10.73 6.70 4.99 4	6.70 4.99 4	4.99	4 66.	4	88	4.88	6.92	12.69	œ	68.	.508 3	0000
12.96 9.94 7.41 7.08 6	12.96 9.94 7.41 7.08 6	7.41 7.08 6	7.08 6	9 80.	ø	.63	4.36	7.78	9.87	က	.30	.821 3	00235
19.97 9.24 7.10 5.47 5	19.97 9.24 7.10 5.47 5	7.10 5.47 5	5.47 5	.47 5	Ŋ	66.	5.64	7.10	8.27	-	. 17	(F)	00030
21.73 7.33 7.54 6.27 5	21.73 7.33 7.54 6.27 5	7.54 6.27 5	6.27 5	.27 5	w.	96	5.72	7.20	8.53	၁ာ	.34	(C)	00005
19.10 8.65 6.90 5.64 4	19.10 8.65 6.90 5.64 4	6.90 5.64 4	5.64 4	.64 4	4	96	9.60	6.56	11.21	O	.48	. 536 3	00005
19.65 9.57 8.30 6.31 5	19.65 9.57 8.30 6.31 5	8.30 6.31 5	6.31 5	.31 5	ď.	28	6.24	6.82	10.32	9	.82	.315 3	00004
23.51 7.06 6.68 4.89 5	23.51 7.06 6.68 4.89 5	6.68 4.89 5	4.89 5	. 89	ω	66	4,54	6.16	9.81	0	.62		00003
20.25 7.62 6.32 5.90 4	20.25 7.62 6.32 5.90 4	6.32 5.90 4	5.90	.90	4	94	•	5.90	9.44	2	92.	.585 3.23	00004
20.95 9.32 6.36 6.16 4	20.95 9.32 6.36 6.16 4	6.36 6.16 4	6.16 4	.16 4	4	78	5.16	6.05	10.11	0	1.03	. 25	00021
21.51 9.66 6.63 6.01 4	21.51 9.66 6.63 6.01 4	6.63 6.01 4	6.01 4	.01	4	64	•	6.36	9.45	σ	.93	32 3.	000010
101ALS 65545 27.36 7.35 7.86 4.68 4.15	7.35 7.86 4.68	7.86 4.68	.86 4.68	.68	707 AL	N W	FOR 27 4.81	VEARS 7.47	6.54	28.48	1.30		07589

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR KUNSAN, KOREA, WMO STATION 471410. TABLE A-21.

	*DATA	****	***** CLC	OUD LAYER	***** S	* * * * *	SKV
VEAR	RECORDS	VALID	VALID ERR#1 ERR#2	ERR#2	ERR#3	ERR4	VALID
1952	02927	2628	0017	0281	0000	1000	2927
1953	02918	2658	0043	0216	0000	1000	2918
1954	02913	2557	0037	0318	0001	0000	2913
1955	02919	2658	0043	0216	0005	0000	2919
1956	02928	2759	0031	0138	0000	0000	2928
1957	02920	2805	0030	0085	0000	0000	2920
1958	02920	2745	0047	0127	1000	0000	2920
1959	02919	2490	0078	0351	0000	0000	2919
1960	02927	2576	0024	0326	0000	1000	2927
1961	02916	2379	0072	0465	0000	0000	2916
1962	02868	2347	0062	0459	0000	0000	2868
1963	02920	2352	0094	0472	0001	0001	2920
1964	02902	0000	2252	0000	0000	0690	2897
1965	01706	0235	1013	0000	0000	0458	1705
1966	00200	0206	0000	0000	0000	0000	0206
1961	99900	9990	0000	0000	0000	0000	9990
1968	02928	2870	0051	0000	0000	2000	2920
1969	02920	2842	0078	0000	0000	0000	2914
1970	02895	2870	0025	0000	0000	0000	2893
1973	02920	2708	0211	0000	0000	1000	0220
1974	02920	2897	0023	0000	0000	0000	0171
1975	02920	2917	0000	0000	0000	0003	0065
1976	02928	2926	1000	0000	0000	0001	0020
1977	02920	2919	1000	0000	0000	0000	0020
1978	02918	2915	0005	0000	0000	0001	0030
1979	02919	2918	0000	0000	0000	0001	0097
1980	02928	2927	000	0000	0000	0000	0707
1981	02620	2918	0002	0000	0000	0000	0097
			TOTALS		VEARS		
28	75811	66988	4238	3454	9000	1126	50953

	VALID	****	******	* * * * *	OF OBSE	RVATI	ONS OF E	EACH TYPE	****	****	* * * * * *	*** OBS	*** S	INVALID
VEAR	0 9 S	**0**	**1**	**2**	****	* * * * *	**3**	**9**	****	* * * * *	**6**	AVG	SDV	0 B S
1952	02927	00.	100.00	00.	00.	00.	00.	00.	00.	00	00.	1.000	•	00000
1953	02918	00.	100.001	00.	00.	00.	00.	00.	00.	00.	00.	1.000	000.	00000
1954	02913	00.	100.00	00.	00.	00.	00.	00.	00.	00.	00.	1.000	•	00000
1955	02919	00.	100.00	00.	00.	00.	00.	00.	00.	00.	00.	1.000	•	00000
1956	02928	00.	100.00	00.	00.	00.	00.	00.	00.	00.	00.	1.000	•	00000
1957	02670	00.	100.00	00.	00.	00.	00.	00.	00.	00.	00.	1.000	٠	00000
1958	02920	00.	100.00	00.	00.	00.	00.	00.	00.	00.	00.	1.000	•	00000
1959	02919	00.	100.00	00.	00.	00.	00.	00.	00.	00.	00.	1.000	•	00000
1960	02927	00.	100.001	00.	00.	00.	00.	00.	00.	00.	00.	1.000	•	00000
1961	02916	00.	100.00	00.	00.	00.	00.	00.	00.	00.	00.	1.000	•	00000
1962	02868	00.	100.00	00.	00.	00.	00.	00.	00.	00.	00.	1.000	•	00000
1963	02920	00.	100.00	00.	00.	00.	00.	00.	00.	00.	00.	1.000	•	00000
1964	02902	00.	100.001	00.	00.	00.	00.	00.	00.	00.	00.	1.000	•	00000
1965	01706	00.	100.00	00.	0	CC.	00.	00.	00.	00.	00.	1.000	•	00000
1966	90500	00.	100.001	00.	00.	00.	00.	00.	00.	00.	00.	1.000	•	00000
1961	99900	00.	99.70	. 30	00.	00.	00.	00.	00.	00.	00.	1,003	•	00000
1968	02928	00.	00.	100.00	00.	00.	00.	00.	٥٥.	00.	00.	2.000	٠	00000
1969	02920	00.	00.		00.	00.	00.	00.	00.	00.	00.	2.000	•	00000
1970	02895	00.	00.	100.00	00.	00.	00.	00.	00.	00.	00.	2.000	•	00000
1973	02670	00.	00.		00.	00.	00.	00.	00.	00.	00.	2.000	•	00000
1974	02670	00	00.	99.66	00.	. 34	00.	00.	00.	00.	00.	2.007	•	00000
1975	02670	00.	00.	98.66	00.	1.	00.	00.	00.	00.	00.	2.003	•	00000
1976	02928	00.	00.	100.001	00.	00.	00.	٥٥.	00.	00.	00.	2.000	•	00000
1977	02670	00.	00.	100.001	00.	00.	00.	00.	00.	00.	00.	2.000	•	00000
1978	02918	00.	00.	100.00	00.	00.	00.	00.	00.	00.	00.	2.000	•	00000
1979	02919	00.	00.	100.00	00.	00.	00.	00.	00.	00.	00.	2.000	•	00000
1980	02928	00.	00.	100.00	00.	00.	00.	00.	00.	00.	00.	2.000	•	00000
1981	02620	00.	00.	100.00	ņ٥.	00.	00.	00.	00.	00.	00.	2.000	٠	00000
:	i					TOTALS	FOR 28	YEARS						,
28	75811	00.	53.78	46.20	00.	.02	00.	00.	00.	00.	00.			00000

ပ

	VALID	* * *	******	સ્	OCCURRENCES IN		EACH OCTA	FOR	*** JJL	*	*****	TCC	INVALID
AR	100	**0**	****	**5**	* * O * *	****	**50**	* * 9	**/**	**8**	**6**	AVG SDV	100
25	02628	•	۳.		4.57	4.07	. 2	10.24	3.73	0		.236 3.	00299
53	02658		•		3.54	2.97	е.	10.65	3.24	_	7	.351 3	00260
4	02557		4		ε.	4.18	. 2	11.38	3.32	-	-	.435 3	00356
ۍ	02658	21,33	7.04	10.01	3.57	3.24	4.97	10.53	4.78	32.39	2.14	4.506 3.294	00261
9	02759	•	•		0.	2.61	4	9.64	3.88	ဖ	က	.721 3	00169
7	02805		۲.	•	3	3,14	٦.	9.20	2.25	Q	7	. 559 3	00115
80	02745		•		3.93	3.35	8	9.29	3.35	ഹ	8	.622 3	00175
တ	02490	•	3	•	۲.	4.34	5	10.40	2.97	_	ო	.906	00429
0	02576	•	۳.		რ.	3.96	۲.	6.39	3.77	ത	7	. 299 3	00351
	02379		S		۲.	5.34	0.	10.42	2.77	œ	~	.150 3	00537
7	02347		ღ		٦.	5.11	4	11.84	3.15	-	7	.948 3	00521
ဗ	02352	•	σ.	•	æ	4.04	ა.	11.56	3.78	0	က	.504 3	00568
4	00000	•	٥.	•	00.	00.	00.	00.	00.	00.			02902
2	00235	100.00	00.	00.	00.	00.	00.	00.	00.	00.			01471
ø	00506	100.00	00	00.	00.	00.	00.	00.	00.	00.			00000
7	99900	99.70	00.	00.	00.	00.	00.	00.	00.	.30			00000
æ	02870	14.46	8	٠	8	6.52	4	8.82	14.49	4	_	.622 3	00058
œ.	02842	12.81	۳.	•	٥.	4.43	٣.	7.60	17.63	^	_	.888	00078
0	02870	11.11	. 2	•	4	6.10	9	7.25	16.83	œ	-	895 2	00025
m	02708	8.60	4	•	۲.	6.20	٣.	7.83	12.81	0.3	. 22	.895 2	00212
*	02897	12.53	8	•	4	5.04	4	8.28	12.43	9.0	.03	.816 3	00023
	02917	10.46	9.60	8.40	6.27	6.48	7.99	6.92	12.38	30.75	. 75	(1	00003
ω.	02926	11.11	ī,	•	ο.	4.75	4	9.23	12.78	2.0	.58	.001	0000
_	02919	13.57	ε.	•	σ.	90.9	ω.	7.71	13.81	1.6	. 55	. 939	0000
.	02915	13.83	S.	•	6.	7.24	4	8.99	15.61	8.8	.51	.412 2	00003
•	02918	12.54	σ.		₩.	6.31	۲,	9.46	14.91	5.2	.4	.749 2	0000
0	02927	12.16	9.	•	0.	5.64		8.10	12.33	2.1	.61	. 937	0000
_	02918	12.71		•	9.	5.93	S.	8.19	14.32	9.0	1.41	.952	00005
				ı		⋖	FOR 28	YEARS			;		6
	88699	18.41	8.02	9.48	5.28	4.81	٠	9.05	8.92	28.91	1.49		08823

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR TAEGU AND TONCHON, KOREA, WMO STATION 471420. TABLE A-22.

			INVALID OBS	00000000000000000000000000000000000000
			* * * S	000000000000000000000000000000000000000
			*** 0BS AVG	1.000 1.000 1.000 2.000 2.000 2.000 2.000 2.000 2.000 2.000 2.000
	SKV	0756 0787 2925 2920 2182 0000 0000 0000 0000 0000 0000 00	************	000000000000000000000000000000000000000
	* **	000000000000000000000000000000000000000	* * * * * * * * * * * * * * * * * * *	
	**** ERR4	0000 00000 00000 00000 00000 00000 00000	******	800000000000000000000000000000000000000
	RS * * * * *	0000 0168 0000 0000 0000 0000 0000 0000	EACH TVPE *	YEARS
(a)	CLOUD LAYERS	00000 0131 0101 0000 00000 00000 00000 00000 00000 0000	0. ∓.8 *	POR
Ŭ	* T * T * T	0006 0000 0191 0000 0153 042 0042 0042 0041 0013 0025 0025 1938	OBSERVATIONS	
	***** VALID	0750 0787 2437 2819 2819 2004 2238 2436 2140 1971 2212 2644 2252	0F **3	
			****	. 00 . 00 . 00 . 00 . 00 . 00 . 00 . 00
	#DATA RECORDS	00756 00787 02927 02920 02369 02517 02517 02612 02274 02274 31562	*********	78 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	VEAR	1966 1968 1968 1969 1970 1973 1974 1975 1977 1978	***0**	800000000000000000000000000000000000000
			VALID OBS	00756 00787 02927 02920 02793 02369 02517 02479 02274 02212 02227 02672 02308
			VEAR	1966 1966 1969 1969 1970 1973 1978 1978 1979

_	(ر
•	_	_


		۰
INVAL 1D SKY	00000 00000 00000 00000 00611 02521 02517 02517 02274 02227 02227 02308	INVALIC TCC 00006 00490 00130 00530 00530 00531 00013 000134 00014
* * * * SDV	. 196 . 231 . 170 . 000 . 000 . 000 . 000 . 000	SDV * * SDV
*** SKV AVG	. 0009 4 - 504 3 5 - 104 3 664 3 664 3 600 000 000 000 000 000 000 000 000 00	** A \
* * * * * * * * * *		* * * * * * * * * * * * * * * * * * *
* * * * * * * * * * * * * * * * * * * *	25.06 28.94 30.02 .00 .00 .00 .00 .00 .00 .00	* * * 8 * * * 8 * * * 8 * * * 8 * * * 8 * * * 8 * * * 8 * * * 8 *
SKV ****	. 000 12. 000 15. 55 22. 27 . 000 . 000	* * * * * * * * * * * * * * * * * * *
A FOR **6**	. 00 6. 26 6. 03 7. 20 . 00 . 00 . 00 . 00 . 00 . 00 . 00	** * * * * * * * * * * * * * * * * * *
EACH OCT	£0000000000000000000000000000000000000	# # # # # # # # # # # # # # # # # # #
ES IN	. 00 6.36 4.66 3.99 .00 .00 .00 .00 .00 .00 .00	**************************************
OCCURRENC **3**		CCURRENCE **3** . 00 . 00 6.24 6.24 5.94 7.51 7.51 8.37 8.37 8.37 7.07
** 2**	5. 27 5. 27 5. 27 5. 27 6. 00 6. 00	*** *** 000 25.25 55.25 77.00 7.28 7.80 7.80 7.80 6.93
* * * * * * * * * * * * * * * * * * * *		**************************************
*****	99.74 100.00 123.11 17.40 15.44 15.44 100 100 100 100 100 100 100 100 100 1	**************************************
VALID SKV	00756 00787 02925 02925 02920 02182 00000 00000 00000 00000 00000 00000	. VALID TCC 000750 000787 02819 022437 020004 020004 02238 002004 02238 02212
FAR	19966 19968 19968 19970 19973 19976 19976 19976	VEAR 1966 1966 1969 1970 1971 1973 1975 1976 1978


DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR PUSAN/KIMHAF, KOREA, WMO STATION 471530. TABLE A-23.

																INVALID	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000	00000		00000
																*** S	0.48	000.	000.	000	.408	. 063	000		.044	000.	000.	000.		
	_															*** OBS	800	1.000	1.000	1.000	1.211	2.002	2.000	2.000	2.001	2.000	2.000	2.000	200.	
	SKY VALID	0868 0844 2926	2918	2180	7000			000	0000	0000	0000	000		9740		*** *** ***	00	00.	00.	00.	00.	00.	9.6	90	00.	00.	00.	00.		00.
	*** ERR4	0000	0000	0000	0000	0000	2000	4000	0000	0003	0011	0 00	6	0030		************	0	00.	00.	00.	00.	9.0	900	00.	00.	00.	00.	00.		00.
	******** ERR#3 ERR4	0000				0000			0000		0000		VEARS	-		*	Ü	00.	00.	00.	00.	00.		8 6	00.	00.	00.	00.		00.
	w	0000		0001							0000	000	4			EACH TYPE	00	00.	00.	00.	00.	00.	00.	000	000	00.	00.	8.6		VEARS .00
(ġ)	гоп												s.	9000 E	(p)	*5*	,	00.	00.	00.	00.	00.	80.	8.6	00	00.	00.	00.		FOR 14 .
	***** C ERR#1		0000										TOTAL	193		RVATIO!	. 2	00.	00.	00.	00.	0.0	000	3 6	0.05	00.	00.	000	2	10TALS F
	**** VALID	0868 0831	2911	2588	1493	1881	2138	1007	1874	2049	2759	2513		28931		OF OBSERVATIONS		00.	00.	00.	00.	00.	90.	9.0	00	00.	00.	00.		, 00.
	#DATA RECORDS	00868 00844	029 28 02919	763	990	9 0	382	- 6	606	088	833	664		31014		* * * * * * * * * * * * * * * * * * *	,	00.	00.		21.10	06.66	100.00	100.00	96.66 96.66	100.00	100.00	100.00		68.59
	R REC	6 00 7 000												91		* * * * * * *	- 0	100.00	0	0	σο.	00.	3.6	3.6	80	00.	00.	00.		31.40
	VEA	1960	96.	197(197	760	500	197	197	197	197	19761		-		***	,					00.	9.6	8.6	000	00.	00.	8 6	8.	.01
																VALID	89800	00844	02928	02919	02763	01990	023/8	02332	02026	60610	02088	02833	02004	31014
																V F A B	. (ဖ	1968	1969	1970	1971	1972	19/3	1975	1976	1977	1978	6 6	4

TABLE A-23. (continued)

	INVAL ID Sky	0000	01988 02379 02392 02411 02025 01909 02088 02833	21274		INVALID TCC	00000 00013 00201 00008	00497 00498 00253	00054 00085 00035 00039 00074	02083
	* * * * ^	. 258 . 422 3.316 3.202 3.071				x** >>>	.25	. 58 . 60 . 06	3.278 3.283 3.288 3.253 3.255 3.255	
	*** SKV AVG	0004-	7.500 .000 .000 3.000 .000 .000			** AVG	.00.	. 79 79 89	4.428 4.125 4.657 4.057 4.176	
	* * * * * * * * * * * * * * * * * * *	00000	0000000000	=		* * * * * * * * * *	00080	y 4 4 0	. 26 	4.
	* * * * * * * * * * * * * * * * * * * *	.00 .00 25.09 29.05	0	25.07		* * * * * * * * * * * * * * * * * * * *	0.02.7	7.1 7.1 7.1	34.20 30.04 37.14 28.11 29.61	31.31
	SKV ****	. 12 . 12 11.65 12.40	0	9. 555		TCC ***	0.00	0.7-8	7.21 7.78 8.43 8.20 8.01 7.40	8.58
	TA FOR **6**	00844	000000000	YEARS 5.35		TA FOR	0.00.4	4.6.	5.69 4.43 5.60 5.81 5.73	œ·
(c)	EACH OC **5**	.00 .12 5.57 5.76 5.76	000000000	FOR 14 4	(p)	EACH OC **5**	0.08.7	0.6.7.9.	4 4 8 3	٠٠.
	CES IN	0000	000000000	10TALS 4.34		CES IN **4**	0.0.	8 2	4.96 3.84 48.63 4.53 6.07	∢ .
	CURREN **3**	. 12 . 24 5.54 6.65 6.10	000.000	5.06		CCURREN **3**	-0.09	ມຕິດວິ	6.83 8.14 6.99 7.47 6.85	
	** 2 **	06230	000000000000000000000000000000000000000	4.72		*** % 0	0.0.	<u>.</u> _ o. o.	6.24 7.11 6.40 8.59 7.68	٦.
	* * * * * * * * * * * * * * * * * * * *	20700	200000000000000000000000000000000000000	4.59		* * * * * * * * * * * * * * * * * * * *	0.08.2	4.4.0.6.	9.29 9.89 7.47 9.18 9.31	. 7
	* * * * 0 * *	7 8 5 5 7		36.50		* * * * * * * * * * * * * * * * * * *	99.77 100.00 31.72 22.19		21.09 23.39 20.33 23.82 22.83	3.4
	VAL ID SKY	086 084 292 291 291	00000 00000 00000 00000 00000 00000	09740		VALID TCC	08 08 27 29	25 14 18 21	02357 01941 01874 02049 02759	68
	VEAR	96 96 96 97	1972 1973 1974 1975 1976 1977 1978	14		YEAR	9999	111	1974 1975 1976 1977 1978	4





MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS ~ 1963 - A

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR KWANGJU, KOREA, WMO STATION 471580. TABLE A-24.

																	INVALID OBS	00000	00000	0000		00000	00000	00000	00000	00000	00000	00000	00000		00000
																	\$ * * * \$	000.	000.		408	000	000	.081	. 115	. 153	000.	000	0000		
	\ <u>0</u>	75	27	5	90	00	00	40	8	2 2	2 6	3.5	20	,	,		*** 08S	•	000.	000.		2.000	2.000	2.003	2.007	2.012	2.000	2.000	2.000		
	SKY VAL 1D	0575	29.	29	216	ŏ	00	00	000	000		Š	ö	c c	, ,		****	00.	8.6	8.5	3	00	00.	00.	00.	00.	98	80	80.		00.
	**** ERR4	0000	0000	0000	0000	0000	0001	0000	1000	5000	7000	000	0000	9.00	6.00		* * * * * * * * * * * * * * * * * * * *	00.	90.	3.5		00	00.	00.	8.	00.	3.5	000	00		00.
	********* ERR#3 ERR4	0000	0149	0000	0000	0000	0000	0000	0000	0000			0000	EARS	2 4 2		E ***** **7**	00.	3.6	9.0		00	00.	00.	8.6	00.	3.0	88	00.		00.
	CLOUD LAVERS 1 ERR#2	0000	0033	0028	0037	0000	0000	0000	0000	0000			0000	FOR 14 V	*		EACH TYPE	00.	9	3	86	000	00	00.	8.	00.	3.6	86	00.		VEARS .00
(a)	*** CLOUD	0030	2211	0000	5600	3427	380	0205	0063	0106	7700	0000	0047	TOTALS F		(P)	#5.	00.	•	•	•	•	•	•	•	•	•	•	• •	•	FOR 14
	**********	0545 (•	_		SERVATIONS **4** *	00.	00.	9		00	00.	. 17	.33	. 50 0.0	8.6	9 6	00.	 	TOTALS .08
	* * \	0.0	2 0	28	56	17	20	22	253	-	- 6	7 %	22	000	B		0F 0B	00.	8.6	3.5		000	00.	00.	00.	00.	88	3 8			00.
	#DATA	00575	2927	2920	2739	12177	2461	2420	2420	2039	1824	2654	2292	0	30283		******	00.	8.6	9		100.00	100.00	99.83	99.64	99.41	100.00		100.00		69.18
	α πα	90			0				_		• -	_	. o		7		**-		00.00		o a	•	00.	00.	00.	00	00.	3.5	00.		30.74
	VEA	196	96	1961	197	^	~	~	_	~ 1	~ r	· ·	~	•	_		*****	-	- ·	- r	- > c	200	00.	90.	00.	00.	000	8.6	00.		00.
																	VALID OBS	057	072	787	202	217	246	242	242	203	182	2 - C	02292		30283
																	VEAR	9	9	0 4	7 C	. ~	~	7	~	~	7	- 1	1979		4

	*** SKY *** AVG SDV	. 193 1.162 . 022 . 420 4.690 3.110 4.958 3.028 5.437 2.695 . 000 . 000 2.500 3.786 5.375 3.420 2.917 3.476 . 000 . 000 . 000 . 000 . 000 . 000		TCC +	.000 .000 .022 .420 4.970 3.059 5.445 2.741 5.905 2.451 6.236 2.382 5.185 2.382 5.185 2.382 6.236 2.382 6.236 2.382 5.276 3.039 4.910 3.074 4.558 3.090
	***	000888000000000000000000000000000000000	. 55	* * * * * * * * * * * * * * * * * * *	
	* * * 8 * * *	1.74 27.98 29.57 28.10 28.10 25.00 25.00 37.50 25.00 .00	24.73	* * * * * * * * * * * * * * * * * * * *	28.78 28.78 28.78 29.32 39.94 39.94 39.94 39.98 39.98 39.98 39.98
	SKV ****	. 000 13.77 15.75 22.64 . 000 . 000 . 000 . 000 . 000	14.50	TCC ***	. 00 . 00 . 00 . 15. 70 . 20 . 58 . 14. 69 . 10. 77 . 11. 25 . 11. 25 . 11. 25 . 11. 25 . 11. 25 . 13. 9 . 08
	* FOR	. 52 . 00 . 00	VEARS B.17	* FOR * 6 * *	. 00 7 . 83 8 . 89 10 . 31 7 . 27 7 . 27 7 . 34 7 . 36 6 . 86 6 . 86
(c)	EACH OCT.		FOR 14) 5.70	EACH OCT **5**	000 000 000 000 000 000 000 000 000 00
	CES IN	4 4 4 8 7 7 8 7 8 8 7 8 8 7 8 8 7 8 8 7 8 8 7 8 8 7 8 8 8 9 8 9	4.33	:S 1	44 6 6 6 4 4 4 6 6 5 6 6 6 6 6 6 6 6 6 6
	CCURREN **3**	00. 00. 00. 00. 00. 00. 00. 00. 00.	18.	OCCURRENCE	000 000 000 000 000 000 000 000 000 00
	*** % 0(. 35 . 98 . 5 . 68 . 5 . 68 . 5 . 60 . 00 . 00 . 00 . 00	4.87		4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	***	. 00 5.81 6.21 6.21 00 00 00 25.00 00 00 00 00 00 00 00 00 00 00 00 00	4.94	* * * * * * * * * * * * * * * * * *	5.54 6.78 6.78 7.67 7.64 9.48 9.48 9.17 10.11 7.91 7.91 7.91
	* * * * * * * * * * * * * * * * * * * *	97.04 99.72 18.89 15.37 9.21 00 50.00 25.00 33.33 .00	26.70	* * * * * * * * * * * * * * * * * * * *	100.00 299.72 21.88 15.49 7.67 7.67 9.39 16.89 17.61 12.80 12.80
	VALID SKY	00575 00726 02927 02915 02160 00000 000004 00000 00000 00000 00000 00000	09327	VALID	00545 00726 02528 02609 01750 02015 02356 01930 02093
	VEAR	1966 1967 1968 1969 1970 1971 1975 1975 1975 1976	- 4	VEAR	1966 1968 1968 1969 1970 1971 1972 1976 1978

 32.42

11.64

TOTALS FOR 14 YEARS 4.68 6.19 7.65

6.17

6.24

8.41

15.70

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR SACHON, KOREA, WMO STATION 471610. TABLE A-25.

	SKV	0861	0871	2909	2920	2180	0000	0000	0005	0002	0000	0000	0000	0000		9745
	**** ERR4	0000	0000	0000	0000	0000	0000	0000	0000	0000	0005	1000	1000	1000		9 000
	********* CLOUD LAYERS ****** ALID ERR#1 ERR#2 ERR#3	0000	0000	0179	0000	0000	1000	1000	0000	0000	0000	0000	0000	0000	YEARS	0181
_	OUD LAYEF ERR#2	0000	0000	0030	0025	6000	0000	0000	0000	0000	0000	0000	0000	0000	5 FOR 13	0064
(a)	ERR#1	0000	0000	0275	0000	0125	0550	0576	0301	0051	0056	0034	0015	0018	TOTALS	2001
	VALID	0861	0871	2425	2895	2609	1483	1839	1960	2328	2000	1763	2062	2562		25658
	#DATA RECORDS	00861	1 2 8 0 0	02909	02920	02743	02034	02416	02261	02379	02058	01798	02078	02581		27909
	VEAR	1966	1961	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978		13

(P)

INVALID OBS	00000000000000000000000000000000000000	00000
S * * * S	000004000000000000000000000000000000000	
*** 085 AVG S	1.000 1.000 1.000 2.000 2.000 2.000 2.000 2.000	
***	000000000000000000000000000000000000000	00.
8	000000000000000000000000000000000000000	.00
*8** *****	000000000000000000000000000000000000000	00.
EACH TVPE **6** *	000000000000000000000000000000000000000	VEARS .00
-	000000000000000000000000000000000000000	FOR 13 V
OBSERVATIONS OF	000000000000000000000000000000000000000	TOTALS F
OF OBS	800000000000000000000000000000000000000	00.
*****	.00 .00 .00 .00 .00 .00 .00 .00 .00 .00	65.08
****	00.000 00.000 00.000 13.67 00.000 00.000 00.000 00.000 00.000 00.000 00.000	34.91
* * * * * * * * * * * * * * * * * * * *	000000000000000000000000000000000000000	00.
VALID OBS	00861 00871 02920 02743 02743 02746 02261 02379 01798 02058	27909
YEAR	1966 1967 1968 1970 1971 1972 1975 1975 1975	13

INVAL 1D SKV	00000 00000 00000 00000 000563 02058 02259 02377 02058 01798	18164	INVALID TCC	000000	00025	00551	00577	00301	00028	00035	0000	02251
*** SKV *** AVG SDV	.000 .000 .000 .000 4.102 3.197 4.339 3.216 4.857 3.120 .000 .000 6.500 .707 6.000 1.414 .000 .000 .000 .000		7CC .	000.	.334 3.	237 2.	.568 2.	.336 3.	36 3.	.573 3.	. 189 O. 1.	
* * * * * * * * * * * * * * * * * * * *	000000000000000000000000000000000000000	. 17	* * * * * * * * * * * * * * * * * * *	90.4	1.42	3.18		94.	. 30	. 17	.35	17.
* * * * * * * * * * * * * * * * * * * *	23.72 23.72 28.56 33.07 00 .00 .00	23.04	* * * * * * * * * * * * * * * * * * *	.00. .00.	27.25	29.51	41.49	27.76	26.80	36.19	28.81	28.16
SKY ****	. 00 11.55 10.27 12.34 12.34 12.34 10.00 50.00 50.00	9.31	TCC ***	00.0	0	12.11	ວດ	8.27	7.40	6.35	96.7	8.18
A FOR	. 00 . 00 7 . 77 8 . 18 8 . 12 8 . 12 . 00 . 00 . 00 . 00 . 00 . 00 . 00	VEARS 6.60	4 FOR	00.	: -:	9,0	20	(၀	ب. م		6.11	VEARS 0.45
EACH OCT.	0000 700 60000 60000 60000 60000 60000 60000 60000 60	3.92 (d)	EACH OCT	9.00	1 4	ĸ.	1 -	30	ຕຸທ	I.	5.63 5.00	FOR 13 5.04
ES IN	000 000 000 000 000 000 000	4.45	S 1 * 4 *	00.00	ί. 4	Θ.		١	ن 4	. a	4.36 5.00	TOTALS 4.79
OCCURRENC **3**	5. 78 5. 78 5. 78 6. 98 7. 78 7.	5.39	OCCURRENCE:	00.	6.39	6.02	6.95 70	9.13	6.96	6.52	6.21	
** % 0	5.00 5.00 5.00 5.00 6.00	17.5	*** % 0	00.	<u>س</u> ت	0	4 4	. ^	æ. c		8.10 8.74	. ~.
***		5.79	* * * * * * * * * * * * * * * * * * * *	8. 8.	•		•		8.16		•	
**	24.96 24.96 24.96 27.29 27.29 200 200 200 200	35, 63	* * * 0 * *	100.00	29.90	14.45	. 13	18.01	25.52	18.43	20.37	23.79
VALID	00861 02909 02909 02909 02909 00000 00000 00000 00000 00000	09745	VALID TCC	00861	02425	02609	01483	01960	02328	01763	02062	25658
2 4 U	1966 1967 1968 1969 1970 1971 1975 1976 1976	£ 13	VEAR	1966 1967	1968	1970	1971	1973	1974	1976	1977	13

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR GUATEMALA CITY, GUATEMALA, WMO STATION 786410. TABLE A-26.

9	#DATA	*****	**** CT(OUD LAVEI	********* CLOUD LAYERS ************************************	****	SKV
Y LA K	RECORDS	VALID	- X	*******	2	† K	VAC11
1970	69600	0963	0002	0000	0001	0000	7960
1971	01474	1466	0005	0000	0003	0000	1463
1972	01085	1077	9000	0000	0005	1000	1069
1973	01873	1865	0005	0000	1000	0005	1826
1974	02145	2141	0000	0000	0000	000	2102
1975	02389	2362	0013	0000	0000	0014	2201
1976	02149	2109	0032	0000	0000	8000	1917
1977	02499	2459	0035	0000	0000	0002	230€
1978	02387	2354	0027	0000	0000	9000	2240
1979	02369	2342	0023	0000	0000	0004	2226
			TOTALS	S FOR 10	YEARS		
Ç	19339	10138	0.00		6000	***	10313

(p)

VALID ************************************	***	***** %	0F 0BS	***** % OF OBSERVATIONS OF EACH TYPE ************************************	NS OF E	ACH TYP!	*****	*****	* * * * * * * * * * * * * * * * * * * *	* * * OB A V G	** OBS *** AVG SDV	INVALID OBS
9			00.	. 62	00.	00.	00.	00.	00.	.033	.339	00000
8.5		.61	00.	. 54	00.	00.	00.	00.	00.	.034	.332	00000
7		1.29	00.	00.	00.	00.	00.	00.	00.	.026	. 226	00000
6		2.24	.05	7.63	00.	00.	00.	00.	00.	.352	1.092	00000
2		1.91	00.	3.82	00.	00.	00.	00.	00.	191	.807	00000
9		7.79	00.	71.16	00	00.	00.	00.	00.	3.002	1.639	00000
7		10.61	00.	79.66	00.	00.	00.	00.	00.	3.399	1.273	00000
8.28	00.	7.56	00.	84.15	00.	00.	00.	00.	00.	3.517	1.181	00000
4		6.45	00.	84.12	00.	00.	00.	00.	00.	3.494	1.229	00000
8		6.16	00.	88.01	00.	00.	. 00	00.	00.	3.644	1.026	00000
,			į	TOTALS	FOR 10	YEARS	Ć	ć	ć			0
43.84	00.	5.24	5.	26.09	20.	00.	3.	5.	50.			00000

TABLE A-26. (continued)

(c)

INVALID SKV	00000	- 1000	0000	00047	00043	00188	00232	70100	100	00147	00143			01026	 				INVALID	ر د -	90000	80000	90000	80000	0000	7000	2000	0000	0000	00033	0000			00201	
*** SKV *** AVG SDV	5.214 2.901	.258 2.	.037 2.	.937 2.	. 183 3.	.920 3.	0 2 2 0		. 199 4.	.152 3.	,708 2.								S	AVG SDV	.049 2.89	.121 2.98	903 2.95	862 2 76	50 6 700	20.0 000.	10.00.00.00.00.00.00.00.00.00.00.00.00.0	06.7 /18.	.052 2.99	ص ص	.507 2.91				
* * * * * * * * * * * * * * * * * * * *	.21	.21	. 28	.05	00.	. 73	63	3 1	96.	49	.40			38					* * *	* *6* *	.31	. 20	28			9.0	0.0	79.	.61		.43			.40	
* * * * * * * * * * * * * * * * * * * *	35.68	9.6	Э. 4	.	0.0	- 4			8. /	<u>ი</u>	7.6			30)				* *	* 8 * *	N	9		- 0	200	o o	Y	\sim	4	37.26	4			37,45	
SKV ****	11.51	0.	2.3	æ	9	S	•		٣,	S.	9.48			9					*	**7**	0	σ	. ^	٠, ٥	? (ກ 1	`.'	۰.	S.	7.39	9,			9.72	
TA FOR **6**		٠	•		•		•	٠	•		7.05		•	VEAKS 7 RE	ů.				4 FOR	**9**	6			i	•	4	٥.	4	٦.	7.14	4		α	_	•
EACH OC **5**		•	•		•	•	•	٠	•		4.90			707 0. 407	?		(۲))	EACH OCT	* 5	ي	? <	י כ	•	٠,	?	۲,	. 7	٣,	6.58	۲.		-	g	•
CES IN	-	5	٦.	<u>ۍ</u>	4	. "	•	٥.	۲.	4	46.			⋖	٥٠٥				ICES IN		33		9 0	06.0	5.63	6.49	6.14	6.31	5.69	6.29	4.91		SIATOT	500	•
OCCURRENCE **3** *	•	•	•		•	•	•	•		•	20.0			•	6.19				OCCURREN	** ****	1		<u>.</u>		ъ.	9	9	7	7	9	5.89			6 67	?
** * * *	ტ	S.	۳,	. ~		. 0	0	٥.	-	٠,	98.0			(5.83					**2**	60.3	9.07	7	7.34	4.02	6.26	6.35	6.92	5.73	7 18	6.83				.0
* * * * * * * * * * * * * * * * * * * *	89	. ~	α.	• •	•	•		σ.	4		,			(66.9					**1*		•	•	•	•	•	•	•	•	•	7.05	•		4	24.
* * * * 0 * *	11, 10	12.65	11 23	90.9		0.1.	14.35	11.37	12 62	70.7	00.0				11,35				***	**0**	•	. ·	4	٧.	8	7.6	9	0.7	٠,	. ^	6 97				80.0
VAL ID SKV	00964	01463	03010	40010	0.000	70170	02201	0.1917	30800	0430	07770	07770			18313				01.14	100	6	00963	01466	01077	01865	02141	02362	02109	02450	00400	0230	1			19138
< F A	07.61	1671	1972	1631	0.00	8/6	1975	1976	1027	1161	8/6	n n			10					VEAR	6	0/61	1971	1972	1973	1974	1975	1976	7401	9401	0/6/				<u>o</u>

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR SAN SALVADOR, EL SALVADOR, WMO STATION 786630. TABLE A-27.

			(a)	<u> </u>			
	#DATA RECORDS	****** VALID	********* CLOUD LAVERS ************************************	OUD LAVER	45 **** ERR#3	**** ERR4	SKY VALID
	00812	0803	0004	0000	0002	0003	0804
	00931	0922	0007	0000	0001	1000	0925
	97600	0880	0073	0000	1000	0024	6990
	01996	1899	0064	0000	0000	0033	1792
	02256	2165	0064	0000	0000	0027	2047
	02192	2092	0800	0000	000	9100	1999
	02284	2112	9600	0000	0000	0017	2012
1977	01897	1814	0071	0000	0000	0012	1705
	02211	2114	0083	0000	0000	0014	1929
	01601	1503	0088	0000	0001	6000	1345
			TOTAL	S FOR 10	YEARS		
	17158	16364	0629	0000	9000	0159	15227

(p)

YEAR	VALID OBS	•••0••	*****	***** %	0F 0BS	ERVATION **4**	45 OF E	serecestrateres % OF OBSERVATIONS OF EACH TYPE extraterestrates	*****	* * 8 * *	** 6 * *	*** 0BS *** AVG SDV	S ***	INVALID OBS
1970	00812	98.77	00.	. 74	00.	. 49	00.	00.	00.	00.	00.		.328	00000
1971	00931	99.25	00.	.54	00.	. 21	00.	00.	00.	00.	00.		. 236	00000
1972	87600	68.61	00.	31.39	00.	00.	00.	00.	00.	00.	00.		.929	00000
1973	01996	34.02	00.	10.12	00.	55.86	00.	00.	00.	00.	00.	2.437	1.846	00000
1974	02256	35.51	00.	8.87	00.	55.63	00.	00.	00.	00.	00.		1,867	00000
1975	02192	26.78	00.	8.49	00.	64.74	00.	00.	00.	00.	00.		1,757	00000
1976	02284	14.67	00.	11.78	00.	73.56	00.	00.	00.	00.	00.		1.464	00000
1977	01897	14.87	00.	9.80	00.	75.33	00.	00.	00.	00.	00.		1.465	00000
1978	02211	12.48	00.	12.84	00.	74.67	00.	00.	00.	00.	00.		1,393	00000
1979	01601	18.43	00.	15.87	00.	65.71	00.	00.	00.	00.	00.		1.572	00000
						TOTALS	FOR 10	VEARS						
10	17158	32.94	00	11.07	00.			00.	00.	00.	00.			00000

eseco e esecciones e esecuena

(c)

AL ID KV	00008 00006 00309 00204 00209 00193 00192 00192 00282	931		INVALID TCC	000009 000098 000097 000097 000112 000083 000097 00098
INVALI	000000000	0		NH	000000000000000000000000000000000000000
* * * * NGS	456 446 462 639 679 679 696 857 857			* * * SDV	.509 .530 .491 .652 .652 .700 .700 .700 .813 .813 .813 .813
×	22 2 2 2 2 3 3 3 3 5 5 5 5 5 5 5 5 5 5 5			** TCC AVG	897 2 388 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
* * * *	44444444444444444444444444444444444444			* * A V G	₩ 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
* * * * * * * * * * * * * * * * * * *	000000000000000000000000000000000000000	.27		* * * * * * * * * * * * * * * * * * * *	000
* * * * * * * * * * * * * * * * * * *	2.49 5.51 2.39 14.51 1.31 11.82 15.55 16.21	11.43		* * * * * * * * * * * * * * * * * * * *	2.37 5.10 4.66 14.06 9.05 10.43 11.08 11.08 11.08
* * *	. 52 . 49 . 10 . 10 . 25 . 66 . 66 . 66 . 76 . 33	<u>.</u>		* * *	. 55 . 92 . 80 . 03 . 83 . 83 . 93 . 93 . 93
SKY	21. 26. 28. 23. 27. 22. 23.	24.		TCC :	20 22 22 22 22 22 22 22 22 22 22 22 22 2
EACH OCTA FOR	16.29 12.86 12.68 13.68 12.56 10.91 10.91	VEARS 12.46		TA FOR **6**	14.57 13.23 13.86 12.37 12.33 12.20 10.69 10.83 10.25
4 0 C	71 76 79 30 30 62 62 65	10	(P)	CH OCTA *5**	
EACH ++5	ფე ტ∧ ## # # # # # # # # # # # # # # # # #	FOR 8		E A C	7 8 8 8 7 7 7 8 8 8 8
CES IN **4**	8.33 8.67 9.27 6.39 1.00 7.00 7.00 8.39 8.39	10TALS 6.94		CES IN	7.60 8.13 8.30 6.79 7.11 6.36 6.23 6.67 5.92
OCCURRENCES **3** ***	11.07 11.78 11.81 6.81 6.80 8.20 9.29 7.74 7.36	8.43		OCCURRENCE **3** *	10.09 10.34 10.34 10.34 1.50 8.04 7.50 8.51 8.51 6.39
* %	. 70 . 35 . 37 . 64 . 75 . 75 . 10 . 39 . 32	40		* 5 * 0	90. 90. 90. 90. 90. 90. 90. 7.
* * * 2	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	7.		* *	11 88 88 7 7 7
* * *		. 89		**	7.56 3.145 3.145 3.148 3.148 2.79 2.79 1.60 1.76 1.76 1.76
				* *	
* * * 0 * *	7.84 7.14 8.52 9.71 11.77 11.06 15.19 15.19 20.52	2.92		***0**	7.85 7.16 6.25 9.11 11.18 11.04 15.05 14.19 18.83
		-			
VALID SKY	00804 00825 00669 01792 02049 02012 01929 01329	15227		VALID	00803 00922 00880 01899 02165 02172 01814 02114 01503
VEAR	1970 1971 1972 1973 1974 1975 1976 1978	0		VEAR	1970 1971 1972 1973 1975 1976 1978 1978

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR TEGUEIGALPA, HONDURAS, WMO STATION 787200. TABLE A-28.

	#DATA	****	010 ****	UD LAYE	RS ****	*****	ZKV
YEAR	RECORDS	VALID	VALID ERR#1 ERR#2 ERR#3 ERR	ERR#2	ERR#3	ERR4	VALID
1971	01495	1424	1100		•		,
1972	01364	1200	- 6		9 4 0		1487
1973	01330	000		0000	0045	001	1295
1 .		0151	6000	0000	0003	2100	1311
3/4	01970	1953	0003	0000	0000	7100	- 10
1975	01949	1934	4000			5 6	/ 68
1076	7000	1000			0000	1100	1916
0 / 6 /	450.0	1821	000	0000	0000	0012	
1977	01812	1788	7000			N 1	7701
1070	0	000	000	0000	0000	0017	1781
0/6	9 8 0	1900	000	0000	0000	0010	1001
1979	01871	1860				7	000
		000	- 000	0000	0000	0010	1845
			O LATOT				
60	15550	15288	0050		VEAKS 0004		
))			2	66761

(P)

** OBS *** INVALID AVG SDV OBS	. 258 . 426 1. 151 . 456 . 604 . 533 . 492	
) *** ****** 5\A **@**	.000 .020 .000 .388 .000 .049 .000 .061 .000 .000	ç
* ***** ***	000000000000000000000000000000000000000	00
	888888888	00
EACH TYPE	0000000000	YEARS .00
OF OBSERVATIONS OF !	000000000000000000000000000000000000000	FOR 09
SERVATI	.33 .00 .00 .91 .91 .1.13 .1.49 .1.49 .1.15	TOTALS
*	000000000000000000000000000000000000000	0.
*****	. 33 4.77 1.94 1.94 . 56 . 77 . 77 . 65 1.32 1.32	1.36
****	000000000	00.
*****	99.33 95.23 89.32 98.48 98.10 97.19 97.23	96.89
VALID OBS	01495 01364 01339 01970 01949 01832 01916 01871	15550
VEAR	1971 1973 1973 1974 1975 1976 1978	60

(c)

INVAL ID SKV	000008 000028 00013 00013 00012 00031 00031	00251		INVALID	000071 00066 00029 00017 00015 00024 00016	00262
*** SKV *** AVG SDV	5.223 2.438 5.165 2.486 5.478 2.174 5.249 2.267 5.091 2.267 4.968 2.321 5.171 2.149			*** TCC *** AVG SDV	5.070 2.520 5.046 2.554 5.356 2.265 5.051 2.351 4.944 2.432 4.895 2.361 5.003 2.245 5.495 2.104	
* * * * * * * *	000000000000000000000000000000000000000	40.		* * * * * * * *		.07
* * * * * * * * * * * *	15.87 13.82 13.20 11.50 12.89 8.73 8.37 8.71	11.60		* * * * * * * * * * *	15.87 13.02 13.02 12.22 12.25 12.25 13.89 13.66	11.53
SKV ***:	23.13 28.96 28.22 27.95 27.95 25.94 25.46 31.71	27.16		*****	22.40 26.73 26.87 25.35 23.37 25.48 22.82 23.47 28.92	24.99
4 FOR	21.12 15.37 21.13 18.40 17.84 17.84 18.25 20.21	VEARS 18.77		OCTA FOR	18.40 20.46 20.46 17.51 16.39 16.42 16.53 18.89	YEARS 17.51
EACH OCT,	9.41 8.96 11.37 11.09 10.70 11.23 14.32	FOR 09	(P)	EACH 0(9.13 9.09 10.91 10.91 11.70 11.59 11.88	FOR 09
и * Х *	5.65 6.72 7.70 7.70 8.18 9.76 9.57 7.70	TOTALS B.33		NCES IN ****	5.62 7.20 7.40 8.19 9.57 9.56 9.56 7.74	TOTALS B.30
OCCURRENCES **3** **	7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.	6.91		OCCURRENCES	6.55 6.55 6.55 7.24 7.24 7.63 8.33 8.33 8.33	7.20
0 * * * * * * * *	8.74 6.88 6.58 7.58 8.59 7.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	5.94		**	10.18 6.39 6.81 6.81 6.92 6.92 6.82 78	6.61
* * * * * * * * * * * * * * * * * * * *	6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00	5.26		* * * * * * * * * * * * * * * * * * * *	7.02 6.70 6.70 8.86 9.10 9.10 7.89 7.89 6.18	8.03
* * * * * * * * * * * * * * * * * * * *	7.80 9.40 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.5	4.65		* * * * * * * * * * *	60.08 60	4.47
VALID SKY	01487 01295 01311 01957 019 16 01822 01781 01885	15299		VAL1D TCC	01424 01298 01310 01953 01934 01788 01900	15288
V = A R	1971 1972 1973 1975 1976 1977 1978	60		VE AR	1971 1972 1973 1974 1975 1977 1978	60

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR MANAGUA/SANDINO, NICARAGUA, WMO STATION 787410. TABLE A-29.

YEAR	#DATA RECORDS	****** VALID	++++++++++++++++++++++++++++++++++++++	UD LAVER ERR#2	ERR#3	**** ERR4	SKY
1970	67100	0735	1000	0000	0043	0000	0779
1971	69800	0804	0005	0000	0900	0000	0865
1972	00640	0623	0002	0000	0012	0003	0614
1973	01381	1363	00100	0000	0000	0003	1316
1974	01874	1841	0028	0000	0000	0005	1809
1975	01698	1645	0038	0000	0000	0015	1565
1976	02275	2203	0049	0000	0000	0023	2035
1977	02385	2290	8900	0000	0000	0027	2098
1978	02273	2200	0065	0000	0000	8000	1954
1979	02102	2024	0000	0000	0000	8000	1742
			TOTALS	FOR 10	VEARS		
0,	16276	15728	0336	0000	0120	2600	14777

(P)

	VALID	*****	-	******* % OF OBSERVATIONS OF EACH TYPE	OF OBS	ERVATIO	NS OF E	ACH TYP		********	*****	*** 082 ***	*** S	INVALID
VEAR	088	* **0**	*	**5**	**3**	***	**2**	**9**	****	**8**	**6**	AVG	SDV	088
1970	67100	100.00	00.	00.	00.	00.	00.	00.	00.	00.	00.	000.	000.	00000
1971	69800	99.62	00.	. 12	00.	. 23	00.	00.	00.	00.	00.	.012	. 203	00000
1972	00640	60.96	00.	3.91	00.	00.	00.	00.	00.	00.	00.	.078	.388	00000
1973	01381	73.06	00.	4.63	00.	22.30	00.	00.	00.	00.	00.	.985	1.669	00000
1974	01874	83.62	00.	3.36	.05	12.91	00.	00.	00.	.05	00.	. 590	1.376	00000
1975	01698	70.44	00.	7.54	00.	21.38	00.	00.	00.	. 65	00.	1.058	1.738	00000
9261	02275	43.78	00.	10.51	00.	45.71	00.	00.	00.	00.	00.	2.039	1.892	00000
1977	02385	31.07	00.	11.74	00.	57.19	00.	00.	00.	00.	00.	2.522	1.805	00000
1978	02273	21.82	00.	14.17	00.	64.01	00.	00.	00.	00.	00.	2.844	1.650	00000
1979	02102	18.17	00.	17.08	00.	64.75	00.	00.	00.	.00	00.	2.931	1,565	00000
						FOTALS	FOR 10	YEARS						
10	16276	53,13	00.	1.10	.0.		00.	00.	00.	.07	00.			00000

_	
(J
_	_

INVALID SKV	00000	00026	9000	00065	00133	00.00	00000	00700	67.500	00360			01499				INVALID	ر د ا	00044	00065	00017	00018	00033	00053	00072	36000	00073	8/000	0.05.48	
*** SKV *** I AVG SDV	314	565 2 513	707 2.696	211 2 929	2001 2 000	200.2	100.0 400.	.786 3.055	.821 2.970	.124 2.949							*** JOL ***	AVG SUV	.607 2	.843 2.3	.262 2.5	.493 2.7	.117 2.9	.946 2.9	3.0	.687 3.0	.590 2.9	.979 2.9		
* * * * * * * * * * *	00.		200			0	<u>د</u> .	.05	00.	90.			30	;			* * * * *	*	•	9	4	0	00.	0	.05	00.	00.	.05	ć	80.
* * * * * * * * * * * * * * * * * * * *	34.15	· ·			•	٠. م	<u>-</u>	ω 4.	.9	2			09 66) ,			*	* * & *	30.07	36.69	30.82	39.25	19.61	33.01	29.64	30.92	26.95	33.00	C	30.32
SK- ***	15.79	- (٠, ٠ د د د	. o	96.	03	. 16	. 63	. 21	ע ע)			0.0			TCC ***	***	16.46	15.17	12.04	10.64	10.21	9.97	9.40	00.6	10.36	10.03	1	66.01
A FUR **6**	11.55	٦, ١	`.'	- '	`.	ဖ.	٦.	~	ၾ	. u			VEARS	B / . B			CTA FOR		ω,	9	6	0	4	0	7.58	3	٠,	. 2	YEARS	•
5	10.53	4.	٦.	ກ (∾.	Ф.	Ф.	0	_			,	O 1	7		(P)	O	*	٦.	4	7	4	٦.	S	7 13	3.	S.	Θ.	FOR 10	φ.
N * 17 * *	7.70	5.43	8.31	6.00	7.30	7.22	6.44	7 29	7		0.03		TOTALS	◌.			S	*	7.76	65.9	10.11	5.65	7.93	69.9	6.85	7.42	7.41	7.11	TOTALS	~:
OCCUREEME	6.42		6.51						•	•	•			7.19			OCCURRENCE	**O**	6	. 0	_	. cr	00	ď	7.72	7.	α.	ω.		7.66
* * * * * * * * * * * * * * * * * * *	7.19	5.32	10.26	6.61	9.61	6.65	6 73	7.00		0.	6.95			7.32			ی		۲٠,	. •	كا (. J		. ת	90.00	Θ.	3.	9		7.69
* * * * * * * * * * * * * * * * * * * *	6.03	. 2	5.37	ω.	٦.		ی د		٠,	٥.	~			7.59			*	**~ *		? ^	. <	. 4	ŗ -	·	3 (*	00	0	9.88		9.43
* * * * () * *	. 64	1.16	2.61	69.9	16 69	10 29	10.40	0.4.0	14.75	12.49	11.19			11.03			*****	**0**	ď		. 0.5	9 3	36.35) C	2 4	20.00	11.55	10.03		10.54
VALID SKY	67700	0.0865	00614	01316	01804	0 40	0.000	05020	02038	01954	01742			14777			VALID	TCC	00736	00000	00004	0100	01363	1010	0.043	05220	02200	02024		15728
4 A B B	07.50	1971	1972	1973	10.70	100	0.10	9/6	1977	1978	1979			0.1				VEAR	0401	0/67	- 66-	2161	20.0	100	1975	2/01	10.18	1979		10

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR SAN JOSE, COSTA RICA, WMO STATION 787620. TABLE A-30.

	#2 ERR#3 ERR4 VALID	0000 0013	0000 0016	0000 0018	0002 0015	0001 0007	1000	: 06 YEARS	
	VALID ERR#1 ERR#2 ERR#3 ERR4	0033	0017	1852 0161 0000	0196	0188	0133 (TOTALS FOR UG	1000
•	RECORDS VAL	02077 20							00000
	VEAR	1974	1975	1976	1977	1978	1979		•

(P)

VEAR	VALID OBS	** **0**	******	*****	0F 08S	ERVA 7 10	NS OF E.	********* * OBSERVATIONS OF EACH TYPE ************************************	**/**	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	*** 580 ***	INVALID
•	1						1	>				A00 504	S B O
19/4	02011	43.72	00.	9.82	00.	46.46	00.	00.	00.	00.	00		0000
1975	02173	39.48	00.	8.65	00.	51.82	00.	00.	00	0.05	000		
1976	02031	24.08	00.	18.91	00.	57.02	00	00	00				
1977	02307	19.72	00.	16.91	00.	63.37	00	000		000		1.00.1 650.2	2000
1978	02143	18.43	00.	17.73	60	63.74	000						0000
1979	02005	11 52	Č	17.31	2	3					3.		00000
))	1				9 .	20.	00.	00.	00.	00.		00000
			•										
90	12736	26.19	00	14 39	0	TOTALS	TOTALS FOR 06 YEARS	FARS	Ċ		Š		
) - -					9.00	20.	00.		- - -	00.		00000

(c)

INVALID SKV	00207 00192 00384 00390 00376 00283	01832			INVALID TCC	000046 000033 00179 00213 00196 00140	00807
*** SKV *** AVG SDV	4.724 3.104 4.899 3.111 4.126 3.251 4.332 3.215 4.794 3.240 5.321 3.086			1 , ,	*** TCC *** AVG SDV	4,735 3,105 4,873 3,104 4,227 3,221 4,368 3,201 4,761 3,197 5,275 3,082	
6	.00 .66 .12 .47 .28	. 39		•	* * * * * * * * * * * * * * * * * * * *	. 65 . 11 . 48 . 26	.38
*6** ******** *****	31.93 33.01 25.26 26.81 34.30	31.58			*****	31.51 31.96 25.54 26.70 32.72 37.64	30.97
SKV ***	10.53 12.12 12.26 11.32 11.83	12.06			1C/ ***	11.57 12.66 12.96 12.27 12.74 14.42	12.74
	8.68 6.44 7.98 7.07	VEARS 7.91				6.22 9.02 6.86 7.69 6.73 8.20	7.81
EACH OCTA FOR	5.99 5.50 5.71 6.00 6.40 5.28	FOR 06 5.81	(P)		EACH OCTA FOR		5.99
~ + Z +	6.26 5.00 4.86 4.59 4.02	TOTALS 4.82			CES IN		4.50
*** % OCCURRENCES **2** **3** **	5.72 5.00 5.04 6.68 5.60	5.45			** % OCCURRENCES **2** **3** **	4.43 4.77 4.81 6.26 6.16 5.09	5.26
** **	6.15 6.11 6.25 5.69 4.07 2.61	5.18			*	5.76 6.23 6.26 6.16 7.57 2.95	5.18
* * * * * * * * * * * * * * * * * * * *	8.77 8.28 9.41 7.62 4.24	1.1.7			* * * * * * * * *	11.28 10.89 11.34 9.26 6.01 5.68	9.13
* * * 0 * *	16.31 15.65 24.65 22.85 22.18 17.13	19.68			******	15.07 14.49 21.81 21.06 20.18 15.92	18.03
VALID SKV	01870 01981 01647 01917 01767	10904			VALIP 1CC	02031 02140 01852 02094 01947 01865	11929
Y A R	1974 1975 1976 1977 1978	90			YEAR	1974 1975 1976 1977 1978	90

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR TOCUMEN, PANAMA, WMO STATION 787920. TABLE A-31.

		в)	~			
#DATA RECORDS	****** VALID	********** (LOUD LAYERS ************************************	UD LAYER ERR#2	RS ******	* * * * * * ERR4	SKV
02298	2160	0129	0000	0000	6000	0296
02247	2209	0032	0000	0000	9000	1215
02403	2321	0073	0000	0000	6000	0000
02727	2601	0122	0000	0000	0004	0000
02638	2523	0109	0000	0000	9000	0000
02674	2541	0133	0000	0000	0000	0055
02784	2721	0059	0000	0000	0004	0005
		TOTALS	FOR 07	VEARS		
17771	17076	0657	0000		0038	1878

(p)

YEAR	VALID OBS			*****	0F 0BS	**************************************	48 OF E	4.6**	*****	* * * * * * * * * * * * * * * * * * * *	**6**	*** 08 AVG	*** 085 *** AVG SDV	INVALID OBS
1973	02298	2.22	00.	74.06	.00	23.72	00.	00.	00.	00.	00.	2.430	.924	00000
1974	02247	5.25	00.	45.84	00.	48.91	00.	ეი.	00.	00.	00.	2.873	1.185	00000
1975	02403	00	00.	99.58	00.	.42	00.	00.	00.	00.	00.	2.008	. 129 .	00000
1976	02727	00	00	100,00	00.	00.	00.	00.	00.	00.	00.	2.000	000.	00000
1977	02638	00	00	100.00	00.	00.	00.	00.	00.	00.	00.	2.000	000.	00000
1978	02674	40	00	97,91	00.	2.06	00.	00.	00.	00.	00.	2.040	. 287	00000
1979	02784	00.	00.	99,93	00.	.07	00.	00.	00.	90.	00.	2.001	. 054	00000
07	17771	96.	, 00°	89.42	00.	10TALS 9.63	FOR 07	YEARS	00.	00.	00.			00000

TABLE A-31. (continued)

SOURCE DESCRIPTION OF RESOURCE

	_
١	د

INVALID SKV	01702 01032 02393 02727 02638 02619	15893		INVAL ID TCC	00138 00038 00082 00126 00115 00133 00063	
*** SKV *** AVG SDV	6.552 2.338 5.331 2.656 6.500 2.593 .000 .000 4.945 2.690 3.000 1.414			*** TCC *** AVG SDV	5.968 2.218 5.325 2.573 5.179 2.511 4.207 2.646 4.298 2.644 4.759 2.542	
* * * * * * * * * *	0800000	.05		* * * * * * * * *	.000.000.000	
* * * * * * * * * * * * * * * * * * * *	65.44 36.79 70.00 .00 25.45	45.69		7CC ***********************************	35.14 31.19 22.40 15.57 15.89 16.25 18.56	
**************************************	4.70 8.40 .00 .00 .12.73	7.29			19.58 13.72 20.77 12.30 13.24 15.35 17.57	
1A FOR	94.4 00.0 00.0 00.0 00.0	VEARS 7.61		EACH OCTA FOR **5**	10.09 9.60 8.83 8.23 8.56 7.56 9.22 YEARS	
EACH OCTA FOR **5** **6**	4.87 7.08 10.00 .00 .00 .14.55	FOR 07 6.60	(p)		11.57 9.82 12.97 13.07 11.77 12.55 10.88	
LES IN	5.70 9.88 .00 .00 .00 9.09	TOTALS 8.52		** % OCCURRENCES IN	9. 70 9. 65 9. 05 9. 30 11. 26 10. 04 7. 98	
OCCURRENCES IN **3** **4**	3.19 6.67 6.67 00.00 00.00 8.64 000.	5.48		OCCURRE	3.10 3.06 3.06 3.06 3.08 4.28 6.87 7.22	
1** **2**	5.54 7.98 .00 .00 3.64 50.00	7.08		*	7.11 7.11 9.30 9.30 7.33 10.78 13.34	
* *	5.87 12.59 10.00 .00 20.00	10.65		* * -	7.36 13.54 16.03 28.49 27.86 23.53 15.55	
* * * * 0 * *		1.01		*****	727. 	
VALID SKV	00596 01215 00010 00000 00000 00055 00005	01878		VAL ID	02160 02209 02321 02601 02523 02541 02721))
VEAE	1973 1974 1975 1976 1977 1978	60		YEAR	1973 1975 1975 1976 1978 1978	ò

DIAGNOSTIC STATISTICS PERFORMED ON THE DATA FOR HOWARD AFB, PANAMA, WMO STATION 788060. TABLE A- 32.

				INVALID OBS	
				* * * SDV	0000 0000 0000 0000 0000 0000 0000 0000 0000
	SKY VALID	2920 2920 2927 1472 1472 0000 0000 1691 1594 1464 1464 1626 1577 1503		*** 0BS AVG	2.000 2.000 2.000 2.000 2.000 2.000 2.000 2.000 2.000 2.000 2.000 3.000 3.000 4.000
		·		***	
	***** ERR4	00000 00000 00000 00000 00000 00000 0000		*** ********	000000000000000000000000000000000000000
	S ****** ERR#3	00001 0000 00172 00172 0000 0000 0000 00		******	000000000000000000000000000000000000000
	CLOUD LAYER	07781 07772 00001 00000 00000 00000 00000 00000 00000 0000		OF EACH TYPE 5** **6**	νε Α R S S S S S S S S S S S S S S S S S S
(a)	*** CLOU	0016 0028 1109 0000 0000 00235 0130 0063 0063 0000 0000 0000 0000 0000	(p)	v> #	for the following state of the following stat
	********	2121 21121 0287 00275 0107 0107 2689 2780 2857 28176 2916 2916 2916 2915 2915 2915 2915 2915 2915 2915 2915		OBSERVATION	. 00 . 00 . 00 . 00 . 00 . 00 . 00 . 00
	* >	66		OF 085	
	#DATA RECORDS	02920 02920 01473 001473 002920 02920 02920 02919 02919 02919 02919 02919 02919		*****	.000 .000 .000 .000 .000 .000 .000 .00
	YEAR	1962 1964 1965 1966 1966 1968 1969 1973 1974 1975 1976 1978 1979 1980		* * * * * * * * * * * * * * * * * * * *	23.18
				VALID OBS	02920 02920 019473 001473 00107 002920 02920 02918 02918 02918 02919 02920 02920 02920 02990 02899
				YEAR	1962 1964 1965 1965 1966 1970 1975 1975 1978 1979 1979 1979

	INVALID	00000	Ō	\circ	$\overline{}$	00000	Ō	Ň	Ñ	ā	2	\sim	m	Ň	in	10	Ň		4 P			21058			INVALID	(1)	\circ	◂	a	\sim	$\supset c$	n (1 1	3 6	rc	٦ C						00025	30030	02000
	*** SKV *** AVG SDV	.498 3.05	557 2.98	.690 2.95	.553 3.29	000.	000	00 . 70	000 .000	000.000.	23 2.34	.984 2.65	.172 2.93	.727 2.98	624 2.79	837 2.54	740 2 57	054 2 97	70.7 10.0	.010.					*** TCC *** AVG SDV	.199 2.96	85 2.91	11. 7	00. 00	00. 00	000. 000.	304 2.23	474 2 2.07	10.7 4/4.	70.7 000.		683 2 99	529 2.81	A12 2 52	602 2.62	380 2 72	5,698 2,363		
	* * * * * * * * * * * * * * * * * * * *	. 10	. 17	00.	00.	00.	00.	00.	00.	00.	00.	00.	. 13	00.	00.	00		86	3			.04			* * * * * * * * * * *	.57	. 24	0	00.	0	0	2 (> (2	> C	5	3.5	0				00.	Ġ	٩ ٥
	8	-	7	3.5	3.7	00.	0	0	0	•	^	5.9	8.2	3.5	6.9	7		, c	•	₹	1	37.37			* * * * * * * * * * * * * * * * * * * *	7.6	26.55	٥.	00.	00.	۰,	ກ (9.0	 	- u	9 0		. 0			מינ	31.43	u u	36.58
	SKV *** **7**	5.1	_	5.1	6.7	00.	0	О.	0	٥.	~	2.9	80	σ,	۳.	•	•	. ^	•	•		16.04			TCC ***	2	7	0	0	0	٠,	8.9	4 r	 	9.0		٠,	· C		1 C	0	18.44		50.11
$\overline{}$	TA FOR	00.	00.	00.	00.	00.	00.	00.	00.		12.95	ö	•	•	•		•	•	٠	•	YEARS				CTA FOR	9	-	٥.	0	0	٥.	Ď.	4.0	9.0	- 1	. u			. ^	٠ د		12.06	VEARS	•
၁)	EACH 0C **5**	0	0	0	0	00.	O	0	0	٥.	_	۲.	۲.	S.	-	σ		י כ	? (?	FOR 18	٦.	P)	•	EACH 0(4	1	0	0	0	0	7.			, ,	7 0	٠, ٣		. «	. ~	٠ ۲	9.29	FOR 18	`.
	******	00.	00.	00.	00.	00.	00.	00.	00.	٠	10.41	٠	•	•			•	•	•		TOTALS	Υ.			NCES IN	9.	2	0	0		0	٠. د	ગ લ	, c	ņ	۰,	t ư		. ^	. 0	٦,	24.24	TOTALS	٦.
	CCURRENC **3**	0	0	0	0	00.	0	0	0	٥.	ဖ	σ.	١.	S	1	. –		. a	9 0	າ.	•	4.43			OCCURREN **3**	٦.	10.68	0.	00.	0	0	٠.	۰۹	ე ი	1 0	` `	3.0	. "	9 0) K	٦.	7.26		6.61
	O * * * * * * * * * * * * * * * * * * *	2.1	0	2.1	8.6	00.	0	0	О.	٥.	\sim	۲.	თ	7	4	``	. "	; -		٥.	•	14.28			**2**	7.0	æ	'n	0	0	0	7.	. ·	7 0	9	٠, ٥		. –	ي .	ى د	<u>ب</u>	6.13	•	1.57
	***	00.	00.	00.	00.	00.	•	50.00	00.	00.	٠	•	6.91		5.87	•	•	•	77.	•	ı	G. 5.			**-*	۲.	_	٥.	0	0	0	ů.	Ď,	٠,	- •	- 0	۳.	ى د	, ע	. ^	: a	3.72	i C	5.75
	* * * 0 * *	r.	6	٦.	18.4	100.00	00.00	0.0	0	٥.	2	9.	8	σ.	9	· C	•				(69.6			**0	5.8	0.4	99.62	0.00	0.0	o. oo	2	20	? ?	•	•	, a) (T		. 4	. 4	3.47	ſ	g. 39
	VAL 1D SKY	02920	02920	02927	01472	00100	00205	00005	00000	00000	01691	01594	01535	01453	01464	01468	01626	01577	200	50010	•	74464			VAL1D TCC	212	211	028	027	010	020	897	200	200	0 0	9 6	202	291	600	288	280	02853	20000	38486
	VEAR	•	Θ	9	ø.	1966	o 1	ശ	ഗ	^	^	~	~	^	_	~		٠ α	3 0	n	•	<u>0</u>			VEAR	ယ္	ဖ	Ç	φ	(C)	တေ	9	9 6	• •		٠,	. ^			_	• •	1981	a	D -

TABLE A-33. KEY TO THE OBSERVATION TYPE CODES USED IN TABLES A-1 (b) TO A-29 (b).

Code	Type of Observation
0	Synoptic
1	Airways
2	METAR
3	Merged Synoptic-Airways
4	Merged Synoptic-METAR
5	Reserved
6	Aero
7	SMARS
8	Merged Synoptic-Aero

APPENDIX B CORRECTIONS TO VERTICAL LINE-OF-SIGHT CALCULATIONS

During editing of the report, it was pointed out by Major Albert Boehm of AFGL that the formula for P(c=1|x) in Equation 4. is in error. P(c=1|x) is the probability of encountering a cloud along a randomly chosen vertical line-of-sight given that the fractional cloud cover for the whole sky is x. Since the line-of-sight is vertical, P(c=1|x) equals the fractional cloud cover projected onto a horizontal plane. Equation 4. states that P(c=1|x) = x/8. However the fractional cloud cover x includes the effect of the "packing" of clouds near the horizon (see section 2.2.2) and tends to be larger than the cloud cover projected onto a horizontal plane.

An empirical correction for the packing effect has been developed by [B-1]. According to this work, Equation 4 should be replaced by:

$$P(c=1|x) = (x/8)*(1+3x/8)/4$$
 B-1

Similarly, Equation 6 should be replaced by:

$$P(c=0|x) = (1-x/8)*(1+3x/8)/4$$
 B-2

The difference between the two forms is shown in table B-1. Clearly the difference between the two forms can be substantial, particularly for x between 1 and 4.

TABLE B-1. DIFFERENCE BETWEEN PROBABILITIES CALCULATED USING EQUATION 4 AND B-1.

CLOUD	COVER x	EQ.4	EQ. B-1
0		0	0.0
] 1		1	0.3
2		2	0.9
3		3	1.6
4		4	2.5
5		5	3.6
6		6	4.9
1		7	6.3
8		8	8.0

TABLE B-2. DIFFERENCE IN PROBABILITIES CALCULATED USING EQUATION 4 FROM THIS REPORT AND EQUATION B-1 FROM REFERENCE [B-1]. DATA ARE FOR SEOUL, KOREA AND FOR THE ALTITUDE RANGE 0 TO 100,000 FEET.

x	P(x)	P(C=	1 x) (%)	P(c=0)	x) (%)
	(%)	Eq. 4	Eq. B-1	Eq. 6	Eq. B-2
0	25	0	0	51	45
1	8	2	1	14	14
2	6	3	1	9	10
3	6	4	3	8	9
4	5	6	3	5	6
5	5	6	5	4	5
6	6	9	8	3	4
7	10	17	17	3	4
8	29	55	62	Ö	Ō

The effect of these differences on a representative case is shown in table B-2. The data used are the unconditional probabilities (frequency-of-occurrence) P(x) of cloud cover from 0 to 1000,000 ft. for Seoul, Korea. The conditional probabilities P(c|x) are calculated using both Equation 4 and 6 and Equation B-1 and B-2.

As can be seen from this table, the difference in probabilities between the two techniques is small but significant: the largest differences are small enough however that the general results of this report are still valid. Future calculations of conditional cloud cover should include the correction for the packing effect.

REFERENCE

 John D. Malick, John H. Allen and Stephen Zakanycz Calibrated Analytical Modeling of Cloud Free Intervals, SPIE Vol. 195, pp. 142-147, 1979.

END

FILMED

1-86

DTIC